

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Gevril](#) /
- › [Gevril Men's Lenox Swiss Automatic Watch Instruction Manual](#)

Gevril 49006L

Gevril Men's Lenox Swiss Automatic Watch Instruction Manual

Model: 49006L | Brand: Gevril

1. INTRODUCTION

Welcome to your Gevril Lenox Swiss Automatic Watch. This manual provides essential information for the proper use, care, and maintenance of your precision timepiece. Please read it carefully to ensure optimal performance and longevity of your watch.

Key Features

- 44mm 316L Stainless Steel Case, Black Dial with Exhibition Case Back
- Day/Date, Screw down crown, Luminous Hands and Markers
- Anti-reflective Sapphire Crystal
- Water Resistant to 50 Meters/5ATM





This image displays the front of the GevriL Lenox watch, highlighting its black dial, gold-tone accents, and the genuine Italian leather strap.

2. SETUP AND INITIAL WINDING

Unboxing

Carefully remove your Gevril Lenox watch from its packaging. Ensure all protective films are removed from the crystal and case before use.



The watch comes in a sophisticated black Gevril branded box, designed to protect your timepiece during transit and for storage.

Winding the Watch

Your Gevril Lenox watch is equipped with a Swiss Automatic movement, meaning it is primarily powered by the motion of your wrist. However, for initial setup or if the watch has stopped, it requires manual winding.

1. Gently unscrew the crown (if it's a screw-down crown) counter-clockwise until it pops out to position 0.
2. In position 0, turn the crown clockwise approximately 30-40 times. This will build up a sufficient power reserve.

3. Push the crown back in and screw it down securely to ensure water resistance.

Setting the Time, Date, Day, and Month

The Gevrii Lenox features a multifunction movement with day, date, and month indicators. Follow these steps to set them:

1. **Setting the Time:** Pull the crown out to position 2 (farthest out). Turn the crown to set the hour and minute hands. Be mindful of AM/PM for the date change (the date will change around midnight). Once set, push the crown back to position 0 and screw it down.
2. **Setting the Date:** Pull the crown out to position 1. Turn the crown clockwise to adjust the date.
3. **Setting the Day:** Use the pusher located at the 8 o'clock position on the watch case. Press it to advance the day indicator.
4. **Setting the Month:** Use the pusher located at the 10 o'clock position on the watch case. Press it to advance the month indicator.
5. After setting all functions, ensure the crown is pushed back in and screwed down tightly to maintain water resistance.



This image provides a side view of the watch (note: this image shows a blue dial variation), illustrating the position of the main crown and the two additional pushers used for setting the day and month functions.

3. OPERATING YOUR WATCH

Wearing the Watch

For optimal performance of the automatic movement, wear your Gevril Lenox watch regularly. The natural motion of your wrist will keep the mainspring wound, ensuring continuous operation.



This image shows the Gevri Lenox watch comfortably worn on a wrist, demonstrating its size and aesthetic appeal when in use.

Power Reserve

If the watch is not worn for an extended period (typically 36-40 hours), the power reserve will deplete, and the watch will stop. Simply re-wind it manually as described in the "Winding the Watch" section, or wear it for several hours to restart the movement.

Water Resistance

Your Gevri Lenox watch is water resistant to 50 meters (5 ATM). This means it is suitable for short periods of recreational swimming, but not for diving or prolonged water immersion. Always ensure the crown is fully screwed down before any contact with water. Avoid operating the crown or pushers while the watch is wet or submerged.

4. CARE AND MAINTENANCE

Cleaning

To clean your watch, wipe the case and crystal with a soft, dry cloth. For the genuine Italian leather strap, use a slightly damp cloth and allow it to air dry. Avoid using harsh chemicals, solvents, or abrasive materials, as these can damage the watch's finish and strap.

Storage

When not wearing your watch, store it in a cool, dry place, away from direct sunlight, extreme temperatures, and high humidity. The original Gevri box is ideal for storage to protect it from dust and scratches.



This image shows the back of the Gevri Lenox watch, featuring its exhibition case back which allows a view of the intricate Swiss automatic movement.

Regular Servicing

Like any precision instrument, your automatic watch benefits from periodic servicing. It is recommended to have your Gevri watch serviced by an authorized watchmaker every 3-5 years to ensure its longevity, accuracy, and water resistance.

Avoiding Magnetic Fields

Strong magnetic fields can affect the accuracy of mechanical watches. Keep your watch away from strong magnets, such as those found in speakers, refrigerators, or certain electronic devices.

5. TROUBLESHOOTING COMMON ISSUES

Problem	Possible Cause	Solution
Watch has stopped	Power reserve depleted	Manually wind the watch (30-40 turns) or wear it for several hours.
Watch is running fast/slow	Exposure to magnetic fields; needs regulation	Keep away from magnets. If problem persists, seek professional servicing.
Date/Day/Month not changing	Incorrect setting; power reserve too low	Ensure watch is fully wound. Re-set functions according to instructions. Avoid setting between 9 PM and 3 AM.
Condensation under crystal	Loss of water resistance	Immediately take the watch to an authorized service center to prevent damage.

Product Video

Your browser does not support the video tag.

Official product video showcasing the Gevril Men's Lenox Automatic Watch, demonstrating its design and features from various angles. Note: This video may feature a different dial color variation of the model.

6. PRODUCT SPECIFICATIONS

- **Model Number:** 49006L
- **Case Material:** 316L Stainless Steel
- **Case Diameter:** 44mm
- **Movement:** Swiss Automatic Multifunction
- **Crystal:** Anti-reflective Sapphire
- **Water Resistance:** 50 Meters / 5 ATM
- **Strap Material:** Genuine Italian Leather
- **Dial Color:** Black
- **Functions:** Hour, Minute, Second, Day, Date, Month
- **Luminescence:** Luminous Hands and Markers

7. WARRANTY AND SUPPORT

Warranty Information

Your Gevril Lenox watch is covered by a manufacturer's warranty against defects in materials and workmanship. Please refer to the warranty card included with your purchase for specific terms and conditions. Keep your proof of purchase for any warranty claims.

Customer Support

For any questions, service requests, or technical assistance, please contact Gevril customer support. Visit the

official Gevri website for contact details and authorized service centers.

[Visit the Gevri Store on Amazon](#)



© 2024 Gevri. All rights reserved.