

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [HOMCOM](#) /

› [HOMCOM Sideboard Buffet Cabinet, Model 835-470BK - Instruction Manual](#)

HOMCOM 835-470BK

HOMCOM Sideboard Buffet Cabinet (Model 835-470BK) - Instruction Manual

Your guide to assembly, operation, and maintenance.

INTRODUCTION

This manual provides comprehensive instructions for the assembly, operation, and maintenance of your HOMCOM Sideboard Buffet Cabinet, Model 835-470BK. Designed for versatile use in various rooms such as the kitchen, entryway, or living room, this cabinet offers ample storage with adjustable shelving and a sturdy construction. Please read this manual thoroughly before assembly and use to ensure safe and proper handling of the product.

SAFETY INFORMATION

- Always follow the assembly instructions carefully.
- Ensure the cabinet is securely fixed to the wall using the anti-tipping design to prevent tipping over. This is crucial for safety, especially in households with children or pets.
- Do not overload the cabinet beyond its maximum weight capacity of 66 lbs (30 kg). Distribute weight evenly across shelves.
- Keep small parts and packaging materials away from children during assembly to prevent choking hazards.
- Use only the provided hardware or suitable replacements as specified in the assembly guide.

PRODUCT FEATURES

- **Large Storage Space:** Features an open shelf and two storage cabinets, providing ample room for various items.
- **Adjustable Shelving:** Interior shelves can be set at three fixed levels to accommodate different-sized items.
- **Versatile Usage:** Suitable for use as a kitchen buffet cabinet, coffee bar cabinet, console table, or storage in entryways and living rooms.
- **Sturdy Built:** Constructed from MDF (Engineered Wood) for durability, capable of holding items like coffee machines, mixers, and dishes.
- **Anti-Tipping Design:** Includes hardware to fix the cabinet to the wall, preventing accidental tipping.
- **Ribbed Doors:** Adds a modern aesthetic while concealing stored items.

SETUP AND ASSEMBLY

Assembly of the HOMCOM Sideboard Buffet Cabinet is required. Please follow the detailed instructions provided in the separate assembly guide included with your product packaging. Ensure all parts are present before beginning assembly.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out on a clean, soft surface to prevent scratches. Verify all components against the parts list in your assembly guide.
2. **Assemble Frame:** Follow the step-by-step diagrams to construct the main frame of the cabinet.
3. **Install Shelves:** Insert the adjustable shelves into the desired positions. The shelves can be moved to different heights to suit your storage needs.
4. **Attach Doors:** Secure the two cabinet doors using the provided hinges and handles. Ensure doors open and close smoothly.
5. **Secure Anti-Tipping Device:** For safety, attach the anti-tipping hardware to the back of the cabinet and secure it to a wall stud. This prevents the cabinet from falling over.



Figure 1: Installation of the anti-tipping device for enhanced stability and safety.

OPERATING INSTRUCTIONS

The HOMCOM Sideboard Buffet Cabinet is designed for straightforward use.

- **Opening/Closing Doors:** Use the metal handles to open and close the two cabinet doors. Ensure they close completely to keep contents secure and maintain a tidy appearance.
- **Adjusting Shelves:** To adjust the height of the interior shelves, carefully remove the shelf, reposition the shelf pins to the desired level, and then reinsert the shelf.
- **Utilizing Open Shelf:** The open shelf area is ideal for frequently accessed items, decorative pieces, or small appliances like a coffee maker.



Figure 2: Demonstrating the adjustable shelving feature within the cabinet.

MAINTENANCE

To ensure the longevity and appearance of your cabinet, follow these maintenance guidelines:

- **Cleaning:** Wipe surfaces with a soft, damp cloth. Avoid harsh chemicals or abrasive cleaners, which can damage the laminated finish.
- **Spills:** Clean up spills immediately to prevent staining or damage to the engineered wood.
- **Hardware Check:** Periodically check all screws and fasteners to ensure they are tight. Retighten if necessary.
- **Avoid Excessive Moisture:** Do not place hot items directly on the surface without protection. Avoid prolonged exposure to moisture.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Doors do not close properly.	Hinges are loose or misaligned.	Adjust or tighten the hinge screws. Ensure the cabinet is on a level surface.
Cabinet feels unstable or wobbly.	Uneven floor or loose assembly.	Ensure all assembly screws are tightened. Use shims if the floor is uneven. Verify the anti-tipping device is securely installed.
Shelf sags or cannot hold weight.	Overloaded or incorrect shelf pin installation.	Reduce the weight on the shelf. Re-install shelf pins correctly and ensure they are fully seated. Do not exceed the 66 lbs weight limit for the whole unit.

SPECIFICATIONS

Feature	Detail
Brand	HOMCOM
Model Number	835-470BK
Color	Black
Material	Engineered Wood (MDF)
Overall Dimensions	41.75" W x 17.75" D x 35.5" H
Weight Capacity (Whole)	66 lbs (30 kg)
Number of Doors	2
Adjustable Shelves	Yes, 3 fixed levels
Special Features	Adjustable Shelf, Anti-Tipping, Open Shelf
Assembly Required	Yes



Figure 3: The HOMCOM Sideboard Buffet Cabinet in a typical home environment.



Figure 4: Key dimensions of the cabinet for planning placement.

WARRANTY AND SUPPORT

This product is offered with a 30-day easy return policy. For any questions, concerns, or assistance with assembly or product issues, please contact Aosom Direct Customer Support. Refer to your purchase documentation for specific contact details.

Aosom Direct is the seller and provides customer support for this product.

PRODUCT VIDEOS

HOMCOM Sideboard Buffet Cabinet Overview

Your browser does not support the video tag.

This video provides a general overview of the HOMCOM Sideboard Buffet Cabinet, highlighting its design and features. (Source: Aosom Direct)

