

[manuals.plus](#) /

› [VOUNOT](#) /

› [VOUNOT 4-Tier Vertical Tower Clothes Drying Rack Instruction Manual](#)

VOUNOT 6621224468503

VOUNOT 4-Tier Vertical Tower Clothes Drying Rack Instruction Manual

Brand: VOUNOT | **Model:** 6621224468503

1. INTRODUCTION

Thank you for choosing the VOUNOT 4-Tier Vertical Tower Clothes Drying Rack. This manual provides essential information for the safe assembly, operation, and maintenance of your new drying rack. Please read these instructions carefully before use and retain them for future reference.



Figure 1: VOUNOT 4-Tier Vertical Tower Clothes Drying Rack in a living space.

2. SAFETY INSTRUCTIONS

- Always assemble the drying rack on a flat, stable surface.
- Ensure all parts are securely connected before loading clothes.
- Do not exceed the maximum load capacity of 36 kg (79 lbs).
- Distribute clothes evenly to maintain stability.
- Keep children and pets away from the drying rack during assembly and use to prevent accidents.
- Wear protective gloves during assembly to prevent hand injuries.
- Avoid placing the rack near heat sources or open flames.
- When moving the rack, ensure it is not overloaded and use the wheels carefully. Engage brakes when stationary.

3. PACKAGE CONTENTS

Please check that all components are present and undamaged before beginning assembly. Refer to the diagram below for identification of parts.




Figure 2: Exploded view of all parts included in the package.

Included Components:

- Main support poles (various lengths)
- Foldable drying wings (8 pieces)
- Adjustable shelf connectors
- Base supports with 6 swivel wheels (2 with brakes)
- Extendable telescopic bar
- Fasteners and small parts (screws, caps)

4. SETUP AND ASSEMBLY INSTRUCTIONS

Assembly typically takes about 20 minutes. We recommend wearing protective gloves during the process.

4.1 Assembly Video Guide

Your browser does not support the video tag.

Video 1: Official installation guide for the VOUNOT Vertical Tower Clothes Drying Rack. This video demonstrates the step-by-step assembly process, including attaching the wheels, connecting the base, assembling the vertical poles, and installing the drying racks and side wings.

4.2 Step-by-Step Assembly

1. **Assemble the Base:** Attach the swivel wheels to the base supports. Connect the two base supports using the horizontal bar. Ensure the locking mechanisms on the base are secure.
2. **Install Vertical Poles:** Insert the lower vertical poles into the designated slots on the assembled base. Secure them firmly.
3. **Attach Drying Racks:** Slide the adjustable shelf connectors onto the vertical poles. Attach the foldable drying wings to these connectors. Repeat for all four tiers, ensuring the racks are at your desired height.
4. **Install Telescopic Bar:** Place the extendable telescopic bar at the top of the rack, connecting it between the upper vertical poles. This bar is ideal for hanging longer items.
5. **Secure Side Wings:** Attach the two side wings, designed for hangers, to the upper section of the rack.

Tip: If parts are tight during assembly, a rubber mallet can be used to gently tap them into place.

5. OPERATING INSTRUCTIONS

5.1 Adjusting Shelves and Wings

- **Adjustable Tiers:** Each tier's height can be adjusted individually. Loosen the locking mechanism on the connectors, slide the tier to the desired height, and then secure the lock.
- **Foldable Wings:** The 8 foldable wings can be extended for maximum drying space or folded down when not in use to save space. They can also be rotated 360 degrees for optimal positioning.
- **Side Hanger Wings:** The two side wings are perfect for hanging clothes on hangers, preventing wrinkles.




Figure 3: Detailed view of adjustable and foldable features, including rotating wings and adjustable layers.

5.2 Using the Telescopic Bar

The top telescopic bar is extendable from 83.5 cm to 147 cm (33 to 58 inches). Use this feature to hang longer items like bed sheets, tablecloths, or long garments that require more vertical space.

5.3 Mobility and Storage

- Easy Movement:** The drying rack is equipped with 6 swivel wheels, allowing you to easily move it around your home or outdoors.
- Stability:** Two of the wheels have brakes. Engage these brakes to keep the rack stable and prevent unwanted movement when loaded or in windy conditions.
- Space-Saving Folding:** When not in use, the rack can be folded to a compact size (83.5L x 16P x 180Acm or 33L x 6P x 71A inches) for convenient storage in tight spaces.



Figure 4: The drying rack in its folded, space-saving configuration.

5.4 Usage Examples



Figure 5: Examples of how to utilize the different sections of the drying rack for various items.

5.5 Operation Video Guide

Your browser does not support the video tag.

Video 2: This video demonstrates the folding and unfolding of a similar 3-tier clothes drying rack, showcasing its space-saving design and ease of use.

6. MAINTENANCE

- **Cleaning:** Wipe down the stainless steel rods and plastic parts with a damp cloth and mild detergent. Avoid abrasive cleaners that could damage the finish.
- **Drying:** Ensure the rack is completely dry before folding and storing to prevent rust or mildew.
- **Inspection:** Periodically check all connections and moving parts for tightness and wear. Tighten any loose screws.
- **Storage:** Store the folded rack in a dry, protected area when not in use.

7. TROUBLESHOOTING

- **Rack feels unstable:** Ensure all connections are fully engaged and tightened. Check that the base is on a level surface and the wheel brakes are engaged if needed. Distribute laundry evenly.
- **Difficulty assembling parts:** Some parts may require firm pressure to click into place. Refer to the assembly video and diagrams. A rubber mallet can be used gently if needed.
- **Wheels not rolling smoothly:** Check for any debris caught in the wheels. Ensure the brakes are disengaged.

8. SPECIFICATIONS

Feature	Detail
Model Number	6621224468503
Material	Stainless Steel, Durable Plastic
Unfolded Dimensions (L x W x H)	147 x 56 x 180 cm (58 x 22 x 71 inches)
Folded Dimensions (L x W x H)	83.5 x 16 x 180 cm (33 x 6 x 71 inches)
Product Weight	5.52 kg (12.17 lbs)
Drying Length	Up to 27 meters (88.6 feet)
Load Capacity	Up to 36 kg (79 lbs)
Wheels	6 Swivel Wheels (2 with brakes)
Tiers	4 Adjustable Tiers
Special Features	8 Foldable Wings, 2 Side Hanger Wings, Extendable Telescopic Bar




Figure 6: Dimensions of the drying rack in both unfolded and folded states.

9. WARRANTY AND SUPPORT

VOUNOT products are designed for quality and durability. For any questions, concerns, or support needs regarding your drying rack, please contact VOUNOT customer service through the retailer's platform or the official VOUNOT website. Please have your model number (6621224468503) and purchase information ready.