

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [WantJoin](#) /

› [WantJoin Thermal 12L/3.2 Gallon Stainless Steel Insulated Beverage Dispenser Instruction Manual](#)

WantJoin WZNCT12LWDBBKUS

WantJoin Thermal 12L/3.2 Gallon Stainless Steel Insulated Beverage Dispenser Instruction Manual

Model: WZNCT12LWDBBKUS

1. INTRODUCTION

Thank you for choosing the WantJoin Thermal Insulated Beverage Dispenser. This dispenser is designed to maintain the temperature of your hot or cold beverages for extended periods, making it ideal for various events and daily use. Please read this manual thoroughly before first use to ensure proper operation and maintenance.

2. SAFETY INSTRUCTIONS

- **Non-Heating Function:** This is a NON-HEATING functional insulated beverage dispenser. It does not have a direct heating function.
- **Do Not Overfill:** Avoid filling the dispenser beyond its maximum capacity to prevent spills and ensure proper lid sealing.
- **Secure Lid:** Always ensure the lid is securely threaded and tightened before transport or use to prevent leaks.
- **Stable Placement:** Place the dispenser on a flat, stable surface to prevent tipping.
- **Handle with Care:** When carrying, especially with hot liquids, support the bottom of the dispenser in addition to using the carry handle.
- **Cleaning:** Refer to the Maintenance and Cleaning section for proper cleaning procedures. Do not immerse the entire unit in water.
- **Children:** Keep out of reach of children, especially when filled with hot liquids.

3. PRODUCT OVERVIEW

Familiarize yourself with the components of your WantJoin Insulated Beverage Dispenser.

Key Components:

- **Insulated Body:** Constructed with food-grade stainless steel interior and exterior, featuring three-layered insulation.
- **Threaded Lid:** Spiral double-insulated drum cover for enhanced temperature retention and leak prevention.
- **Visual Electronic Thermometer:** LCD display for real-time temperature monitoring.
- **Spigot:** Spring-back spigot with grooved interior design for easy, spill-free dispensing.
- **Rotating Carry Handle:** For convenient transport.
- **Foldable Tripod:** For adjustable height and stability.



Figure 1: Overview of the WantJoin Insulated Beverage Dispenser.

3 LAYER INSULATION

Handy with Multi-Layered Safety



Figure 2: Detailed view of the 3-layer insulation (Anti-Fingerprint Shell, PU Foaming Layer, 304 Food Grade Material) for effective temperature retention.

4. SETUP

- 1. Unpack:** Carefully remove all components from the packaging.
- 2. Initial Cleaning:** Before first use, wash the interior and lid with warm, soapy water. Rinse thoroughly and dry completely.
- 3. Install Spigot:** Ensure the spigot is securely attached and tightened to prevent leaks.
- 4. Prepare Thermometer:** The visual electronic thermometer requires a CR2032 button cell battery to operate. Insert or activate the battery as per the small instruction card provided.

5. **Positioning:** Place the dispenser on a stable, flat surface. If desired, extend the foldable tripod feet for increased height and stability.



Figure 3: Securely threading the lid onto the dispenser.

5. OPERATING INSTRUCTIONS

For Hot Beverages:

1. **Pre-heat (Optional):** For best results, pre-heat the dispenser by filling it with hot water for 5-10 minutes, then empty.
2. **Fill:** Pour your hot beverage (e.g., coffee, tea, milk) into the dispenser.

3. **Seal:** Securely thread the lid onto the dispenser.
4. **Monitor Temperature:** Check the temperature on the LCD display.
5. **Dispense:** Place a cup under the spigot and push the lever down to dispense. Release the lever to stop.

For Cold Beverages:

1. **Pre-chill (Optional):** For best results, pre-chill the dispenser by filling it with cold water or ice for 5-10 minutes, then empty.
2. **Fill:** Pour your cold beverage (e.g., water, juice, iced tea) into the dispenser. Add ice if desired.
3. **Seal:** Securely thread the lid onto the dispenser.
4. **Monitor Temperature:** Check the temperature on the LCD display.
5. **Dispense:** Place a cup under the spigot and push the lever down to dispense. Release the lever to stop.

Your browser does not support the video tag.

Video 1: Demonstration of the WantJoin Insulated Beverage Dispenser's features, including pouring hot and cold beverages and using the temperature display.

HOT-COLD VERSATILE

Smart Temperature Meets Ease



COLD MAX

-58°F

HOT MAX

230°F

3.2 GAL

(12L) EACH

75 CUP



Figure 4: The dispenser is versatile for both hot and cold beverages, maintaining temperatures from -58°F to 230°F.

12-HOUR LASTING WARMTH

High Efficiency Hot Cold Preservation



Figure 5: High efficiency hot and cold preservation, maintaining warmth for up to 12 hours.

6. MAINTENANCE AND CLEANING

- **After Each Use:** Empty any remaining liquid.
- **Hand Wash Only:** The dispenser is NOT dishwasher safe. Hand wash the interior and exterior with warm, soapy water.
- **Spigot Cleaning:** Ensure the spigot is thoroughly cleaned to prevent residue buildup. You may need to detach it for a more thorough cleaning.
- **Rinse Thoroughly:** Rinse all parts with clean water to remove soap residue.
- **Dry Completely:** Allow all parts to air dry completely before reassembling and storing to prevent odors

or rust.

- **Thermometer Care:** Avoid getting the thermometer unit wet. If it needs cleaning, wipe it gently with a damp cloth.

Your browser does not support the video tag.

Video 2: Visual guide on disassembling the lid and pump for cleaning, and reassembling the dispenser.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Liquid is not staying hot/cold	Lid not sealed properly; Insufficient pre-heating/chilling; Extreme ambient temperature.	Ensure lid is tightly threaded. Pre-heat/chill the dispenser. Avoid prolonged exposure to extreme temperatures.
Spigot is leaking	Spigot not tightened; Internal seal issue; Residue buildup.	Ensure spigot is securely tightened. Disassemble and clean spigot thoroughly. Check for any damage to seals.
Temperature display is blank/inaccurate	Battery drained; Thermometer unit dislodged.	Replace the CR2032 button cell battery. Ensure the thermometer unit is properly seated.
Difficulty dispensing liquid	Spigot clogged; Air pressure issue.	Clean the spigot to remove any blockages. Ensure the lid's vent is clear.

8. SPECIFICATIONS

- **Brand:** WantJoin
- **Model Number:** WZNCT12LWDBBKUS
- **Material:** Stainless Steel
- **Color:** Black
- **Capacity:** 12 Liters (3.2 Gallons)
- **Product Dimensions:** 9.2" L x 9.2" W x 18.1" H
- **Item Weight:** 6 Pounds
- **Insulation:** Three-layered (Stainless Steel, PU Foaming Layer, Anti-Fingerprint Shell)
- **Features:** Visual Electronic Thermometer, Threaded Lid, Spring-back Spigot, Rotating Carry Handle, Foldable Tripod.

PRODUCT DIMENSIONS

12L/3.2 Gallon



Figure 6: Detailed product dimensions for the 12L/3.2 Gallon dispenser.

9. WARRANTY AND SUPPORT

For warranty information, technical support, or any inquiries regarding your WantJoin Insulated Beverage Dispenser, please refer to the product packaging or contact WantJoin customer service directly. Keep your purchase receipt for warranty claims.