Manuals+
Q & A | Deep Search | Upload

Tefcold FS1202S

Tefcold FS1202S Glass Door Refrigerator Instruction Manual

Model: FS1202S (Part Number: 15949)

Introduction

This instruction manual provides essential information for the safe and efficient operation, installation, and maintenance of your Tefcold FS1202S Glass Door Refrigerator. Please read this manual thoroughly before operating the appliance and keep it for future reference.

Safety Information

Always observe the following safety precautions to reduce the risk of fire, electric shock, injury, or damage when using this appliance.

- **Electrical Safety:** Ensure the power supply matches the specifications on the rating label. Do not use extension cords or adapters. Always unplug the refrigerator before cleaning or maintenance.
- **Refrigerant:** This appliance uses R290 refrigerant. Servicing should only be performed by qualified personnel. Do not damage the refrigerant circuit.
- **Placement:** Place the unit on a stable, level surface. Ensure adequate ventilation around the unit. Do not block ventilation openings.
- **Cleaning:** Use only mild, non-abrasive cleaning agents. Do not spray water directly onto the appliance.
- **Children:** Keep children away from the appliance, especially during operation and maintenance.
- **Disposal:** Dispose of the appliance in accordance with local regulations for refrigerants and flammable insulation blowing gas.

Product Overview

The Tefcold FS1202S is a commercial glass door refrigerator designed for displaying and storing beverages and food items. It features LED lighting, adjustable shelves, and a robust construction.

Main Components

Figure 1: Front view of the Tefcold FS1202S Glass Door Refrigerator, showing its two sliding glass doors and overall design.

Figure 2: Close-up view of the interior, highlighting the adjustable white shelves and internal structure.

Figure 3: Detail of the electronic control panel and digital temperature display located at the bottom front of the unit.



Figure 4: Exploded view diagram illustrating various internal and external components of the refrigerator for service and identification purposes.

Setup and Installation

Unpacking

1. Carefully remove all packaging materials, including tape and protective films.
2. Inspect the refrigerator for any shipping damage. Report any damage to your supplier immediately.

3. Retain packaging materials for future transport or if the unit needs to be returned.

Placement

- Place the unit on a firm, level floor capable of supporting its weight when fully loaded.
- Ensure adequate clearance around the unit for proper ventilation (minimum 10 cm on sides and rear, 30 cm above).
- Avoid direct sunlight, heat sources (radiators, ovens), or areas with high humidity.
- Use the adjustable feet to level the appliance. The unit also has 4 castors for easy movement before final placement.

Initial Cleaning

Before first use, clean the interior and exterior surfaces with a mild detergent and warm water. Wipe dry thoroughly.

Power Connection

After placement and leveling, wait at least 2-4 hours before plugging the unit into a grounded electrical outlet. This allows the refrigerant to settle. Connect to a dedicated circuit if possible.

Operating Instructions

Temperature Control

The refrigerator is equipped with an electronic temperature control system and a digital thermometer. The recommended temperature range for this unit is 2 to 10 °C.

- To adjust the temperature, refer to the specific instructions for the electronic controller model (usually involving pressing 'SET' and using arrow keys).
- The digital display shows the current internal temperature.

Loading the Refrigerator

- Distribute items evenly on the shelves to ensure proper air circulation.
- Do not overload shelves beyond their weight capacity.
- Avoid blocking the internal air vents.

Sliding Glass Doors

The unit features two self-closing sliding glass doors for easy access and energy efficiency. Ensure doors close completely after each use to maintain internal temperature.

- The doors are equipped with safety glazing.
- A lock is provided for securing the contents.

Maintenance

Cleaning

1. **Daily:** Wipe down the exterior and interior surfaces with a damp cloth and mild detergent.
2. **Weekly/Bi-weekly:** Clean the shelves and interior thoroughly. Ensure no food debris accumulates.
3. **Condenser Cleaning:** The condenser coil (located at the bottom rear) should be cleaned regularly (e.g., monthly or quarterly) to ensure efficient operation. Use a soft brush or vacuum cleaner. *Always unplug the unit before cleaning*

the condenser.

Defrosting

This refrigerator features an automatic defrosting system. Ice buildup on the evaporator coil will be periodically melted and drained. Ensure the drain hole is clear to prevent water accumulation.

Troubleshooting

Before contacting service, check the following common issues:

Problem	Possible Cause	Solution
Refrigerator not cooling	Power cord unplugged; circuit breaker tripped; temperature setting too high; condenser dirty; doors not closing properly.	Check power connection; reset breaker; adjust temperature; clean condenser; ensure doors are sealed.
Excessive noise	Unit not level; fan obstruction; loose components.	Level the unit; check for obstructions around fans; contact service if noise persists.
Water on floor inside/outside	Drain hole blocked; drain pan overflowing; high humidity.	Clear drain hole; empty/check drain pan; ensure doors are closed.
Digital display not working	Power issue; controller malfunction.	Check power; contact qualified service technician.

Specifications

Detailed technical specifications for the Tefcold FS1202S Glass Door Refrigerator:

Feature	Specification
Model Number	15949 (FS1202S)
Temperature Range	2 to 10 °C
Climate Class	4
Gross / Net Weight	189 kg / 174 kg
Gross / Net Volume	895 L / 660 L
Shelf Dimensions	1072 x 470 mm
Number and Type of Doors	2 sliding glass doors with auto-close
Safety Glazing	Yes
Number and Type of Shelves	5 white wire shelves
Feet / Castors	4 adjustable feet / 4 castors
Exterior Finish	White
Interior Finish	White painted steel

Feature	Specification
Interior Lighting	LED
Lock	Yes
Regulation Type	Electronic
Cooling Type	Ventilated (Forced Air)
Defrost Type	Automatic
Refrigerant	R290
Gas Charge	120 g
Energy Class	F
Energy Consumption	6.8 kWh/24h
Annual Energy Consumption	2482 kWh/year
Power Consumption	450 W
Voltage / Frequency	220-240V / 50 Hz
Noise Level	48 dB(A)
Thermometer	Yes
Interior Dimensions (WxDxH)	1090 x 573 x 1533 mm
Exterior Dimensions (WxDxH)	1200 x 735 x 1990 mm
Packed Dimensions (WxDxH)	1250 x 800 x 2160 mm

Figure 5: Energy efficiency label indicating Class F for the Tefcold FS1202S.

Warranty and Support

For warranty information, please refer to the terms and conditions provided at the time of purchase or contact your retailer. For technical support or spare parts, please contact Tefcold customer service or an authorized service center. Always provide the model number (FS1202S) and serial number (if applicable) when seeking assistance.
Note: Information regarding spare parts availability was not provided in the product details.

© 2023 Tefcold. All rights reserved.

Related Documents - FS1202S

	[Tefcold Refrigeration Cabinets User Manual and Instructions] Comprehensive user manual and instructions for Tefcold refrigeration cabinets, covering installation, operation, maintenance, and safety for commercial beverage storage.
	[Tefcold Beverage Cooler User Manual and Instructions] Comprehensive user manual and installation guide for Tefcold beverage display coolers, covering safety, setup, operation, maintenance, and technical specifications. Available in multiple languages.
	[Tefcold Displaykøler Brugsvejledning] Denne brugsvejledning fra Tefcold giver detaljerede instruktioner til installation, betjening, vedligeholdelse og sikkerhed for Tefcold displaykølere. Sikrer optimal ydeevne og lang levetid for kommercielle køleenheder.
	[Tefcold Display Refrigerators User Manual and Instructions] This comprehensive user manual provides essential information for the safe installation, operation, maintenance, and service of Tefcold display refrigerators. It is designed to help users understand and properly utilize their equipment, ensuring optimal performance and longevity.
	[Tefcold Køleskab Brugsvejledning: Sikkerhed, Installation og Vedligeholdelse] Komplet brugsvejledning til Tefcold køleskabe. Lær om sikkerhed, korrekt installation, drift, vedligeholdelse og fejlfinding for at sikre optimal ydeevne.
	[Tefcold Brugsvejledning: Køleskabe til Drikkevarer] Denne brugsvejledning giver detaljerede instruktioner til installation, drift, vedligeholdelse og sikkerhed for Tefcold drikkevarekøleskabe, herunder tekniske specifikationer og modelinformation.

Documents - Tefcold – FS1202S

[Tefcold Refrigerated Display Cabinet Manual]

Comprehensive instruction manual for Tefcold refrigerated display cabinets, covering installation, operation, maintenance, and troubleshooting. Includes technical specifications and wiring diagrams for various models.

lang:es score:35 filesize: 980.82 K page_count: 21 document date: 2021-07-06

[Manual de Instrucciones y Datos Técnicos para Refrigeradores Hosteleria10]

Este manual completo para refrigeradores Hosteleria10 incluye instrucciones de operación, instalación, mantenimiento, solución de problemas y especificaciones técnicas detalladas para diversos modelos. Cubre aspectos de seguridad, conexión eléctrica y cumplimiento de normativas.

lang:es score:34 filesize: 1.9 M page_count: 18 document date: 2025-03-25

[pdf] User Manual

Model Rene Tefcold SCU1425 FRAMELESS User Manual Frameless Bottle Cooler scu1425 manual fridgefreezerdirect co uk mw link id 4662 SD Range ManualTefcold CoolerTefcold SD1280 Solid Door Fridgetefcold sd range user 1fridgefreezerdirect 4528 UÅ¾ivatelskÃ½ manuÃ¡lTefcold ManualTEFCOLD SCU 1280 ChladicÃ skÅÃÅ prosklenÃ© dveÅe Nordl eshop czTefcold Fridge15921 uzivatelsky manualtefcold 1nordl cz data central files attachment 15921 manualfridgefreezerdirect FS1280 FridgeTefcold Glass 1tefcold fs1280 manualnordl 4528fridgefreezerdirect 4436 ManualUživatelský manuálTefcold FridgeTEFCOLD 1425 frameless Chladicí skříň prosklené dveře černá 117044 4528nordl 17044 manuálUživatelský czTEFCOLD FSC 1200 S posuv manual15961 15961 ManualFSC1000S FSC1000S manualfsc1000s 4436fridgefreezerdirect 4677 FS 1202 H manual34449 34449 ManualCEV425 BLACK CEV425 Black manualcev425black 1fsc1000s 3830fridgefreezerdirect SDU 1375 plné manual16086 16086 manual15890 15890 1000 manual15957 15957 FS1002S fs1002s 4414fridgefreezerdirect manual15921 4414nordl kř manual15959 15959 manual15955 15955 1380 manual15900 15900 manual15926 15926 bílá manual16085 16085 manual33579 33579 CEV 425 1 LED manual15824 15824 manual15825 15825 manual15892 15892 175H manual15907 15907 ||| ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi

Brugsvejledning	DK	5
Bruksanvisning	SE	14
Käyttöohje	FI	23
Instruction manual	GB	32
Bedienungsanleitung	DE	41
Mode d'emploi	FR	50
Handleiding	NL	59
Manual de instrucciones	ES	68
Manual de Instruções	PT	77
Priročnik za uporabo	SL	86
Návod k obsluze	CZ	95
Kezelési kézikönyv	HU	104
Manuale d'istruzioni	IT	113
Instrukcja obsługi	PL	122

999-211117_r6

1

Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9 ||| Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handleiding Manual de instrucciones Manual de Instrues Prirocnik za uporabo Nvod k obsluze Kezeli kziknyv Manuale d istruzioni Instrukcja obslugi 9

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... MSU400 CEV425 FSC1380 GBC375CP SCU1375CP CEV425CP FSC1450 SCU1450CP FS890H FSC890H FSC890S FS1002S **FS1202S**

FS1500H FSC1600H FSC1950S/H FSC1000S/H FSC1200S/H CPV425 CPV1380 CPP1380 Temp. Range 1 / ...

lang:en score:29 filesize: 8.65 M page_count: 138 document date: 2021-11-17

TEFCOLD
Cool Products Worldwide

FS1202S

Display Cooler

Product features:
- Self-closing sliding glass doors
- Ventilated cooling
- Internal vertical light
- Adjustable shelves
- Powder coated inner liner
- Adjustable feet

Vertical internal light | Digital thermostat

Technical data		
Cans 330 ml	1420	pcs
Cans 500 ml	920	pcs
Bottles 330 ml	830	pcs
Bottles 500 ml PET	672	pcs
Gross / Net Volume	800 / 800	l
Gross / Net Weight	180 / 174	kg
Climate Class	4	
Temperature Range	2 to 10	°C
Door Number & Type	2 self-closing sliding glass doors	
Tempered glass	Yes	
Reversible door		
Shelves Number & Type	5 wire shelves white	
Shelf Dimensions	1870 x 478	mm
Interior Light	36 W Neon	
Feet / Legs	4 adjustable feet	
Castors	4 rollers	
Exterior Finish	White	
Interior Finish	Coated steel	
Lock	No	
Thermometer	Yes	
Type of Controller	Electronic	
Noise Level	48	dB(A)
Type of Cooling	Ventilated	
Type of Defrost	Automatic	
Refrigerant	R134a	
Refrigerant Charge	450	g
Input Power	742	W
Voltage / Frequency	220-240/50	V/Hz
Energy Consumption	18	kWh/24h
Internal Dimensions (WxDxH)	1090 x 570 x 1933	mm
External Dimension (WxDxH)	1200 x 735 x 1900	mm
Packed Dimension (WxDxH)	1240 x 780 x 2160	mm

TEFCOLD A/S - Industrivej 25 - 8600 Viborg - Denmark - Phone +45 86 60 19 35 - www.tefcold.com - info@tefcold.com

[pdf] Dimension Guide

FS1202S fs1202s product card coolcenter fi 2022 06 |||

FS1202S Display Cooler Product features: Self-closing sliding glass doors Ventilated cooling Internal vertical light Adjustable shelves Powder coated inner liner Adjustable feet Vertical internal light Digital thermostat Technical data Cans 330 ml Cans 500 ml Bottles 330 ml Bottles 500 ml P...

lang:en score:28 filesize: 86.2 K page_count: 2 document date: 2020-03-05



TEFCOLD
COOL PRODUCTS WORLDWIDE

1152 816 560 560

FS1202S

Glass Door Merchandiser

Product Features
- Fully automatic
- Fan assisted cooling
- Adjustable full width shelves
- Lock
- Interior light with switch
- Digital temperature display
- Self closing doors with stay open feature for ease of loading
- Adjustable feet with rollers to rear

The TECOLD FS1002S & FS1202S are a range of sliding glass door merchandisers, without a light canopy they maximise the display space allowing higher glass doors. They are versatile units suitable for drinks, dairy (milk, cheese etc) and sandwiches. Fan assisted cooling, vertical interior lights and self closing doors make it ideal for supermarkets, convenience stores, shops and cafes.

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	180 / 174
Gross / Net Volume	l	800 / 800
Design and Material		
Door Number & Type		2 self-closing sliding glass doors
Tempered glass		Yes
Door Reversible		No
Shelves Number & Type		5 wire shelves white
Shelf Color		White
Shelf Dimensions		1870 x 478 (WxD)
Bottom Shelf Dimensions		1070 x 415
Max load on Shelves	kg/m²	196
Feet / Legs		4 adjustable feet
Castors		4 rollers
Exterior Finish		White
Interior Finish		White
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	130
Thermometer		Yes
Power and Consumption		
Energy Class		F
Energy Consumption	kWh/24h	6.8
Annual Energy Consumption	kWh/year	2482
Power		13 Amp
Max Ambient		30°C 55% RH
Input Power	W	800
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	48
Dimensions		
Internal Dimension (WxDxH)	mm	1090 x 572 x 1933
External Dimension (WxDxH)	mm	1200 x 735 x 1900
Packed Dimension (WxDxH)	mm	1250 x 800 x 2160
40ft Container Load	pcs	23

Vertical internal light | Digital thermostat

TEFCOLD UK Ltd - West Meadow Rise - Castle Donington - Derby DE74 2HL - (0)1332 850090 - sales@tefcold.co.uk - www.tefcold.co.uk

[pdf] Specifications Dimension Guide

FS1202S fs1202s specsheet assets catering appliance content product docs 62 f5 |||

Measures and Content Temperature Range Climate Class Gross / Net Weight Gross / Net Volume Design and Material Door Number Type Tempered glass Door Reversible Shelves Number Type Shelf Color Shelf Dimensions Bottom Shelf Dimensions Max load on Shelves Feet / Legs Castors Exterior Finish FS...

lang:en score:28 filesize: 501.63 K page_count: 1 document date: 2024-07-11



[pdf]

Tefcold FS1202S EnergiklassificeringTefcold Displaykyl Lyft Fram ProdukternaEnergiklassificering 15949 SEcdn shopify s files 1 0904 6559 9871 Energiklassificering SE v 1745046943 EnergiklassificeringEnergy classificationTefcold ProdukternaFS1202S CoolCenter Forssa OyEnergiklassificering SEv1cdn 1745046943coolcenter fi 2024 09 e154feee 2d0b 4f15 a68e 9f0132ba742a ||| ||| Tefcold A B C D E F G FS1202S F 2482 kWh/annum 4 C 1122 L 3 2 C 2019/2018

Tefcold A B C D E F G **FS1202S** F 2482 kWh/annum 4 C 1122 L 3 2 C 2019/2018 ...

lang:en score:28 filesize: 65.49 K page_count: 1 document date: 2021-02-26

[pdf]

Tefcold FS1202S ProduktbladTefcold Displaykyl Lyft Fram ProdukternaProduktblad 15949 SEcdn shopify s files 1 0904 6559 9871 Produktblad SE v 1745046944 |||

Mtt och innehll Temperaturintervall Klimatklass Brutto- / nettovikt Brutto-/nettovolym Design och material Drrnummer drrtyp Hrdet glas Vndbar drr Hyllnummer hylltyp Hyllfrg Hyllmtt Mtt p nedre hyllan Maxlast p hyllorna Huvtyp Ftter / ben Styrhjul **FS1202S** Displaykyl 1152 816 560 560 Utvnd...

lang:no score:28 filesize: 501.79 K page_count: 1 document date: 2025-02-04

TEFCOLD
COOL PRODUCTS WORLDWIDE

Medidas y contenido		
Rango de temperatura	°C	+2 a +10
Clase climática		4
Peso bruto / neto	kg	189 / 174
Volumen bruto / neto	l	895 / 660
Diseño y material		
Número de puertas y tipo		2 cristal de cierre automático deslizante
Cristal de seguridad		Sí
Puerta reversible		No
Número de estantes y tipo		5 estantes de rejilla, blanco
Color de estante		Blanco
Medidas de estante		1072 x 470 mm
Medidas de estante de fondo		1070 x 475
Carga máxima sobre los estantes	kg/m²	36
Tipo de cerradura		
Patas		4 patas regulables
Ruedas giratorias		4 ruedecillas
Acabado exterior		Blanco RAL9010
Acabado interior		Acero pintado blanco
Luz interior		LED
Cierre		Sí
Refrigeración y funciones		
Tipo de control		Electrónico
Tipo de refrigeración		Ventilada
Tipo de descongelación		Automática
Refrigerante		R290
Carga de refrigerante	g	120
Termostato		Sí
Potencia y consumo		
Clasificación energética		F
Consumo de energía	kWh/24h	6.8
Consumo de energía anual	kWh/año	2402
Potencia de entrada	W	850
Tensión / frecuencia	V/Hz	220-240/50
Nivel de ruido	dB(A)	48
Dimensiones		
Medidas interiores (AnxPxH)	mm	1090 x 573 x 1533
Medidas exteriores (AnxPxH)	mm	1200 x 735 x 1990
Medidas embalaje (AnxPxH)	mm	1250 x 800 x 2160
Carga contenedor 40ft	pcs.	20

FS1202S

Expositor refrigerado

Características del producto

- Puertas deslizantes de cristal de cierre automático
- Luz vertical interna LED
- Estantes ajustables
- Interior recubierto con pintura en polvo
- Patas regulables
- Refrigeración forzada

Expositor refrigerado de 2 puertas, puertas correderas

La gama FS carece de marquesina de iluminación. Esto le proporciona al armario algo más de altura interior y un aspecto más limpio. Se trata de unidades versátiles idóneas para bebidas, productos lácteos (leche, queso, etc.) y bocadillos, por lo que resultan muy adecuadas para supermercados, tiendas de conveniencia, comercios y cafeterías. Este modelo es estándar con exterior e interior blancos. Incluye 5 estantes de rejilla blancos ajustables y 2 puertas de cristal deslizantes de cierre automático.

Luz vertical interna | Termostato digital

TEFCOLD A/S - Industrivej 25 - 8800 Viborg - Denmark - Phone: +45 86 60 19 33 - sales@tefcold.com - www.tefcold.com

[pdf]

FS1202S TEFCOLD Expositor refrigerado de 2 puertas correderas La gama FS carece marquesina iluminación Esto le proporciona al armario algo más altura 3c913bde 59d2 44db 88bc 2e2a6b9ac434 headlessapi tefcold files cGVyZmlvbi8zYzkxM2JkZS01OWQyLTQ0ZGItODhiYy0yZTJhNmI5YWM0MzQucGRm M2M5MTNiZGUtNTlkMi00NGRiLTg4YmMtMmUyYTZiOWFjNDM0 |||

Medidas y contenido Rango de temperatura C Clase climtica Peso bruto / neto kg Volumen bruto / ... 2 cristal de cierre automtico deslizante S No 5 estantes de rejilla, blanco Blanco 1072 x 470 mm **FS1202S** Expositor refrigerado 1152 816 560 560 Medidas de estante de fondo Carga mxima sobre los e...

lang:es score:27 filesize: 502.06 K page_count: 1 document date: 2024-07-11

TEFCOLD
Cool Products Worldwide

FS1202S
Шкафы для напитков

Особенности продукта:

- Вентилируемое охлаждение
- Внутренняя вертикальная подсветка
- Самозакрывающиеся раздвижные стеклянные двери
- 4 регулируемые полки
- Регулируемые ножки

Внутренняя вертикальная подсветка | Электронный термостат

Технические данные	
Климат класс	4
Диапазон температур, °C	От +2 до +10
Объем брутто, л	895
Объем нетто, л	660
Наружные размеры, ширина x глубина x высота	1200x735x1990
Внутренние размеры, ширина x глубина x высота	1090x573x1533
Параметры оборудования в упаковке, ширина x глубина x высота	1240x780x2160
Количество на 40-футовый контейнер, шт.	28
Двери	2 раздвижные стеклянные
Полки	5, 1070x475
Внешний корпус	Белый
Внутренняя обшивка	Рельефные алюминий
Ролики/ножки	4 ролика, 4 регулирующиеся ножки
Замок	Нет
Напряжение/частота, вт/ц	220-240/50
Входная мощность, вт	740
Потребление энергии, кВт/24ч	10
Вес брутто, кг	189
Вес нетто, кг	174
Уровень шума, ДБА	48
Тип охлаждения	Вентилируемое охлаждение
Тип размораживания	Автоматический
Термостат	Электронный термостат
Гладкие/ам	Да
Хладагент	R134a
Подзарядка хладагентом, г	460
Внутренняя освещение	неон 36 Вт

TEFCOLD A/S . Industrivej 25 . 8800 Viborg . Denmark . Phone +45 86 60 19 33 . Fax +45 86 60 17 33 . info@tefcold.dk

[pdf]

FS1202S Шкафы для напитков Tefcold A S Климат класс 4 Диапазон температур °C От 2 до 10 Объем брутто л 895 нетто 660 Наружные размеры ширина x глубина высотаFS1202S листsystem4 ua лист srsltid AfmBOoozxULAcwsOrzxA4 gnguuB070t8xu2k7f n4xdJsLHu7B2wn m |||

FS1202S : 4 , C , , , x x , x x , x x 40- , . / /, / , , /24 , , , / , 4 2 10 895 660 1200x735x1990 1090x573x1533 1240x780x2160 28 2 5, 1070x475 4 , 4 p 220-240/50 740 10 189 174 48 R134a 460 36 TEF...

lang:es score:26 filesize: 875.88 K page_count: 1 document date: 2016-11-24

TEFCOLD
Cool Products Worldwide

Холодильні шафи для напоїв

Інструкція з експлуатації

Моделі серії

system4ua

[pdf]

SD CEV MSU FS FSC SCU CPV CPP GBC Ferrarikiev Крім цього деякі моделі можуть мати електронні термостати ДЛЯ МОДЕЛЕЙ FS1002S FS1202S TEFCOLD A S Industrivej 25 DK 8800 Viborg ©TEFCOLD Sc203d8a151612acf12457e4d67635a95system4 ua c203d8a151612acf12457e4d67635a95 srsltid AfmBOop5e9yVl8HMEdf7egI4t0gyMRCjlD5X8XTbXC2PVQZN6FqsABeQ Інструкції Tefcold GBC➤ Холодильна шафа SD1380 купити у Києві Україні ціна характеристики відгуки System4Крім Ssystem4 c203d8a151612acf12457e4d67635a95system4 ||| ||| : SD CEV MSU FS-C SCU CPV CPP GBC 3 . 4 . 4 5 5 . 7 7 7 8 . 9 . 10 . 11 . 12 12 13 2 1. . 2. . 3. . 4. . 5. , , , . 6. , . 7. , , , . 8. CFC. 9. . . . R290/R600a , . , . . EN 60335-289: 2010 . 3 . . . , . 50 . , . , . 230/50. . . 4 . , 2 .

: SD CEV MSU FS-C SCU CPV CPP GBC .... , 2 . 1 7, 2... 12. 3 4. 0. , . FS1002S/**FS1202S** . , . , . . 5 MSU300/MSU400 . , . , ...

lang:sw score:25 filesize: 1.08 M page_count: 17 document date: 2023-05-20

[pdf] User Manual

manual instrucciones expositor refrigerado fsc eurofred vitrina refrigerada Hosteleria10 Tefcold hosteleria10 recursos s |||

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 FS890H-P FSC890H-P FSC890S-P FS1002S **FS1202S** FS1500H FSC1600H-P FSC1950S/H FSC1950S/H-P FSC1000S/H FSC1000S/H-P FSC1200S/H FSC1200S/H-P ...

lang:es score:24 filesize: 920.33 K page_count: 19 document date: 2021-01-12



[pdf]

Tefcold FS Range TEFCOLD UK 4089 tefcold co uk images |||

Tefcold A B C D E F G **FS1202S** F 2482 kWh/annum 4 C 1122 L 3 2C 2019/2018 ...

lang:es score:24 filesize: 105.76 K page_count: 1 document date: 2021-08-30

TEFCOLD

20104 / FS1202S

Position	ItemNo	Description
01	11299	Top Panel
02	15477	Socket For Starter
03	15484	Starter 4-65 W
04	15339	Ballast 36W
	15627	LED Power Supply
05	13838	Control Panel Sheet
07	13519	Fan Motor
08	13439	Evaporator Fan Frame
09	13556	Finger Guard
10	13483	Fan Blade 200 mm
11	14309	Evaporator
12	14371	Evaporator Cover
13	14065	Thermostat XR06CX 20A Relay Red Display
	14066	Thermostat XR06CX 20A Relay Blue Display
14	13896	Probe NTC Diell/Canal 10 Kohm
16	13737	Light Switch
17	15378	Internal Tube Cover
18	14896	Clip For Shelf
20	15224	Wire Shelf For P. Strong
21	14897	Bottom Wire Shelf
22	11217	Rear Grill
23	14524	Heat Exchanger
26	14613	Nut For Roller
27	14614	Adjustable Foot
28	14616	Plastic Roller
29	14610	Bolt For Roller
30	11186	Middle Support
31	10861	Bottom Panel Hexagonal
	43346	Bottom Panel Hexagonal For Light Switch
34	15721	Filter Drier 20 G
37	11774	Compressor NEU9214U R290
	11827	Compressor GPV185AA R134
38	13529	Fan Motor Div. Use/Condenser
39	13448	Fan Blade 25 cm (Condenser)
40	14383	Condenser
41	11478	Drip Tray
43	10965	Frame Profile Side 2013
44	10691	Frame Profile Bottom
45	15544	Clip For Light Cover
46	15354	Cover For Vertical Fl.Tube
47	15369	Fluorescent Tube 36W
	15637	LED Strip 1200 mm
48	15372	Fluorescent Tube Holder
49	15471	Socket Flourescent Tube Canopy
51	11869	Cover For Door Ramps
52	12129	Door Ramp
53	36430	Glass Door sliding w/lock Left 2021
53B	10715	Lock With Keys
54	36431	Glass Door sliding w/lock Right 2021
55	14411	Door Bottom Rollers
56	12157	Door Hinge
57	11874	Bearing For Sliding Doors
58	14620	Shaft For Roller
59	11958	Door Bracket For Rollers Right
62	12187	Door Spring
63	11957	Door Bracket For Rollers Left
71	11243	Cover For Screw
73	12163	Door Sealing

2023-01-16

[pdf] Parts List

Spare Parts List Tefcold FS1202S 895 Ltr Glass Door White Display Fridge CAS fs1202s spare parts list assets catering appliance content product docs de a9 |||

20104 / **FS1202S** Position 01 02 03 04 05 07 08 09 10 11 12 13 14 16 17 18 20 21 22 23 26 27 28 29 30 31 34 37 38 39 40 41 43 44 45 46 47 48 49 51 52 53 53B 54 55 56 57 58 59 62 63 71 73 ItemNo 11299 15477 15484 15339 15627 13838 13519 13439 13556 13483 14309 14371 14065 14066 13896 13737 15378 1489...

lang:en score:24 filesize: 792.22 K page_count: 2 document date: 2023-01-16



TEFCOLD
Cool Products Worldwide

ECO-FRIENDLY
REFRIGERANT R290

FS1202S-P

Холодильный шкаф со стеклом

Product features:
- Самозакрывающиеся раздвижные стеклянные двери
- Вентилируемое охлаждение
- Внутренняя вертикальная светодиодная подсветка
- Регулируемые полки

Вертикальная внутренняя подсветка | Цифровой термостат

Technical data	
Банки 330 мл	1472 шт
Банки 500 мл	928 шт
Бутылки 330 мл	672 шт
Бутылки 500 мл ПЭТ	672 шт
Общий / полезный объем	895 / 660 л
Вес брутто / нетто	180 / 174 кг
Климатический класс	4
Температурный диапазон	От 2 до 10 °C
Количество и тип дверей	2 самозакрывающиеся раздвижные стеклянные
Высокопрочное стекло	Да
Перепрофилирование двери	
Количество и тип полок	5 решетчатые белые полки
Размеры полок	1072 x 470 mm
Количество и тип корзин	1
внутренняя подсветка	LED
Тип верхней панели	
Подсветка верхней панели	
Ножки / роликс	4 регулируемые ножки
Ролики	4 ролика
наружная отделка	Белый
внутренняя отделка	Крашенная сталь
Замки	Нет
Термометр	Да
Тип контроллера	Электронный
Уровень шума	48 дБ(А)
Тип охлаждения	Вентилируемый
Тип размораживания	Автоматический
Хладагент	R290
Расход хладагента	120 г
Входная мощность	450 Вт
Напряжение / Частота	220-240/50 Гц/Hz
Потребляемая энергия	6,8 кВт/24ч

TEFCOLD A/S · Industriej 25 · 8800 Viborg · Denmark · Phone +45 86 60 19 33 · www.tefcold.com · info@tefcold.com

[pdf]

FS1202S P Whitegoods ruTechnical data Банки 330 мл 500 Бутылки ПЭТ Общий полезный объем Вес брутто нетто Климатический классbf754e9ecd962405b376590f4b6ac85bwhitegoods ru upload iblock a12 bf754e9ecd962405b376590f4b6ac85b srsltid AfmBOoqpefwPLyLnf7u2ylswLiVipnjD1Y0pQ0 TMxE02i54UPO1GFqj |||

FS1202S-P Product features: Technical data 330 500 330 500 / / / / 1472 928 672 672 895 / 660 189 / 174 4 2 10 C 2 c - 5 p 1072 x 470 mm LED - 4 4 48 R290 120 450 220-2...

lang:i-klingon score:24 filesize: 101.63 K page_count: 2 document date: 2020-08-28

TEFCOLD
COOL PRODUCTS WORLDWIDE

FS1202S

Display Cooler

Product Features
- Self-closing sliding glass doors
- Internal vertical LED light
- Adjustable shelves
- Powder coated inner liner
- Adjustable feet
- Ventilated cooling

1152 816 560 560 | Vertical internal light | Digital thermostat

2-door display cooler with sliding doors

The FS range is without a light canopy. It gives a little more interior height and makes for a cleaner looking cabinet. They are versatile units suitable for drinks, dairy (milk, cheese etc) and sandwiches making them ideal for supermarkets, convenience stores, shops and cafés.

This model is standard with white exterior and interior. It comes with 5 adjustable white wire shelves and 2 self-closing sliding glass doors.

Design and Material	
Door No & Type	2 self-closing sliding glass doors
Tempered glass	Yes
Door Reversible	No
Shelves No & Type	5 wire shelves white
Shelf Color	White
Shelf Dimensions	1072 x 470 mm
Bottom Shelf Dimensions	1070x475
Max load on Shelves kg/m²	196
Feet / Legs	4 adjustable feet
Castors	4 rollers
Exterior Finish	White
Interior Finish	White painted steel
Interior Light	LED
Lock	Yes

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	180 / 174
Gross / Net Volume	l	895 / 660

Cooling and Functions	
Type of Controller	Electronic
Type of Cooling	Ventilated
Type of Defrost	Automatic
Refrigerant	R290
Refrigerant Charge	g 120
Thermometer	Yes

Power and Consumption		
Energy Class		C
Energy Consumption	kWh/24h	6,8
Annual Energy Cons.	kWh/year	2482
Input Power	W	450
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	48

Dimensions		
Internal Dimension (WxDxH)	mm	1080 x 570 x 1535
External Dimension (WxDxH)	mm	1200 x 735 x 1990
Packed Dimension (WxDxH)	mm	1250 x 800 x 2160
40ft Container Load	pcs	23

TEFCOLD A/S · Industriej 25 · 8800 Viborg · Denmark · Phone +45 86 60 19 33 · sales@tefcold.com · www.tefcold.com

[pdf] Dimension Guide

Product sheet FS1202S CoolCenter Forssa Oy d322aac9 8c7b 4b7b 861f de0e3511737d coolcenter fi 2023 12 |||

FS1202S Display Cooler Product Features Self-closing sliding glass doors Internal vertical LED light Adjustable shelves Powder coated inner liner Adjustable feet Ventilated cooling 1152 816 560 560 Vertical internal light Digital thermostat 2-door display cooler with sliding doors The FS ra...

lang:en score:24 filesize: 448.89 K page_count: 1 document date: 2023-12-05



TEFCOLD
Cool Products Worldwide

EC DECLARATION OF CONFORMITY

We:

TEFCOLD A/S
Industrivej 25
DK-8800 Viborg
Denmark
info@tefcold.dk

Declare under our sole responsibility that the product / product range:

Bottle coolers
FS1380, FSC1380, FS1002S, FS1202S FSC1950S, FS1950H, FS2380
SD1380, SCU1375

Manufactured for:

TEFCOLD A/S
Industrivej 25
DK-8800 Viborg
Denmark

Is in conformity with the:

Low Voltage Directive (LVD) 2006/95/EC,
Electromagnetic Compatibility Directive (EMC) 2004/108/EC,
Restriction of Hazardous Substances (RoHS) Directive 2011/65/EC

And the following harmonized standards have been applied:

LVD: EN 60335-1:2012
EN 60335-2-89:2010
EN 62233:2008

EMC: EN 55014-1:2006 + A1:2009 + A2:2011
EN 55014-2:1997 + A1:2001
EN 61000-3-2:2006 + A1:2009 + A2:2009
EN 61000-3-3:2008

RoHS: EN 50581:2011/65/EC

Date: 12 August 2016

Stamp: TEFCOLD Kølemaskinefabrik CVR-nr. 16012 - Odense - Danmark

Signature:

Rene' Funk Jensen, Laboratory Manager

TEFCOLD A/S . Industrivej 25 . DK-8800 Viborg . Denmark . www.tefcold.dk . info @tefcold.dk

[pdf] Decleration of Conformity

Britta Pedersen TEFCOLD A S Ec declaration of conformity We Industrivej 25 DK 8800 Viborg Denmark info@tefcold dk Declare under our sole responsibility that the product range Bottle coolers FS1380 FSC1380 View 435 KU 380 Konformitaetserklaerung 2016 08 nordcap de media 68 86 e2 1000 G SD Getränkekühlschränke Flaschenkühlschränke Kühlschränke Kühltechnik NordCap Shop 1200 1950 2G DR cd fb 54 5f 24 fc be 21 73 ce 55 a7 74 df 7c Kühl Koch und Spültechnik für Gastronomie Großküche Gewerbe Download Nordcap Konformitätserklärung Flaschenkühler FS TefcoldEC DECLARATION OF CONFORMITY NordCapEC NordCapNordcap Gewerbekühlschrank 375 Liter Solide Qualität zum guten Preis GastrouniversumAug 12 · product FS1380 FS1002S FS1202S FSC1950S FS1950H FS2380 SD1380 SCU1375 Manufactured for ViborgFS1380 ViborgWe ViewKU NordCapKU GewerbeNordcap Konformit tserkl rung Flaschenk hler Tefcold435 srsltid AfmBOooV3jm9wx3537Sutv9MFCxcc3v4E4obHoPaPQk4Omy8gPIQype7435 AfmBOopVcATPiXvIfh6wg4X5Wjrgrla8LANBOpCQd3JQTlgh2R4o0CwX435 08435 08gastrouniversum 3d a1 46 Tefcoldnordcap AfmBOooV3jm9wx3537Sutv9MFCxcc3v4E4obHoPaPQk4Omy8gPIQype7nordcap AfmBOopVcATPiXvIfh6wg4X5Wjrgrla8LANBOpCQd3JQTlgh2R4o0CwXnordcap AfmBOooEXodNUUYlu UKQ FbLkVe5NiMtlN4TacxfHxZNM 9At3wGRRmnordcap 08nordcap AfmBOoqGp51Xiy05AeaB5xBWuIPWGSyijEUMeO4V3GPTwGM59aZsVvHLnordcap CONFORMITYNordcap AfmBOoqLEBOSd3utBvPj4gZiRWpVo6PwRJgm UUF8FCTViwVLEfAALBvnordcap CONFORMITYEC AfmBOoq2GI6m97HDr0c dDnr9EH95ug7kwhifFX76 MBdgitwBsA cnordcap GewerbeKU TefcoldDownload Kühlschrank KonformitätserklärungEC GastrouniversumNordcap Umluft Breite 595 mm gute fairen TefcoldNordcap Gewerbek hlschrank rung435 Tefcoldgastrouniversum 2e 8f 3b rungnordcap |||

EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Bottle coolers FS1380, FSC1380, FS1002S, **FS1202S** FSC1950S, FS1950H, FS2380 SD1380, SCU1375 Manufactured for: TEFCOLD A/S Ind... lang:en score:22 filesize: 367.71 K page_count: 1 document date: 2016-08-12



[pdf]

A B C D E F G e154feee 2d0b 4f15 a68e 9f0132ba742a tefcold Files TefcoldDownloads |||

Tefcold A B C D E F G **FS1202S** F 2482 kWh/annum 4 C 1122 L 3 2C 2019/2018 ... lang:en score:22 filesize: 65.49 K page_count: 1 document date: 2021-02-26

[pdf] User Manual Instructions

Microsoft Word Bottle Coolers 2022 3 rfj Uživatelský manuálTEFCOLD FS 890 H Chladicí skříň prosklené kř dveře Nordl eshop cz15953 uzivatelsky manualnordl cz data central files attachment 15953 manual manuálUživatelský czTEFCOLD FSC 1450 manual15903 15903 manuálUser manualTEFCOLD

czGBC375 CoolCenter Forssa Oy15953 manualv1nordl manualcoolcenter fi 2024 09 4e925f20 102d 4097 b6dd 30aff07cfebe 9 manualUser OyCEV425CP 2 LED 9coolcenter manuálHent brugermanualUser czTefcold flaskekøleskab sort CEV425 JK BjerreGBC375 manualUsermanual 15825 BLACK DK 1v1nordl manualcdn shopify s 1 0264 6304 3630 Usermanual v 1689152769coolcenter 1950 S posuv manual15967 15967 1220 manual15887 15887 1002 manual15946 15946 SCU manual15917 15917 manuál 5 4 MBHent manualChladicí 1280 křídlové 260 l bílá TEFCOLD Gastrofans Oyusermanual 15921 scu 115953 1v1gastrofans user related usermanual 1nordl OySDU1375 1v1v1gastrofans 30aff07cfebecoolcenter 34 OyFSC1450 1v1v1v1gastrofans 34coolcenter 7 OyFSC891H 1v1v1v14e925f20 45gastrofans 7coolcenter 45 175H Black manual34077 34077 CP manual15930 15930 SDU plné manual16083 16083 manual15919 15919 BjerreFSC1000S OyGBC375 14e925f20 19v1v1v14e925f20 19coolcenter OyFS1202H 45v1gastrofans 45coolcenter 36 1600 manual15951 15951 MBNávod k obsluze 1425 frameless Chladící vitrína DÁRKOVÝ POUKAZ a SLEVA ZA REGISTRACI Chladservis elektro r oTefcold manualv1Usermanual manualchladserviskv 53321 tefcold czcdn OySD1380 45v1v1gastrofans 36coolcenter 33 OyFS1202S 45v1v1v1gastrofans 33coolcenter 26 OyFS1380 45v1v1v1v1gastrofans 4coolcenter OyFS1600H 45v1v14e925f20 27v1v1gastrofans 27coolcenter OySCU1220 45v14e925f20 10v14e925f20 10coolcenter OyFSC891S 444e925f20 44coolcenter OyCEV425 L 27v1v14e925f20 43gastrofans 26coolcenter 43 SD manual16082 16082 manual16080 16080 OyFSC1200H 43v1gastrofans 43coolcenter 39 MBTefcold FS1205S BruksanvisningNávod Displaykyl Energiklass FTEFCOLD 1Bruksanvisning 15948 SE15953 1cdn 0904 6559 9871 Bruksanvisning SE 1757482947nordl OySCU1280 43v1v1gastrofans 39coolcenter 12 brugermanualt48872 manUser BjerreKøb Displaykøleskab 535ltr Hvid m lystop hos W LarsenFSC1000S 1t48872 man4e925f20 1689152769resources chainbox io 6 hwlarsen public pim 9a7c6851 a576 405c bbce 23fc59e82bb5 t48872 mancoolcenter MB Tefcold Návod Hent brugermanual man User F chladicí plnými dveřmi ELDOS specialista na chlazení o Kompaktní lednice Bjerre Køb Larsen FSC1000S Oy GBC375 CEV425CP SDU1375 FSC1450 FSC891H FS1202H FSC891S SCU1220 SD1380 FS1600H FS1380 FS1202S FSC1200H SCU1280 v1 19 44 10 27 gastrofans cdn 1757482947 nordl eldos shop sdu chladserviskv 1689152769 resources coolcenter MBt48872 chlazeníTefcold oKompaktní OyFSC1380 194e925f20 454e925f20 104e925f20 274e925f20 434e925f20 6gastrofans manualeldos czchladserviskv czeldos 12coolcenter 2375 manual15934 15934 OyFSC1950H 6coolcenter 23 OyCEV435 64e925f20 50gastrofans 23coolcenter 50 OySCU1450CP 504e925f20 15gastrofans 50coolcenter 15 ||| ||| Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 41 Mode d emploi 50 Handleiding 59 Manual de instrucciones 68 Manual de Instrues 77 Prirocnik za uporabo 86 Nvod k obsluze 95 Kezeli kziknyv 104 Manua ||| Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 41 Mode d emploi 50 Handleiding 59 Manual de instrucciones 68 Manual de Instrues 77 Prirocnik za uporabo 86 Nvod k obsluze 95 Kezeli kziknyv 104 Manua ||| Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 41 Mode d emploi 50 Handleiding 59 Manual de instrucciones 68 Manual de Instrues 77 Prirocnik za uporabo 86 Nvod k obsluze 95 Kezeli kziknyv 104 Manua ||| Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 41 Mode d emploi 50 Handleiding 59 Manual de instrucciones 68 Manual de Instrues 77 Prirocnik za uporabo 86 Nvod k obsluze 95 Kezeli kziknyv 104 Manua ||| Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 41 Mode d emploi 50 Handleiding 59 Manual de instrucciones 68 Manual de Instrues 77 Prirocnik za uporabo 86 Nvod k obsluze 95 Kezeli kziknyv 104 Manua

Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 4 ... MSU400 CEV425 FSC1380 GBC375CP SCU1375CP CEV425CP FSC1450 SCU1450CP FS890H FSC890H FSC890S FS1002S **FS1202S** FS1500H FSC1600H FSC1950S/H FSC1000S/H FSC1200S/H CPV425 CPV1380 CPP1380 Temp. Range 1 / ...

lang:en score:20 filesize: 5.42 M page_count: 138 document date: 2023-07-06



User manual for:

Manufacturer	Model
Tefcold	FS1002S
	FS1202S

Uploaded: September 2016

Interlevin Refrigeration Ltd
West Meadow Rise
Castle Donington
Derby
DE74 2HL

Sales: 01332 850090
Parts: 01332 850190
Service: 01332 850064
Email: trade.sales@interlevin.co.uk
Web www.interlevin.co.uk

[pdf] User Manual

Model Rene Tefcold FS Range ManualTEFCOLD FS1002S Upright MerchandiserFile 1483190233cateringhygiene co uk shop media custom upload File 1483190233 User manual for CaterKwikTefcold ManualTefcold FS1202S Interlevin Refrigeration Ltd West Meadow Rise Castle Donington Derby DE74 2HL Sales 01332 850090 Parts 850190 ServiceTEFCOLD MerchandiserFS1200S tefcold fs range glass door merchandiser user manualcaterkwik FS1200S manualcateringhygiene |||

User manual for: Manufacturer Tefcold Model FS1002S **FS1202S** Uploaded: September 2016 Interlevin Refrigeration Ltd West Meadow Rise Castle Donington Derby DE74 2HL Sales: Parts: Service: Email: Web 01332 850090 01332 850190 01332 850064 trade.sales interlevin.co.uk www.interlevin.co.uk Brugsvej...

lang:en score:20 filesize: 1.16 M page_count: 91 document date: 2016-09-30

Brugsvejledning 5
Bruksanvisning 14
Käyttöohje 23
Instruction manual 32
Bedienungsanleitung 41
Mode d'emploi 50
Handleiding 59
Manual de instrucciones 68
Manual de Instruções 77
Priročnik za uporabo 86
Návod k obsluze 95
Kezelési kézikönyv 104
Manuale d istruzioni 113
Instrukcja obsługi 122

1

[pdf] User Manual Instructions

Microsoft Word Bottle Coolers 2022 3 rfj User Manual Tefcold FSC1200H 1082Ltr Upright Glass Door White Display Fridge CAS fsc1200h manual assets catering appliance content product docs 81 48 |||

Brugsvejledning 5 Bruksanvisning 14 Kyttohje 23 Instruction manual 32 Bedienungsanleitung 4 ... MSU400 CEV425 FSC1380 GBC375CP SCU1375CP CEV425CP FSC1450 SCU1450CP FS890H FSC890H FSC890S FS1002S **FS1202S** FS1500H FSC1600H FSC1950S/H FSC1000S/H FSC1200S/H CPV425 CPV1380 CPP1380 Temp. Range 1 / ...

lang:en score:19 filesize: 5.42 M page_count: 138 document date: 2023-07-06



User manual for:

Manufacturer	Model
Tefcold	FS1002S
	FS1202S

Uploaded: September 2016

Interlevin Refrigeration Ltd
West Meadow Rise
Castle Donington
Derby
DE74 2HL

Sales: 01332 850090
Parts: 01332 850190
Service: 01332 850064
Email: trade.sales@interlevin.co.uk
Web www.interlevin.co.uk

Interlevin FS1002S FS1202S Brugervejledning

Komplet brugervejledning til Interlevin kommercielle køleenheder, modeller FS1002S og FS1202S. Indeholder instruktioner om installation, drift, vedligeholdelse og tekniske specifikationer.

lang:en score:19 filesize: 1.16 M page_count: 91 document date: 2016-09-30



[pdf] User Manual Instructions

Model 4 Rene Tefcold Mod DRINK 90S R2The appliances mentioned in this document are only intended for preservation and cooling of beverages bottles cans ➢ Read the manual In order to obtain MEPL MDIN UK R2scheie no file andre mepl mdin uk drink 90s r2 srsltid AfmBOor9YIgB73e8A Lh7x9HPPlAmYw1 Vxy kvLmUaZPHJ08Ap7 KjZ |||

12/2017 Mod: DRINK-90S/R2 Production code: FSC890S-P Instruction manual 31 Contents Important s ... P SCU1375CP FSC1450 SCU1450CP FSC1450 R600 SCU1450CP R600 CPV1380M CPP1380M CPV425S CPV425V FS1002S **FS1202S** FS1500H FSC1950S/H FSC1950S/H R600 FSC1000S/H FSC1000S/H R600 FSC1200S/H FSC1200S/H R600 FS8...

lang:en score:19 filesize: 3.73 M page_count: 20 document date: 2017-12-07

[pdf] Catalog

Tefcold produktkatalog breakers GB indd 1 21 08 2019 12 51 TEFCOLD catalogue 2020 Coolers tefcold dk Files Images Catalogues |||

2019-2020 DISPLAY COOLERS Table Top Coolers - Bottle Coolers - Display Coolers Our small TEFCOLD ... rtical LED light Adjustable shelves Powder coated inner liner Adjustable feet 1196 754 546 546 **FS1202S**-P Display Cooler Self-closing sliding glass doors Ventilated cooling Internal vertical LE...

lang:en score:18 filesize: 6.72 M page_count: 59 document date: 2019-11-05

TEFCOLD
COOL PRODUCTS WORLDWIDE

20104 / FS1202S

Position	ItemNo	Description
01	11299	Top Panel
02	15477	Socket For Starter
03	15484	Starter 220 W
03	15339	Ballast 36W
	15627	LED Power Supply
05	13838	Control Panel Sheet
07	13519	Fan Motor
08	13439	Evaporator Fan Frame
09	13556	Finger Guard
10	13483	Fan Blade 200 mm
11	14309	Evaporator
12	14371	Evaporator Cover
13	14065	Thermostat XR06CX 20A Relay Red Display
	14066	Thermostat XR06CX 20A Relay Blue Display
14	13896	Probe NTC Dixell/Carel 10 Kohm
16	13737	Light Switch
17	15378	Internal Tube Cover
18	14896	Clip For Shelf
20	15224	Wire Shelf For P. Strong
21	14697	Bottom Wire Shelf
22	13217	Rear Grill
23	14524	Heat Exchanger
26	14613	Nut For Roller
27	14570	Adjustable Screw Foot
28	14618	Roller
29	14169	Bolt For Roller
30	14160	Middle Support
31	10961	Bottom Panel Hexagonal
	43048	Bottom Panel Hexagonal For Light Switch
34	15721	Filter Drier 20 G
37	11774	Compressor NEU9214U R290
	11827	Compressor GPY5856A R134
38	13529	Fan Motor Div. Use/Condenser
39	13488	Fan Blade 25 cm (Condenser)
40	14083	Condenser
41	11478	Drip Tray
43	10993	Frame Profile Side 2013
44	10991	Frame Profile Bottom
45	13344	Clip For Light Cover
46	13354	Cover For Vertical Fl Tube
47	15369	Fluorescent Tube 36W
	15637	LED Strip 1200 mm
48	15372	Fluorescent Tube Holder
49	15471	Socket Flourescent Tube Canopy
51	11869	Cover For Door Ramps
52	12129	Door Ramp
53	34430	Glass Door sliding w/lock Left 2021
53B	10715	Lock With Keys
54	34419	Glass Door sliding w/lock Right 2021
55	14611	Caddy For Rollers
56	12167	Door Roller
57	11674	Bearing For Sliding Doors
58	11674	Door Top Roller
59	11968	Door Bracket For Rollers Right
62	12167	Door Roller
63	11957	Door Bracket For Rollers Left
71	11243	Cover For Screw
73	12163	Door Sealing

2022-08-15

[pdf] Parts List

Spare Parts List Tefcold FS Range TEFCOLD UK 6185 tefcold co uk images |||

20104 / **FS1202S** Position 01 02 03 04 05 07 08 09 10 11 12 13 14 16 17 18 20 21 22 23 26 27 28 29 30 31 34 37 38 39 40 41 43 44 45 46 47 48 49 51 52 53 53B 54 55 56 57 58 59 62 63 71 73 ItemNo 11299 15477 15484 15339 15627 13838 13519 13439 13556 13483 14309 14371 14065 14066 13896 13737 15378 1489...

lang:en score:18 filesize: 792.23 K page_count: 2 document date: 2022-08-15

Brugsvejledning DK 5
Bruksanvisning SE 14
Käyttöohje FI 23
Instruction manual UK 32
Bedienungsanleitung DE 41
Mode d'emploi FR 50
Handleiding NL 59
Manual de instrucciones ES 68
Manual de Instruções PT 77
Priročnik za uporabo SL 86
Návod k obsluze CZ 95
Kezelői kézikönyv HU 104
Manuale d'istruzioni IT 113
Instrukcja obsługi PL 122

999-211117 . rfi

[pdf] User Manual

Model Rene Tefcold Merchandiser FS User Manual FSC1000HP White Glass Door Alexanders fs alexanders direct co uk mw link id 4704 |||

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... MSU400 CEV425 FSC1380 GBC375CP SCU1375CP CEV425CP FSC1450 SCU1450CP FS890H FSC890H FSC890S FS1002S **FS1202S** FS1500H FSC1600H FSC1950S/H FSC1000S/H FSC1200S/H CPV425 CPV1380 CPP1380 Temp. Range 1 / ...

lang:en score:18 filesize: 8.65 M page_count: 138 document date: 2021-11-17

TEFCOLD
COOL PRODUCTS WORLDWIDE

15949 / FS1202S

Position	ItemNo	Description
01	11299	Top Panel
02	15477	Socket For Starter
03	15484	Starter 4-65 W
04	15339	Ballast 36W
	15627	LED Power Supply
05	13838	Control Panel Sheet
07	13519	Fan Motor
08	13439	Fan Motor Fan Frame
09	13556	Finger Guard
10	13483	Fan Blade 200 mm
11	14309	Evaporator
12	14371	Evaporator Cover
13	14065	Thermostat XR06CX 20A Relay Red Display
	14066	Thermostat XR06CX 20A Relay Blue Display
14	13896	Probe NTC Dixell/Carel 10 Kohm
16	13737	Light Switch
17	15378	Internal Tube Cover
18	14886	Clip For Shelf
20	15524	Wire Shelf For P. Strong
21	14897	Bottom Wire Shelf
22	11217	Rear Grill
23	14524	Heat Exchanger
26	14613	Nut For Roller
27	14570	Adjustable Foot
28	14616	Roller
29	14610	Bolt For Roller
30	11166	Middle Support
31	10861	Bottom Panel Hexagonal
	43348	Bottom Panel Hexagonal For Light Switch
34	15721	Filter Drier 20 G
37	13129	Compressor NEU9215U R290
38	11026	Fan Motor 20x 10w(Condenser
39	13468	Fan Blade 20 cm (Condenser)
40	14063	Condenser
41	11475	Drip Tray
43	10965	Frame Profile Side 2013
44	10891	Frame Profile Bottom
45	15344	Clip For Light Cover
46	15354	Cover For Vertical Fl.Tube
47	15369	Fluorescent Tube 36W
	15637	LED Strip 1200 mm
48	15372	Fluorescent Tube Holder
49	15471	Socket Fluorescent Tube Canopy
51	11869	Cover For Door Ramps
52	12129	Door Ramp
53	34430	Glass Door sliding w/lock Left 2021
53B	10715	Lock With Keys
54	34419	Glass Door sliding w/lock Right 2021
55	14611	Cradp For Rollers
56	12137	Door Roller
57	11874	Bearing For Sliding Doors
58	14620	Shaft For Roller
59	11868	Door Bracket For Rollers Right
62	12187	Door Spring
63	11957	Door Bracket For Rollers Left
71	13243	Cover For Screw
73	12163	Door Sealing

2023-01-16

[pdf] Parts List

Tefcold FS1202S ReservdelslistaTefcold Displaykyl Lyft Fram ProdukternaSpareParts BC 15949 SEcdn shopify s files 1 0904 6559 9871 SpareParts SE v 1745046944 ReservdelslistaSpare parts listTefcold ProdukternaFS1202S CoolCenter Forssa OySpareParts SEv1cdn 1745046944coolcenter fi 2024 09 d39460ea ca6e 4e8f ab48 824a4f775c7e ||| ||| 15949 / FS1202S Position 01 02 03 04 05 07 08 09 10 11 12 13 14 16 17 18 20 21 22 23 26 27 28 29 30 31 34 37 38 39 40 41 43 44 45 46 47 48 49 51 52 53 53B 54 55 56 57 58 59 62 63 71 73 ItemNo 11299 15477 15484 15339 15627 13838 13519 13439 15949 / **FS1202S** Position 01 02 03 04 05 07 08 09 10 11 12 13 14 16 17 18 20 21 22 23 26 27 28 29 30 31 34 37 38 39 40 41 43 44 45 46 47 48 49 51 52 53 53B 54 55 56 57 58 59 62 63 71 73 ItemNo 11299 15477 15484 15339 15627 13838 13519 13439 13556 13483 14309 14371 14065 14066 13896 13737 15378 1489...

lang:en score:18 filesize: 606.93 K page_count: 2 document date: 2023-01-16

TEFCOLD
Cool Products Worldwide

ECO-FRIENDLY REFRIGERANT R290

FS1202S-P

Холодильный шкаф со стеклом

Product features:
- Самозакрывающиеся раздвижные стеклянные двери
- Вентилируемое охлаждение
- Внутренняя вертикальная светодиодная подсветка
- Регулируемые полки

Вертикальная внутренняя подсветка

Цифровой термостат

Technical data	
Банки 330 мл	1472 шт
Банки 500 мл	928 шт
Бутылки 330 мл	672 шт
Бутылки 500 мл ПЭТ	672 шт
Общий / полезный объем	895 / 660 л
Вес брутто / нетто	189 / 174 кг
Климатический класс	4
Температурный диапазон	От 2 до 10 °С
Количество и тип дверей	2 самозакрывающиеся раздвижные стеклянные
Высокопрочное стекло	Да
Перемагниченная дверь	-
Количество и тип полок	5 решетчатых белых полок
Размеры полок	1072 x 470 мм
Количество и тип корзин	1
внутренняя подсветка	LED
Тип верхней панели	
Подсветка верхней панели	
Ножки / опоры	4 регулируемые ножки
Ручки	1 ручка
наружная отделка	Белый
внутренняя отделка	Крашенная сталь
Замок	Нет
Термометр	Да
Тип контроллера	Электронный
Уровень шума	48 дБ(А)
Тип охлаждения	Вентилируемый
Тип размораски	Автоматический
Хладагент	R290
Расход хладагента	120 г
Входная мощность	450 вт
Напряжение / Частота	220-240/50 Volts
Потребляемая энергия	6.8 кВт/24ч

TEFCOLD A/S · Industrivej 25 · 8800 Viborg · Denmark · Phone +45 86 60 19 33 · www.tefcold.com · info@tefcold.com

[pdf]

bf754e9ecd962405b376590f4b6ac85b whitegoods ru upload iblock a12 |||

FS1202S-P Product features: Technical data 330 500 330 500 / / / / 1472 928 672 672 895 / 660 189 / 174 4 2 10 C 2 c - 5 p 1072 x 470 mm LED - 4 4 48 R290 120 450 220-2...

lang:i-klingon score:17 filesize: 101.63 K page_count: 2 document date: 2020-08-28



[pdf]

e154feee 2d0b 4f15 a68e 9f0132ba742a Index of 2024 01 coolcenter fi |||

Tefcold A B C D E F G **FS1202S** F 2482 kWh/annum 4 C 1122 L 3 2C 2019/2018 ...

lang:i-klingon score:17 filesize: 64.91 K page_count: 1 document date: 2021-02-26



[pdf] Label

Energy LabelTefcold Glass Door Display Fridge FS Range — ChillCooler4089cdn shopify s files 1 0298 2907 0932 4089 v 1658838286 |||

Tefcold A B C D E F G **FS1202S** F 2482 kWh/annum 4 C 1122 L 3 2C 2019/2018 ...

lang:i-klingon score:17 filesize: 105.76 K page_count: 1 document date: 2021-08-30



Produktdatenblatt

DELEGIERTE VERORDNUNG (EU) 2019/2018 DER KOMMISSION

Name oder Handelsmarke des Lieferanten:	Tefcold
Anschrift des Lieferanten:	Industrivej, Industrivej, DK
Modellkennung:	FS1202S
Verwendung:	Präsentation und Verkauf
Art des Kühlgeräts mit Direktverkaufsfunktion:	Getränkekühler
Code der Kühlmöbelfamilie gemäß den harmonisierten Normen oder anderen zuverlässigen, genauen und reproduzierbaren Verfahren im Einklang mit Anhang IV	BCVT
Produktspezifische Parameter	
1. Getränkekühler:	

Bruttorauminhalt (in m^3 oder l)	Umgebungsbedingungen, für die das Gerät geeignet ist (gemäß Tabelle 4)	
	Höchste Temperatur (°C)	Relative Feuchtigkeit (%)
1 122	32	45

Allgemeine Produktparameter:

Parameter	Wert	Parameter	Wert
Jährlicher Energieverbrauch (in kWh/a)	2 48 200	Empfohlene Temperaturzone für eine optimale Lebensmittellagerung (in °C) (diese Einstellungen dürfen nicht im Widerspruch zu den Temperaturbedingungen gemäß Anhang IV Tabellen 4, 5 bzw. 6 stehen.)	7
EEI	70,0	Energieeffizienzklasse	F

Lichtquellenparameter:	
Art der Lichtquelle	-
Energieeffizienzklasse	-
Mindestlaufzeit der vom Lieferanten angebotenen Garantie	12 Monate
Weitere Angaben:	
Website zur Website des Lieferanten, auf der die informationen gemäß Anhang II Nummer 3 der Verordnung (EU) 2019/2024 der Kommission zu finden sind	
www.tefcold.dk	

Seite 1 / 1

[pdf]

Fiche 469925 DE kaelte berlin media Links |||

Produktdatenblatt DELEGIERTE VERORDNUNG EU 2019/2018 DER KOMMISSION Name oder Handelsmarke des Lieferanten: Tefcold Anschrift des Lieferanten: Industrivej, Industrivej, DK Modellkennung: **FS1202S** Verwendung: Prsentation und Verkauf Art des Khlgerts mit Direktverkaufsfunktion: Getrnkekhler Code ...

lang:de score:16 filesize: 49.71 K page_count: 1 document date: 2023-10-27



TEFCOLD
COOL PRODUCTS WORLDWIDE

936 663 455 455

FS1002S

Glass Door Merchandiser

Product Features
- Fully automatic
- Fan assisted cooling
- Adjustable full width shelves
- Lock
- Interior light with switch
- Digital temperature display
- Self closing doors with stay open feature for ease of loading
- Adjustable feet with rollers to rear

The TECOLD FS1002S & FS1202S are a range of sliding glass door merchandisers. without a light canopy they maximise the display space allowing higher glass doors. They are versatile units suitable for drinks, dairy (milk, cheese etc) and sandwiches. Fan assisted cooling, vertical interior lights and self closing doors make it ideal for supermarkets, convenience stores, shops and cafes.

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	176 / 153
Gross / Net Volume	l	730 / 548
Design and Material		
Door Number & Type		2 self closing sliding glass doors
Tempered glass		Yes
Door Reversible		Yes
Shelves Number & Type		5 wire shelves white
Shelf Color		White
Shelf Dimensions		870 x 470 (mm)
Bottom Shelf Dimensions		870 x 415
Max load on Shelves	kg/m²	146
Feet / Legs		4 adjustable feet
Castors		4 rollers
Exterior Finish		White
Interior Finish		White
Interior Light		LED
Lock		Factory Option
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	130
Thermometer		Yes
Power and Consumption		
Energy Class		F
Energy Consumption	kWh/24h	5.96
Annual Energy Consumption	kWh/year	2175
Power		13 Amp
Max Ambient		30°C 55% RH
Input Power	W	450
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	48
Dimensions		
Internal Dimension (WxDxH)	mm	808 x 553 x 1520
External Dimension (WxDxH)	mm	1000 x 735 x 1990
Packed Dimension (WxDxH)	mm	1000 x 800 x 2160
40ft Container Load	pcs	28

TEFCOLD UK Ltd - West Meadow Rise - Castle Donington - Derby DE74 2HL - (0)1332 850090 - sales@tefcold.co.uk - www.tefcold.co.uk

[pdf] Specifications Dimension Guide

Spec SheetTefcold FS1002S 730 Ltr Upright Double Sliding Glass Door White Display Fridge Catering Appliance Superstorefs1002s specsheetassets catering appliance content product docs 32 47 fs1002s specsheet |||

Measures and Content Temperature Range Climate Class Gross / Net Weight Gross / Net Volume Design ... d Consumption Energy Class Energy Consumption Annual Energy Consumption Power The TECOLD FS1002S **FS1202S** are a range of sliding glass door merchandisers. without a light canopy they maximise the di...

lang:en score:16 filesize: 404.49 K page_count: 1 document date: 2024-07-11

TEFCOLD
COOL PRODUCTS WORLDWIDE

1152 816 560 560

FS1202S

Display Cooler

Product Features
- Self-closing sliding glass doors
- Internal vertical LED light
- Adjustable shelves
- Powder coated inner liner
- Adjustable feet
- Ventilated cooling

2-door display cooler with sliding doors

The FS range is without a light canopy. It gives a little more interior height and makes for a cleaner looking cabinet. They are versatile units suitable for drinks, dairy (milk, cheese etc) and sandwiches making them ideal for supermarkets, convenience stores, shops and cafes. This model is standard with white exterior and interior. It comes with 5 adjustable white wire shelves and 2 self-closing sliding glass doors.

Measures and Content		
Temperature Range	°C	+2 to +10
Climate Class		4
Gross / Net Weight	kg	188 / 174
Gross / Net Volume	l	890 / 660
Design and Material		
Door No. & Type		2 self closing sliding glass doors
Tempered glass		Yes
Door Reversible		Yes
Shelves No. & Type		5 wire shelves white
Shelf Color		White
Shelf Dimensions		1032 x 478 mm
Bottom Shelf Dimensions		1070 x 415
Max load on Shelves	kg/m²	146
Canopy Type		
Feet / Legs		4 adjustable feet
Castors		4 rollers
Exterior Finish		White RAL9016
Interior Finish		White painted steel
Interior Light		LED
Lock		Yes
Cooling and Functions		
Type of Controller		Electronic
Type of Cooling		Ventilated
Type of Defrost		Automatic
Refrigerant		R290
Refrigerant Charge	g	135
Thermometer		Yes
Power and Consumption		
Energy Class		F
Energy Consumption	kWh/24h	6.8
Annual Energy Cons.	kWh/year	2481
Input Power	W	350
Voltage / Frequency	V/Hz	220-240/50
Noise Level	dB(A)	48
Dimensions		
Internal Dimension (WxDxH)	mm	1008 x 553 x 1520
External Dimension (WxDxH)	mm	1200 x 735 x 1990
Packed Dimension (WxDxH)	mm	1250 x 800 x 2160
40ft Container Load	pcs	20

Vertical internal light Digital thermostat

TEFCOLD A/S - Industrivej 25 - 8800 Viborg - Denmark - Phone: +45 86 60 19 33 - sales@tefcold.com - www.tefcold.com

[pdf] Dimension Guide

Product sheetFS1202S CoolCenter Forssa Oyv1coolcenter fi 2024 09 bc25138e c424 4777 a431 27cf660978e4 |||

Measures and Content Temperature Range Climate Class Gross / Net Weight Gross / Net Volume Design and Material Door No Type Tempered glass Door Reversible Shelves No Type Shelf Color Shelf Dimensions Bottom Shelf Dimensions Max load on Shelves Canopy Type Feet / Legs Castors **FS1202S** Displa...

lang:en score:16 filesize: 501.6 K page_count: 1 document date: 2024-07-11

[pdf] Catalog

Tefcold produktkatalog breakers GB indd 1 21 08 2019 12 51 breaker And sales up TEFCOLD s passion for cooling and freezing is evident throughout the value chain goes well beyond our new corporate scarfs Even during Ringbind2 Notes Page 2019rfj catalogue 2020 tefcold Files Images Catalogues ||| 2019-2020 JESPER KIRKEBY HANSEN CEO TEFCOLD TFW265-2F Wine Cooler with frameless door, curved han ... rtical LED light Adjustable shelves Powder coated inner liner Adjustable feet 1196 754 546 546 **FS1202S**-P Display Cooler Self-closing sliding glass doors Ventilated cooling Internal vertical LE...

lang:en score:16 filesize: 30.95 M page_count: 271 document date: 2019-09-20

Tefcold Brugsvejledning: Kommercielle Kølebokse og Displaykølere

Denne omfattende brugsvejledning fra Tefcold giver detaljerede instruktioner til sikker installation, effektiv drift og korrekt vedligeholdelse af Tefcold kommercielle kølebokse og displaykølere. Dokumentet sikrer, at brugerne kan maksimere ydeevnen og levetiden for deres køleenheder.

lang:en score:15 filesize: 2.63 M page_count: 138 document date: 2025-08-14

[pdf] Decleration of Conformity Label

Britta Pedersen TEFCOLD A S Prohlášení o shodě 141 5 kB Tefcold FSC 1000 H Chladicí vitrína DÁRKOVÝ POUKAZ SLEVA ZA REGISTRACI Chladservis elektro s r eudeclaration 15955 tefcold fsc h cz chladserviskv user related files CEV 425 1 LED Chladící 15824 cev led 15957 EC DECLARATION OF CONFORMITY 435 CP BLACK DÁREK a 51528 cp black BC 145 WF 15882 bc wf FS1002S EU försäkran om överensstämmelseTefcold Displaykyl Lyft Fram ProdukternaTefcold oTefcold oEU forsakranom overensstammelse 15946 SEeudeclaration czeudeclaration czcdn shopify 0904 6559 9871 SE v 1748149633chladserviskv czchladserviskv FSC100 Visa Mer Sälj MerTefcold SEEU 16077 1748149633cdn 1748152119chladserviskv FS80CP 16075 1748152119cdn 1748151631chladserviskv CEV435 51519 1748151631cdn 1748104695chladserviskv CEV425CP Låt Sortimentet GlänsaTefcold 15821 2 1746282699cdn CEV435CP 1748104860cdn FS176H 48897 1748104695cdn 1748150273chladserviskv FS1202H 34449 1745047119cdn FS890H 15953 1748150273cdn 1748151840chladserviskv FSC891S 48870 1748192790cdn BC145 W FAN Skapa En WOW FaktorTefcold 1744814926cdn FSC1950H 15965 1748192612cdn FSC1000H Fånga BlickarnaTefcold 1748191110cdn FSC1200S 15961 1752582157cdn CEV425 1748151840cdn 1746212770chladserviskv FS1380 15892 1746212770cdn 1744825201chladserviskv FSC1450 15903 1748192177cdn FS1220 15887 1744825201cdn 1748149904chladserviskv FS2380 Utbudet 15894 1748149904cdn 1748151479chladserviskv FSC891H 48872 1748192919cdn FSC1950S 15967 1748192482cdn FSC175H 15907 1746283014cdn överensstämmelseEU FS60CP 16073 1748151479cdn 1746181451chladserviskv FSC1200H displaykyl 15959 1748191496cdn FS1202S 15949 1745046943cdn BC85 34024 w Fan 1744819010cdn FS1280 Ge 15890 1748150053cdn FSC1000S 1748190962cdn BC25CP 16067 1748100392cdn ||| ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for:

TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for:



TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus ||| EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Indus

EC DECLARATION OF CONFORMITY We: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark info tefcold.dk Declare under our sole responsibility that the product / product range: Product range of beverage coolers Manufactured for: TEFCOLD A/S Industrivej 25 DK-8800 Viborg Denmark Is in conformity with th...

lang:en score:14 filesize: 141.48 K page_count: 1 document date: 2023-03-23

[pdf]

Model 4 Tefcold Rene Elektrischer Schaltplan KU 1200 G SD Getränkekühlschränke Flaschenkühlschränke Kühlschränke Kühltechnik NordCap Shop 435 2017 11 nordcap de media 4b 8b 4c |||

Schaltplan Gewerbekhlschrank KU 1200 G-SD Art. 435700219 2017-11 FS1002S, **FS1202S** Finanzen / Service 28307 Bremen Thalenhorststrae 15 Tel. 49 421 48557-0 Fax 49 421 488650 bremen nordcap.de Vertrieb Ost 12681 Berlin Wolfener Strae 32/34, Haus K Tel. 49 30 936684-0 Fax 49 30 936684-44 berlin n...

lang:i-klingon score:14 filesize: 1.9 M page_count: 3 document date: 2022-08-17

[pdf]

Model 4 Tefcold Rene Elektrischer Schaltplan KU 1000 G SD Getränkekühlschränke Flaschenkühlschränke Kühlschränke Kühltechnik NordCap Shop Kühl Koch und Spültechnik für Gastronomie Großküche Gewerbe 435 2017 11 nordcap de media 71 7f 25 |||

Schaltplan Gewerbekhlschrank KU 1000 G-SD Art. 435700119 2017-11 FS1002S, **FS1202S** Finanzen / Service 28307 Bremen Thalenhorststrae 15 Tel. 49 421 48557-0 Fax 49 421 488650 bremen nordcap.de Vertrieb Ost 12681 Berlin Wolfener Strae 32/34, Haus K Tel. 49 30 936684-0 Fax 49 30 936684-44 berlin n...

lang:i-klingon score:13 filesize: 1.58 M page_count: 3 document date: 2022-08-16



[pdf] User Manual

Model 4 Rene Tefcold FLASKEKJØLESKAP M LYSSKILT 438 L MÅL 68X65 5XH209CM SCHEIE CO AS BRUKERMANUAL DK E50PC R6 scheie no file andre brukermanual dk e50pc r6 |||

09/2018 Mod: E50PC/R6 Production code: FSC1450-I Brugsvejledning 4 Indholdsfortegnelse Vigtige ... P SCU1375CP FSC1450 SCU1450CP FSC1450 R600 SCU1450CP R600 CPV1380M CPP1380M CPV425S CPV425V FS1002S **FS1202S** FS1500H FSC1950S/H FSC1950S/H R600 FSC1000S/H FSC1000S/H R600 FSC1200S/H FSC1200S/H R600 FS8...

lang:da score:13 filesize: 3.83 M page_count: 20 document date: 2018-09-20

[pdf]

Model 4 Tefcold Rene Ersatzteilliste und Explosionszeichnung KU 1200 G SD Getränkekühlschränke Flaschenkühlschränke Kühlschränke Kühltechnik NordCap Shop 435 2022 07 nordcap de media 5b da 0e |||

Ersatzteilliste-Explosionszeichnung Gewerbekhlschrank KU 1200 G-SD Art. 435700219 2022-07 15949 / **FS1202S** Position 01 02 03 04 05 07 08 09 10 11 12 13 14 16 17 18 20 21 22 23 26 27 28 29 30 31 34 37 38 39 40 41 43 44 45 46 47 48 49 51 52 53 53B 54 55 56 57 58 59 62 63 71 73 ItemNo 11299 15477...

lang:en score:13 filesize: 2.11 M page_count: 4 document date: 2022-08-17

[pdf] User Manual

Model Rene Tefcold ManuelAcheter TEFCOLD Réfrigérateur médical MSU3008cabc0a3 534b 44e4 95e4 20330ee348afheadlessapi tefcold files cGVyZmlvbi84Y2FiYzBhMy01MzRiLTQ0ZTQtOTVlNC0yMDMzMGVlMzQ4YWYucGRm OGNhYmMwYTMtNTM0Yi00NGU0LTk1ZTQtMjAzMzBlZTM0OGFm Uživatelský manuálManuelTEFCOLD MSU 300 Chladicí skříň prosklené dveře Nordl eshop czAcheter MSU30015973 uzivatelsky manual8cabc0a3 20330ee348afnordl cz data central attachment 15973 manualheadlessapi manuáltässäManuelTEFCOLD czLääkekylmäkaappi MSU300 BistroTecAcheter manualMSU300 manualbistrotec mycashflow fi manuálManuel utilisation MSU300tässäManuelTEFCOLD czRéfrigérateur 260 L Blanc Quiditmieux frLääkekylmäkaappi manualManuel MSU300MSU300 manualquiditmieux fr index controller id 3148bistrotec MSU300Uživatelský frTEFCOLD Gastrofans skLääkekylmäkaappi MSU300usermanual msu czMSU300 3148gastrofans user related usermanual czbistrotec d utilisationtässäManuelTEFCOLD skRéfrigérateur RÉFRIGÉRATEUR MÉDICAL TEFCOLDLääkekylmäkaappi czUSER MANUAL 6362MSU300 czmcfrancechr 957bistrotec manuálUživatelský czTEFCOLD 400 manual15975 manualnordl 15975 |||

Brugsvejledning 4 Bruksanvisning 13 Kyttohje 22 Instruction manual 31 Bedienungsanleitung 4 ... P SCU1375CP FSC1450 SCU1450CP FSC1450 R600 SCU1450CP R600 CPV1380M CPP1380M CPV425S CPV425V FS1002S **FS1202S** FS1500H FSC1950S/H FSC1950S/H R600 FSC1000S/H FSC1000S/H R600 FSC1200S/H FSC1200S/H R600 Te...

lang:en score:13 filesize: 4.26 M page_count: 94 document date: 2017-05-10



[pdf] User Manual Instructions

Model 4 Rene Tefcold KJØLESKAP M GLASSDØR OG LYSSKILT 760 L MÅL 89X74XH199CM SCHEIE CO AS MEPL MDIN UK DRINK 90S R2 scheie no file andre mepl mdin uk drink 90s r2 |||

12/2017 Mod: DRINK-90S/R2 Production code: FSC890S-P Instruction manual 31 Contents Important s ... P SCU1375CP FSC1450 SCU1450CP FSC1450 R600 SCU1450CP R600 CPV1380M CPP1380M CPV425S CPV425V FS1002S **FS1202S** FS1500H FSC1950S/H FSC1950S/H R600 FSC1000S/H FSC1000S/H R600 FSC1200S/H FSC1200S/H R600 FS8...

lang:en score:13 filesize: 3.73 M page_count: 20 document date: 2017-12-07

[pdf] User Manual

Model Rene Tefcold Uživatelský manuálTEFCOLD CPP 1380E Chladicí skříň vhodná pro chlazení vína Nordl eshop cz37799 uzivatelsky manualnordl cz data central files attachment 37799 manual czTefcold Bottle Cooler SCU1280 I 392 cans 1 zone Black Wineandbarrels37799 manualSCU Usermanual 1nordl manualshop11925 sfstatic io upload dir shop SCU WineandbarrelsTefcold 1SCU manualomnium blob core windows net wineandbarrelsproducts 101050006 1shop11925 |||

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 FS890H-P FSC890H-P FSC890S-P FS1002S **FS1202S** FS1500H FSC1600H-P FSC1950S/H FSC1950S/H-P FSC1000S/H FSC1000S/H-P FSC1200S/H FSC1200S/H-P ...

lang:en score:13 filesize: 3.91 M page_count: 129 document date: 2017-12-20



[pdf]

FS1202S Template Tefcold VarumallTefcold Displaykyl Lyft Fram Produkterna15949 SEcdn shopify s files 1 0904 6559 9871 15949 SE v 1745046943 |||

LEFT SIDE RIGHT SIDE DOOR GLASS DOOR GLASS ...

lang:en score:12 filesize: 231.42 K page_count: 4 document date: 2023-07-18



[pdf] Dimension Guide Diagram

Style Tefcold DiagramsTefcold Glass Door Display Fridge FS Range — ChillCooler4086cdn shopify s files 1 0298 2907 0932 4086 v 1658838286 Drawing DimensionsDiagramsTefcold FS1202S 895 Ltr Upright Double Sliding White Catering Appliance SuperstoreTefcold ChillCoolerfs1202s drawing dimensionsassets catering appliance content product docs ec 82 fs1202s dimensionscdn ||| |||

...

lang:en score:11 filesize: 123.16 K page_count: 1 document date: 2021-07-08

[pdf] User Manual

Model Rene Tefcold 7a92df51 2011 41ac 99b9 f9285ef92eb8 Index of 2024 01 coolcenter fi |||

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 FS890H-P FSC890H-P FSC890S-P FS1002S **FS1202S** FS1500H FSC1600H-P FSC1950S/H FSC1950S/H-P FSC1000S/H FSC1000S/H-P FSC1200S/H FSC1200S/H-P ...

lang:en score:10 filesize: 4.95 M page_count: 129 document date: 2017-12-20



[pdf] Dimension Guide

Style Tefcold FS1202S RitningarTefcold Displaykyl Lyft Fram ProdukternaRitningar 15949 SEcdn shopify s files 1 0904 6559 9871 Ritningar SE v 1745046944 FS1205S ProdukternaTEFCOLD Energiklass FRitningar SERitningar 15948 1745046944cdn 1757482942 |||

Model:FS1200S Dimensions Drawing no.: Date:151224 Rev.:03 Rev.by:rfj ...

lang:en score:10 filesize: 224.36 K page_count: 1 document date: 2015-12-24

[pdf] User Manual

Model Rene Tefcold Usermanual 34077 FSC175H BLACK GB coolcenter fi 2023 04 |||

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... MSU400 CEV425 FSC1380 GBC375CP SCU1375CP CEV425CP FSC1450 SCU1450CP FS890H FSC890H FSC890S FS1002S **FS1202S** FS1500H FSC1600H FSC1950S/H FSC1000S/H FSC1200S/H CPV425 CPV1380 CPP1380 Temp. Range 1 / ...

lang:en score:10 filesize: 8.65 M page_count: 138 document date: 2023-04-24

[pdf] User Manual

Model 4 Rene Tefcold 48364d0f 2947 4758 9017 3c19cb8c512b Index of 2024 01 coolcenter fi |||

Brugsvejledning 4 Bruksanvisning 13 Kyttohje 22 Instruction manual 31 Bedienungsanleitung 4 ... P SCU1375CP FSC1450 SCU1450CP FSC1450 R600 SCU1450CP R600 CPV1380M CPP1380M CPV425S CPV425V FS1002S **FS1202S** FS1500H FSC1950S/H FSC1950S/H R600 FSC1000S/H FSC1000S/H R600 FSC1200S/H FSC1200S/H R600 FS8...

lang:en score:10 filesize: 4.99 M page_count: 94 document date: 2017-05-26

[pdf] User Manual

Model Rene Tefcold FS1600H UserManual Triple Glass Door Fridge 3655 fridgefreezerdirect co uk mw link id |||

Brugsvejledning Bruksanvisning Kyttohje Instruction manual Bedienungsanleitung Mode d emploi Handlei ... 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 1 / 10 FS890H-P FSC890H-P FSC890S-P FS1002S **FS1202S** FS1500H FSC1600H-P FSC1950S/H FSC1950S/H-P FSC1000S/H FSC1000S/H-P FSC1200S/H FSC1200S/H-P ...

lang:en score:10 filesize: 4.99 M page_count: 129 document date: 2018-04-14

[pdf] User Manual Instructions

Model 4 Tefcold Rene Bedienungsanweisung SCU 1425 Getränkekühlschränke Flaschenkühlschränke Kühlschränke Kühltechnik NordCap Shop 435 2021 07 nordcap de media fc 22 1a |||

Bedienungsanweisung Flaschenkhlschrank SCU 1425 Art. 4358001425 2021-07 Important Instructions: ... MSU400 CEV425 FSC1380 GBC375CP SCU1375CP CEV425CP FSC1450 SCU1450CP FS890H FSC890H FSC890S FS1002S **FS1202S** FS1500H FSC1600H FSC1950S/H FSC1000S/H FSC1200S/H CPV425 CPV1380 CPP1380 Temp. Range 1 / ...

lang:en score:10 filesize: 7.23 M page_count: 33 document date: 2022-08-15