

LITFAD LT766582RL

LITFAD Minimalist LED Vanity Mirror Light (Rectangle, 31.5") Instruction Manual

Model: LT766582RL

Introduction	Safety Information	Setup & Installation Specifications	Operation Warranty & Support	Maintenance	Troubleshooting
--------------	--------------------	---	---------------------------------	-------------	-----------------

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your LITFAD Minimalist LED Vanity Mirror Light. Please read this manual thoroughly before installation and retain it for future reference. This LED wall light is designed for indoor use in various settings such as bathrooms, bedrooms, and living rooms.

2. IMPORTANT SAFETY INFORMATION

To ensure safe operation and prevent damage, please observe the following precautions:

- For a safe and secure installation, ensure that the electrical box to which this fixture will be mounted is properly attached to a structural member of the building.
- All wires are connected. When unpacking, be careful not to pull with wires as a bad connection may result.
- Do not connect electricity until your fixture is fully assembled.
- To reduce the risk of fire, electrical shock, or personal injury, always turn off and unplug the fixture and allow it to cool prior to replacing the light bulb. (Note: This fixture uses integrated LED bulbs which are not user-replaceable.)
- Do not touch the light when the fixture is turned on or look directly at the lit light source. Keep flammable materials away from the lit light.
- This product is designed for indoor use only.
- Installation should be performed by a qualified electrician or a competent person.

3. SETUP AND INSTALLATION

Before beginning installation, ensure the power supply is turned off at the circuit breaker to prevent electrical shock.

3.1 Package Contents

Verify that all components are present before proceeding:

- LITFAD LED Vanity Mirror Light fixture
- Mounting hardware (screws, wire nuts, etc.)
- User manual (this document)

3.2 Installation Steps

1. **Prepare the Mounting Surface:** Ensure the electrical box is securely mounted to a structural member of the wall.
2. **Unpack the Fixture:** Carefully remove the light fixture from its packaging. Avoid pulling on wires.
3. **Attach Mounting Bracket:** Secure the mounting bracket to the electrical box using the provided screws.
4. **Wire Connections:** Connect the fixture's wires to the corresponding household wires (typically black to black, white to white, and ground to ground) using wire nuts. Ensure all connections are secure.
5. **Mount the Fixture:** Carefully align the fixture with the mounting bracket and secure it in place with the provided screws.
6. **Restore Power:** Once the fixture is fully assembled and securely mounted, restore power at the circuit breaker.



Figure 3.1: LITFAD LED Vanity Light installed above a mirror in a bathroom setting. This image illustrates the typical placement and aesthetic of the light fixture.



Figure 3.2: LITFAD LED Vanity Light installed above a round mirror in a bathroom. The light provides even illumination over the mirror area.




Figure 3.3: LITFAD LED Vanity Light installed above a rectangular mirror and sink. This shows the fixture's application in a modern bathroom environment.

4. OPERATION

The LITFAD Minimalist LED Vanity Mirror Light is designed for simple operation.

4.1 Turning On/Off and Adjusting Light Color

This fixture features a touch control mechanism and offers 3 color light options. The specific method for cycling through colors is typically integrated into the touch control:

- **Power On/Off:** Lightly touch the designated area on the fixture to turn the light on or off.
- **Color Temperature Adjustment:** Repeatedly touch the control area to cycle through the available light color temperatures (e.g., warm white, neutral white, cool white). The fixture will remember the last setting when turned off and on again.

Refer to the specific touch control area on your fixture for precise interaction.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your LED vanity light.

5.1 Cleaning

- Always turn off the power supply before cleaning the fixture.
- Wipe the fixture with a soft, dry, or slightly damp cloth.
- Do not use abrasive cleaners, solvents, or polishes as these can damage the finish and acrylic components.

5.2 LED Light Source

This fixture uses an integrated LED light source with an extreme long lifespan. The LED bulbs are not designed to be user-replaceable. If the LED light source fails, the entire fixture may need to be replaced. Contact customer support for assistance if this occurs within the warranty period.

6. TROUBLESHOOTING

If you encounter issues with your LITFAD LED Vanity Mirror Light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on.	No power supply. Loose wire connection. Faulty switch.	Check the circuit breaker and wall switch. Ensure all wire connections are secure (refer to Section 3.2). Test the switch with another device or consult an electrician.
Light flickers or dims.	Loose wire connection. Incompatible dimmer switch (if applicable). Power fluctuations.	Check all wire connections. Ensure the fixture is connected to a standard on/off switch, or a compatible LED dimmer if using one. Consult an electrician if power fluctuations are suspected.
Touch control is unresponsive.	Temporary electrical glitch. Sensor obstruction or malfunction.	Turn off power at the breaker for 30 seconds, then restore. Ensure the touch area is clean and unobstructed. If the issue persists, contact customer support.

If these solutions do not resolve the issue, please contact LITFAD customer support.

7. PRODUCT SPECIFICATIONS



Figure 7.1: Front view of the LITFAD LED Vanity Light, highlighting its minimalist design and wood finish.



Figure 7.2: Dimensional drawing of the LITFAD LED Vanity Light, indicating a width of 31.5 inches (80 cm) and a height of 2.5 inches (6.5 cm).

Feature	Detail
Brand	LITFAD
Model Number	LT766582RL
Fixture Type	Wall Sconce / Vanity Light
Style	Modern, Minimalist
Dimensions (Width)	31.5" (80 cm)
Dimensions (Height)	2.5" (6.5 cm)
Material	Wood, Acrylic
Light Source Type	Integrated LED (SMD)
Wattage	16W
Voltage	AC110-120V
Light Colors	3 Colors Light (Adjustable via touch control)
Control Method	Touch
Indoor/Outdoor Usage	Indoor
Room Type Recommendation	Bathroom, Bedroom, Dining Room, Hallway, Living Room, Balcony
Assembly Required	Yes
Item Weight	2.97 pounds (1.35 kg)

8. WARRANTY AND CUSTOMER SUPPORT

8.1 Warranty Information

This LITFAD LED Vanity Mirror Light comes with a **2-year warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use. Please retain your proof of purchase for warranty claims. The warranty does not cover damage caused by improper installation, misuse, accidents, modifications, or natural disasters.

8.2 Customer Support

If you have any questions, suggestions, or require assistance with your product, please do not hesitate to contact LITFAD customer service. Our online service is available 24 hours a day, 7 days a week.

For support, please visit the [LITFAD Store on Amazon](#) or contact us through the platform where you purchased the product.

We offer 100% Refund/Replacement for quality problems.

© 2023 LITFAD. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

