

VIVOTEK FE9391-EHV-v2

Vivotek FE9391-EHV-v2 12 Megapixel Outdoor Network Camera User Manual

Model: FE9391-EHV-v2

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of the Vivotek FE9391-EHV-v2 12 Megapixel Outdoor Network Camera. Please read this manual thoroughly before using the product to ensure proper and safe operation.

The Vivotek FE9391-EHV-v2 is an outdoor fisheye network camera designed for surveillance applications, featuring a 12-megapixel sensor, WDR Pro for high-contrast environments, H.265 compression, and Smart IR II technology for night vision up to 20 meters. Its housing is IP66-rated for weather protection and IK10-rated for vandal resistance.

2. SAFETY INFORMATION

Observe the following safety precautions to prevent damage to the product or injury to personnel:

- Ensure all power connections are secure and meet specified voltage requirements (12 Volts).
- Do not attempt to disassemble or modify the camera. Refer all servicing to qualified personnel.
- Install the camera in a location that can support its weight and is protected from extreme environmental conditions beyond its IP66 rating.
- Avoid pointing the lens directly at strong light sources for extended periods.
- Use only Vivotek-approved accessories.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- Vivotek FE9391-EHV-v2 Network Camera (1 unit)
- Installation Guide (Printed or Digital)
- Mounting Screws and Anchors
- Waterproof Connector (if applicable)

Note: Specific contents may vary. Refer to the packaging for exact details.

4. SETUP AND INSTALLATION

This section outlines the steps for physically installing and initially connecting your Vivotek FE9391-EHV-v2 camera.

4.1 Mounting Considerations

The FE9391-EHV-v2 is designed for outdoor use and supports wall or desk mounting. Choose a mounting location that provides the desired field of view (180 degrees) and is within reach of network and power connections.



Figure 1: Vivotek FE9391-EHV-v2 Fisheye Network Camera. This image shows the white dome-shaped camera with a black central lens area, featuring the Vivotek logo on the top left. The fisheye lens is visible in the center.

4.2 Physical Installation Steps

1. **Prepare the Mounting Surface:** Mark the drilling points using the provided mounting template (if applicable). Drill holes for the mounting screws and anchors.
2. **Secure the Camera Base:** Attach the camera's mounting base securely to the prepared surface using the screws.
3. **Connect Network and Power:**
 - **Network:** Connect an Ethernet cable to the camera's RJ45 port. This camera supports Power over Ethernet (PoE), simplifying wiring.
 - **Power (Optional):** If PoE is not used, connect a 12V DC power adapter (not included) to the camera's power input. Ensure the power source meets the camera's 22.5 watts requirement.
4. **Attach Camera Body:** Secure the main camera body to the mounting base. Ensure it is properly aligned and locked.

into place according to the specific model's mechanism.

5. **Adjust Lens Angle:** If adjustable, position the fisheye lens to cover the desired surveillance area.

4.3 Initial Network Configuration

After physical installation, connect the camera to your network. The camera typically obtains an IP address via DHCP. Use Vivotek's IP Search utility or a network scanner to discover the camera's IP address. Access the camera's web interface via a web browser using its IP address to complete initial setup, including setting a strong password and configuring network settings.

5. OPERATING INSTRUCTIONS

This section covers the basic operation of your Vivotek FE9391-EHV-v2 camera through its web interface.

5.1 Accessing the Web Interface

1. Open a web browser (e.g., Chrome, Firefox).
2. Enter the camera's IP address in the address bar and press Enter.
3. Log in using your username and password. (Default credentials are often provided in the quick start guide; change them immediately after first login).

5.2 Live View and Dewarping

The camera's web interface provides a live view of the surveillance area. Due to the fisheye lens, the raw image will appear distorted. The camera features local dewarping capabilities. Navigate to the "Live View" or "Display" section to select various dewarping modes (e.g., 1O, 1P, 1R, 4R) to view the scene in a more conventional perspective.

5.3 Recording and Storage

Configure recording settings through the web interface. Options typically include:

- **Continuous Recording:** Records constantly.
- **Event-Triggered Recording:** Records when motion is detected or other events occur.
- **Scheduled Recording:** Records during specific times.

Recordings can be stored on a Network Video Recorder (NVR), a local SD card (if supported and installed), or network-attached storage (NAS).

5.4 Motion Detection and Alerts

The camera supports motion detection. Configure detection zones and sensitivity levels in the "Event" or "Alarm" settings. Set up alerts such as email notifications or FTP uploads when motion is detected.

6. MAINTENANCE

Regular maintenance ensures optimal performance and longevity of your camera.

- **Cleaning the Lens:** Gently wipe the lens with a soft, clean, lint-free cloth. For stubborn dirt, use a lens cleaning solution specifically designed for optical surfaces. Do not use abrasive cleaners.
- **Firmware Updates:** Periodically check the Vivotek website for firmware updates. Updating firmware can improve performance, add new features, and address security vulnerabilities. Follow the provided instructions carefully during the update process.
- **Physical Inspection:** Regularly inspect the camera housing, mounting brackets, and cables for any signs of damage, corrosion, or loose connections.

- **Network Connectivity:** Ensure stable network connectivity. Check cable integrity and network device status.

7. TROUBLESHOOTING

This section provides solutions to common issues you might encounter.

Problem	Possible Cause	Solution
No image/video feed	Power supply issue Network cable disconnected Incorrect IP address	Check power connection and adapter. Verify Ethernet cable is securely connected. Use IP Search utility to find the correct IP.
Poor image quality	Dirty lens Improper focus (if adjustable) Low light conditions	Clean the camera lens. Adjust focus via web interface. Ensure adequate lighting or verify IR illuminators are active.
Cannot access web interface	Incorrect IP address Network connectivity issue Firewall blocking access	Confirm IP address. Check network cables and router. Temporarily disable firewall or add exception.
Motion detection not working	Incorrect sensitivity settings Detection zones not configured	Adjust motion detection sensitivity. Define or review detection zones in settings.

If the problem persists, contact Vivotek technical support.

8. SPECIFICATIONS

Key technical specifications for the Vivotek FE9391-EHV-v2 Network Camera:

- **Model:** FE9391-EHV-v2
- **Image Sensor:** 12 Megapixel CMOS
- **Resolution:** 2944 x 2944
- **Lens:** 1.22 mm Fixed Fisheye Lens
- **Field of View:** 180 Degrees
- **Video Compression:** H.265, H.264, MJPEG
- **Night Vision:** Infrared (IR) up to 20m (65.62 ft) with Smart IR II
- **Environmental Rating:** IP66 (Dust and Water Resistant)
- **Vandal Resistance:** IK10
- **Power Input:** 12 Volts DC or Power over Ethernet (PoE)
- **Power Consumption:** 22.5 watts
- **Connectivity:** Wired Ethernet (PoE), Wi-Fi (for certain configurations, though primary is PoE)
- **Dimensions:** Approximately 19.69 x 19.69 x 11.02 inches
- **Weight:** 1.2 Kilograms (2.64 pounds)
- **Special Features:** WDR Pro, Smart Stream III, Smart VCA, Vision Object Analytics, Motion Sensor, Local Dewarp

9. WARRANTY INFORMATION

Vivotek products typically come with a limited warranty. For specific warranty terms and conditions, including duration and coverage, please refer to the warranty card included with your product or visit the official Vivotek website. Keep your purchase receipt as proof of purchase for warranty claims.

10. TECHNICAL SUPPORT



For technical assistance, product inquiries, or service requests, please contact Vivotek technical support through their official channels:



- **Website:** Visit the Vivotek official website for support resources, FAQs, and contact information.
- **Online Support Portal:** Access the Vivotek support portal for submitting tickets and finding documentation.
- **Phone Support:** Refer to the Vivotek website for regional phone support numbers.

When contacting support, please have your camera's model number (FE9391-EHV-v2) and serial number ready.


© 2023 VIVOTEK Inc. All rights reserved. Information is subject to change without notice.

Related Documents - FE9391-EHV-v2

	VIVOTEK FE9391-EHV-v2 Quick Installation Guide A concise guide for the VIVOTEK FE9391-EHV-v2 network camera, detailing safety warnings, package contents, and step-by-step hardware installation procedures with textual descriptions of diagrams.
	VIVOTEK FD9189/FD9389-v2 Fixed Dome Network Camera User's Manual Explore the VIVOTEK FD9189/FD9389-v2 series fixed dome network cameras with this user's manual. Learn about installation, configuration, 5MP resolution, WDR Pro, Smart Stream III, and seamless recording for effective surveillance.
	VIVOTEK MS9390-EHV-v2 Panoramic Multi-sensor Network Camera User's Manual Explore the VIVOTEK MS9390-EHV-v2, an advanced 8MP 180° panoramic multi-sensor network camera. This user manual details its installation, configuration, and features like WDR Pro, Smart Stream III, IP66/IK10 rating, and wide operating temperature for robust surveillance solutions.

	VIVOTEK FE8191 & FE8391-V Fisheye Network Camera User's Manual User's manual for VIVOTEK FE8191 and FE8391-V fisheye network cameras. Covers overview, installation, network deployment, client settings, configuration, and technical specifications.
	VIVOTEK MD8565-N User's Manual: Mobile Dome Network Camera Comprehensive user's manual for the VIVOTEK MD8565-N mobile dome network camera, detailing its 2MP resolution, 10M IR, Smart Stream II, WDR-Pro, IP66/IK10 ratings, EN50155/EN45545 compliance, installation, and configuration for transportation surveillance.
	VIVOTEK FD8171 Fixed Dome Network Camera User's Manual Comprehensive user manual for the VIVOTEK FD8171 Fixed Dome Network Camera, detailing installation, configuration, features like 3MP resolution, 20M IR, Smart Focus System, WDR Pro II, and network deployment for professional surveillance.

Documents - VIVOTEK – FE9391-EHV-v2



[\[pdf\] User Manual Installation Guide Datasheet Guide](#)

Vivotek FE9391 EHV v2 12MP Outdoor Fisheye Camera vivotek fe9391 ehv 12mpoutdoorfisheyecamera


Quick Installation Guide fe9391ehvv2guide use ip co uk datasheets |||

FE9391-EHV-v2 Quick Installation Guide P/N: 625067400G Warning Before

Installation / Warnung vor der Installation / Waarschuwing voor installatie Power off the Network Camera as soon as smoke or unusual odors are detected.

Netzwerkamera bei Rauchentwicklung oder ungewöhnlichem Geruch sofort absch...

lang:nl score:55 filesize: 5.35 M page_count: 4 document date: 2022-07-21



[VIVOTEK FE9391-EHV-v2 Quick Installation Guide](#)


A concise guide for the VIVOTEK FE9391-EHV-v2 network camera, detailing safety warnings, package contents, and step-by-step hardware installation procedures with textual descriptions of diagrams.

lang:nl score:52 filesize: 5.99 M page_count: 4 document date: 2021-08-26

[pdf] User Manual Quick Start Guide Installation Guide Guide

Quick Start GuideVivotek Fisheye Security Camera with 360 View — CTC Communicationsfe9391 ehv
v2guide encdn shopify s files 1 0566 0655 6312 fe9391 en v 1712122774 GuideQuick ManualVivotek
CommunicationsFE9382 EHV V2 VIVOTEK Venkovní IP kamera 4MPx fisheyefe9391 en5265
1712122774atkm cz imgserver eshop kdistrib 19 201 5265 start guideQuick CommunicationsVIVOTEK
FE9380 HV 5MP 360° Outdoor Network Smart IFE9382 enfe9380 hvguide 1712122774cdn fe9380
1712122398atkm ManualVIVOTEK Fixed H 265 10M IR WDR Pro IP66 IK10Vivotek fisheyefe9380
enfe9391 0637 1554 1221 1722242693cdn Rychlý průvodce instalací HVFE9380 ManualFE9380 3 6MPx
fisheyeVIVOTEK fisheye4678 enatkm 4678 ManualQuick fisheyeFE9391 8 7MPx en5737 5737 ||| |||
FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2 Quick Installation Guide 9P/N: 6250587xxG Warning
Before Installation / Warnung vor der Installation / Waarschuwing voor installatie Power off the Network
Camera as soon as smoke or unusual odors are de ||| FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2
Quick Installation Guide 9P/N: 6250587xxG Warning Before Installation / Warnung vor der Installation /
Waarschuwing voor installatie Power off the Network Camera as soon as smoke or unusual odors are de
||| FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2 Quick Installation Guide 9P/N: 6250587xxG Warning
Before Installation / Warnung vor der Installation / Waarschuwing voor installatie Power off the Network
Camera as soon as smoke or unusual odors are de ||| FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2
Quick Installation Guide 9P/N: 6250587xxG Warning Before Installation / Warnung vor der Installation /
Waarschuwing voor installatie Power off the Network Camera as soon as smoke or unusual odors are de
||| FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2 Quick Installation Guide 9P/N: 6250587xxG Warning
Before Installation / Warnung vor der Installation / Waarschuwing voor installatie Power off the Network
Camera as soon as smoke or unusual odors are de

FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2 Quick Installation Guide 9P/N:
6250587xxG Warning Before Installation / Warnung vor der Installation /
Waarschuwing voor installatie Power off the Network Camera as soon as smoke or
unusual odors are detected. Netwerkcamera bei Rauchentwicklung oder ungewh...
lang:nl score:47 filesize: 5.65 M page_count: 4 document date: 2022-11-04



VIVOTEK FE9391-EHV-v2 Fisheye Netzwerkkamera
12MP WDR Pro Smart Stream III Smart VCA

Artikelnummer 21.19.3862 VIVOTEK
Hersteller VIVOTEK
Hersteller-Art.-Nr. FE9391-EHV-v2
EAN (Einzelstück) 4710469352683



VIVOTEK FE9391-EHV-v2 Fisheye Netzwerkkamera, 12-Megapixel CMOS-Sensor, 30 FPS @ 2944x2944, mit WDR Pro (120dB) für verbesserte Sichtbarkeit, Intelligente Bewegungserkennung, Smart VCA, Trend Micro IoT-Sicherheit, Lokales Dewart

- 12-Megapixel CMOS-Sensor
- 30 FPS @ 2944x2944
- WDR Pro (120dB) für verbesserte Sichtbarkeit in kontrastreichen Szenen
- Intelligente Bewegungserkennung zur Verringerung von Fehlalarmen
- Smart VCA (Intrusion Detection, Crowd Detection, Loitering Detection)
- Trend Micro IoT-Sicherheit
- Lokales Dewart

Technische Daten	
Hersteller	VIVOTEK
Produktgruppe	Sicherheitskameras
Produkttyp	Fish-Eye-Netzwerkkamera
Lieferumfang	VIVOTEK FE9391-EHV-v2 Fisheye Netzwerkkamera, Schnellmontageanleitung, Trockenmittelbeutel
Bauform	Fish-Eye
Schnittstelle	LAN

[pdf] Datasheet

Product Data Sheet Generator SECOMP Download VIVOTEK FE9391 EHV v2 Fisheye Netzwerkkamera
12MP WDR Pro Smart Stream III VCA AG 21193862 de epim data secomp ch media xepim 413 2119 |||
VIVOTEK FE9391-EHV-v2 Fisheye Netzwerkkamera 12MP WDR Pro Smart Stream
III Smart VCA Artikelnummer Hersteller Hersteller-Art.-Nr. EAN Einzelstck 21.19.3862
VIVOTEK FE9391-EHV-v2 4710469352683 VIVOTEK FE9391-EHV-v2 Fisheye
Netzwerkkamera, 12-Megapixel CMOS-Sensor, 30 FPS 2944x2944, mit WDR Pro...
lang:de score:47 filesize: 36.41 K page_count: 3 document date: 2023-06-16

VIVOTEK FE9391-EHV-v2 Caméra réseau Fisheye 12MP WDR Pro Smart Stream III Smart VCA	
Numéro d'article Constructeur Référence constructeur EAN (pièce unique)	21.19.3862 VIVOTEK FE9391-EHV-v2 4710469352683
	
Caméra réseau Fisheye VIVOTEK FE9391-EHV-v2, capteur CMOS 12 mégapixels, 30 Images par seconde à 2944x2944, avec WDR Pro (120dB) pour une meilleure visibilité, détection intelligente des mouvements, Smart VCA, Trend Micro IoT Security, déwarp local	
• Capteur CMOS 12 mégapixels • 30 IPS à 2944 x 2944 • WDR Pro (120 dB) pour une meilleure visibilité dans les scènes à contraste élevé • Détection de mouvement intelligent pour réduire les fausses alarmes • Smart VCA (Détection d'intrusion, détection de foule, détection de vagabondage) • Sécurité IoT Trend Micro • Correction de distorsion locale	
Caractéristiques techniques	
Constructeur	VIVOTEK
Groupe de produits	Caméras de sécurité
Types de produits	Caméra réseau Fish-Eye
Comprend	Caméra réseau Fisheye VIVOTEK FE9391-EHV-v2, Guide d'installation rapide, SdP déshydratant
Forme de construction	Fish-Eye
Interface	LAN

VIVOTEK FE9391-EHV-v2 Fisheye Netzwerkkamera 12-Megapixel Smart VDR Pro Smart Stream III Smart VCA	
Artikelnummer Hersteller Hersteller-Art.-Nr. EAN (Einzelstück)	21.19.3862 VIVOTEK FE9391-EHV-v2 4710469351563
	
VIVOTEK FE9391-EHV-v2 2 Fisheye Netzwerkkamera, 12-Megapixel CMOS-Sensor, 30 FPS @ 2944x2944, mit VDR Pro (1208H) für verbesserte Sichtbarkeit, Intelligente Bewegungserkennung, Smart VCA, Trend Micro IoT-Sicherheit, Lokales Dewarp	
• 12-Megapixel CMOS-Sensor • 30 FPS @ 2944x2944 • WDR Pro (1208H) für verbesserte Sichtbarkeit in kontrastreichen Szenen • Intelligente Bewegungserkennung zur Verringerung von Fehlalarmen • Smart VCA (Intrusion Detection, Crowd Detection, Loitering Detection) • Trend Micro IoT-Sicherheit • Lokales Dewarp	
Technische Daten	
Hersteller	VIVOTEK
Produktgruppe	Sicherheitskameras
Produkttyp	Fish-Eye-Netzwerkkamera
Lieferumfang	Vivitek FE9391-EHV-v2 Fisheye Netzwerkkamera, Schneidmanuelleanleitung, Trockenmittelbeutel
Bauform	Fish-Eye
Schnittstelle	LAN






FE9391-EHV-v2

Fisheye Network Camera

12MP • H.265 • 360° Panoramic View • 20M IR • Smart IR II • Smart Stream II • WDR Pro • IP66 • IK10 • NEMA 4X

- 12-Megapixel CMOS Sensor
- 30 fps @ 2540x2048
- 360° 20M IR with Smart IR II
- WDR Pro (120dB) for Improved Visibility in High-Contrast Scenes
- Smart Motion Detection to Reduce False Alarms
- Smart VCA (120dB) Intrusion Detection, Crowd Detection, Loitering Detection)
- Trusted Micro IoT Security
- Local Backup






[\[pdf\]](#) Datasheet Guide

Product Data Sheet Generator SECOMP Télécharger VIVOTEK FE9391 EHV v2 Caméra réseau Fisheye
12MP WDR Pro Smart Stream III VCA France 21193862 fr epim data secomp i2cmsdata xepim 413 2119
|||

VIVOTEK FE9391-EHV-v2 Camra rseau Fisheye 12MP WDR Pro Smart Stream III
Smart VCA Numro d article Constructeur Rfrence constructeur EAN pice unique
21.19.3862 VIVOTEK FE9391-EHV-v2 4710469352683 Camra rseau Fisheye
VIVOTEK FE9391-EHV-v2, capteur CMOS 12 mgapixels, 30 images par seconde
2944x29...

lang:fr score:47 filesize: 34.58 K page count: 2 document date: 2022-03-22

[\[pdf\]](#) Datasheet

Product Data Sheet Generator SECOMP Download VIVOTEK FE9391 EHV v2 Fisheye Netzwerkkamera
12MP WDR Pro Smart Stream III VCA Electronic Components GmbH 21193862 de epim data secomp
media xepim 413 2119 |||


VIVOTEK FE9391-EHV-v2 Fisheye Netzwerkkamera 12MP WDR Pro Smart Stream
III Smart VCA Artikelnummer Hersteller Hersteller-Art.-Nr. EAN Einzelstck 21.19.3862
VIVOTEK FE9391-EHV-v2 4710469352683 VIVOTEK FE9391-EHV-v2 Fisheye
Netzwerkkamera, 12-Megapixel CMOS-Sensor, 30 FPS 2944x2944, mit WDR Pro...
lang:de score:47 filesize: 36.27 K page count: 3 document date: 2023-01-10

[\[pdf\]](#) Specifications

Product VIVOTEK FE9391 EHV V2 Vivotek 12MP Fisheye IP camera 2944x2944 Maximum Resolution 1
2 3 progressive CMOS in233393 1www x co za vivotek 233393 |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved Visibility in High Contrast Scenes Smart Motion Detectio...

lang:en score:46 filesize: 192.06 K page count: 4 document date: 2022-10-28




[pdf] Installation Guide Datasheet Documentation Guide Accessories

AM 21O Installation Guide Vivotek L shape Bracket OI use ip co uk datasheets ||| VIVOTEK Fixed Dome Fisheye Series Wall-mount Bracket Installation Guide Using AM-21O wall-mount br ... sheye series FD9167-HT-v2, FD9367-EHTV-v2, FD9365-EHTV-v2, FD9391EHTV-v2 FE9380-HV, FE9382-EHV-v2, FE9391-EHV-v2 You may also refer to VIVOTEK s website for the list of supported models. Support for... lang:en score:45 filesize: 1.74 M page_count: 8 document date: 2023-07-18




[pdf] Datasheet Guide

Product Data Sheet Generator SECOMP TÃ©lÃ©chargement VIVOTEK FE9391 EHV v2 CamÃ©ra rÃ©seau Fisheye 12MP WDR Pro Smart Stream III VCA AG 21193862 fr epim data secomp ch media xepim 413 2119 ||| VIVOTEK FE9391-EHV-v2 Camra rseau Fisheye 12MP WDR Pro Smart Stream III Smart VCA Numro d article Constructeur Rfrence constructeur EAN pice unique 21.19.3862 VIVOTEK FE9391-EHV-v2 4710469352683 Camra rseau Fisheye VIVOTEK FE9391-EHV-v2, capteur CMOS 12 mgapixels, 30 images par seconde 2944x29... lang:fr score:45 filesize: 35.68 K page_count: 3 document date: 2023-06-16



[pdf] User Manual Installation Guide Documentation Guide Accessories

AM 21O V01 User ManualVivotek L shape Bracket CCTV Guruam 21oguide encdn shopify s files 1 0637 1554 1221 am en v 1722315267 ManualUser Manual DownloadVivotek GuruVIVOTEK SecuSafe AUam enam 1722315267cdn 0566 0655 6312 1712026451 Vivotek Installation Guide A1AM BracketVivotek AUInstallation 3kuiwp4cam ena1securitycameras content product documents 64049 3kuiwp4ccdn ||| ||| VIVOTEK Fixed Dome Fisheye Series Wall-mount Bracket Installation Guide Using AM-21O wall-mount bracket and compatible accessories Corresponding part numbers: 909B00100G Rev. 1.0 Part no.: 625076300G Revision History: * Rev. 1.0: Initial Re ||| VIVOTEK Fixed Dome Fisheye Series Wall-mount Bracket Installation Guide Using AM-21O wall-mount bracket and compatible accessories Corresponding part numbers: 909B00100G Rev. 1.0 Part no.: 625076300G Revision History: * Rev. 1.0: Initial Re VIVOTEK Fixed Dome Fisheye Series Wall-mount Bracket Installation Guide Using AM-21O wall-mount br ... sheye series FD9167-HT-v2, FD9367-EHTV-v2, FD9365-EHTV-v2, FD9391EHTV-v2 FE9380-HV, FE9382-EHV-v2, FE9391-EHV-v2 You may also refer to VIVOTEK s website for the list of supported models. Support for... lang:en score:43 filesize: 2.64 M page_count: 8 document date: 2023-02-03



[\[pdf\]](#) Specifications Datasheet

Product FE9391 EHV v2 VIVOTEK webapi vivotek api global fe9391 ehv v2datasheet en

DownloadCenter Download p1 MfRZS5cLSWknaWas4TRNgw p2 j199RdC0wOvZ8pPmTck8Tg |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X Technical Specifications System Information Model CPU Flash RAM Camera Features Image Sensor Max. Resolution Lens Type Focal Length Aperture Iris Type Field of...

lang:en **score:43** filesize: 141.17 K page_count: 3 document date: 2023-11-30




[\[pdf\]](#) Guide Accessories

universal accessory guide en webapi vivotek api DownloadCenter Download global p1

QuqPRHxx4ywCwhiveaVTVA p2 j199RdC0wOvZ8pPmTck8Tg |||

Universal Accessory Guide IP Surveillance Solutions 2021 H2 EN Outdoor Fixed Dome Cameras Mountin ... ide 07 360 Fisheye Cameras Mounting Adaptors Supported Domes AM-525 FE9380-HV, FE9382-EHV-v2, FE9391-EHV-v2 AM-52B Conduit Box AM-216 Wall Mount Bracket 15 FE9180-H, FE9191-H-v2 Supported Do...

lang:en **score:41** filesize: 3.85 M page_count: 14 document date: 2021-12-15



[\[pdf\]](#) User Manual Installation Guide Guide


FE9391 EHV v2 360° SMB fe9391 ehv v2guide en hansungsmb co kr 2023 01 |||

FE9380-HV FE9382-EHV-v2 FE9391-EHV-v2 Quick Installation Guide 9P/N:

6250587xxG Warning Before Installation / Warnung vor der Installation /

Waarschuwing voor installatie Power off the Network Camera as soon as smoke or unusual odors are detected. Netzwerkkamera bei Rauchentwicklung oder ungewh...

lang:nl **score:41** filesize: 5.65 M page_count: 4 document date: 2022-11-04



[\[pdf\]](#) User Manual Datasheet

Vivotek FE9391 EHV v2 12MP Outdoor Fisheye Camera vivotek fe9391 ehv 12mpoutdoorfisheycamera

User Manual fe9391ehvv2manual use ip co uk datasheets |||

FE9391-EHV-v2 Fisheye Network Camera User s Manual 12MP Outdoor 360 Surround View Smart Stream III Pixel Calculator PoE Rev. 1.0 VIVOTEK Table of Contents Overview 4 Revision History 4 Read Before Use 5 Package Contents 5 Symbols and Statements in this Document 5 Physical Description 10 LED D...

lang:en **score:41** filesize: 16.99 M page_count: 446 document date: 2022-07-21



[pdf] Specifications Datasheet

Product Vivitek FE9391 EHV v2 Data Sheet 360° Panoramic Outdoor Fisheye IP Camera V2 VoIP

Supply vivitek fe9391 ehv data sheet voipsupply mw link id 51035 |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X Technical Specifications System Information Model CPU Flash RAM Camera Features Image Sensor Max. Resolution Lens Type Focal Length Aperture Iris Type Field of...

lang:en score:41 filesize: 431.98 K page_count: 3 document date: 2024-09-25



[pdf] Specifications Datasheet

Product FE9391 EHV v2 360° SMB fe9391 ehv v2datasheet en hansungsmb co kr 2023

01 |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved Visibility in High C ontrast Scenes Smart Motion Detectio...

lang:en score:41 filesize: 191.64 K page_count: 4 document date: 2023-01-10




[pdf]

Dane techniczne Vivitek FE9391 EHV v2 od PLN 5912 61 2023 Porównanie cen Cenowarka Polska

70db9dc10cccb5e07b9e080432001c8ce3fa gzhls at blob ldb c 9 |||

FE9391-EHV-v2 Fisheye Netzwerkkamera 12MP H.265 360 Panomorph-Ansicht 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel-CMOS-Sensor 30 fps 2944x2944 360 20M IR mit Smart IR II WDR Pro 120 dB fr verbesserte Sichtbarkeit in Szenen mit hohem Lichtkontrast Inte...

lang:de score:41 filesize: 383.26 K page_count: 4 document date: 2022-05-30



[pdf] Specifications Datasheet

Vivotek FE9391 EHV v2 12MP Outdoor Fisheye Camera vivotek fe9391 ehv 12mpoutdoorfisheyecamera

Datasheet 0 16MB fe9391ehvv2 12mp outdoor fisheye camera use ip co uk datasheets 9823 |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved Visibility in High C ontrast Scenes Smart Motion Detectio...

lang:en score:40 filesize: 164.72 K page_count: 4 document date: 2022-07-21



[pdf] Specifications Datasheet

Product VIVOTEK S Series 12MP Fixed Fisheye Camera FE9391 EHV V2 Spy Monkey Surveillance

fe9391 ehv v2datasheet en v 1711592807 cdn shopify s files 1 0273 7297 8236 |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X Technical Specifications System Information Model CPU Flash RAM Camera Features Image Sensor Max. Resolution Lens Type Focal Length Aperture Iris Type Field of...

lang:en score:39 filesize: 215.54 K page_count: 3 document date: 2024-02-15




[pdf]

Spec FE9391 EHV V2 1 18 mm DE 100391970 21316 Datenblattmedia expert security de assets

Datenblatt |||


FE9391-EHV-V2 1.18 mm 12MP Fisheye Panoramic AI Camera Technische Daten Systeminformationen CPU Flash RAM Multimedia-SoC System-on-Chip 8 GB 2 GB Kameraspezifikation Bildsensor Hchste Auflsung Objektivtyp Brennweite Blende Blendentyp Blickfeld Verschlusszeit WDR Technology Tag/Nacht Entfernb...

lang:de score:38 filesize: 523.67 K page_count: 4 document date: 2025-07-17



[\[pdf\]](#) User Manual

FE9391 EHV v2 User Manual Vivotek 12 Megapixel Network Outdoor 360° Camera with 1 22mm Lens
123 Security Products 123securityproducts lanotattachments file id 175470 store |||
FE9391-EHV-v2 Fisheye Network Camera User s Manual 12MP Outdoor 360
Surround View Smart Stream III Pixel Calculator PoE Rev. 1.0 VIVOTEK Table of
Contents Overview 4 Revision History 4 Read Before Use 5 Package Contents 5
Symbols and Statements in this Document 5 Physical Description 10 LED D...
lang:en **score:37** filesize: 30.57 M page_count: 446 document date: 2021-09-27




[\[pdf\]](#) Specifications

Product FE9391 EHV v2 Users Live viewing for up to 10 clients Security Access list digest authentication
HTTPS IEEE 802 1x password protection secure boot signed firmware Trend Micro IoT brute force attack
event cyberattack 21193862 en data 2021 secomp fr i2cmsdata s21 |||
FE9391-EHV-v2 Fisheye Network Camera 12MP 360 Fisheye WDR Pro Smart
Stream III Smart VCA 20M IR IP66 IK10 12-Megapixel C MO S Sensor 30 fps
2944x2944 W D R Pro 120dB for Improved Visibility in High C ontrast Scenes Smart
Motion Detection to Reduce False Alarms Smart VCA Intrusion Detectio...
lang:en **score:36** filesize: 117.81 K page_count: 3 document date: 2021-09-06




[\[pdf\]](#) Specifications Datasheet

Product FE9391 EHV v2 VIVOTEK Network Users Live viewing for up to 10 clients Security Access list
digest authentication HTTPS IEEE 802 1x password protection secure boot signed firmware Trend Micro
IoT brute force attack event cyberattack fe9391 ehv v2datasheet en webapi vivotek api DownloadCenter
Download global p1 MfRZS5cLSWknaWas4TRNgw p2 j199RdC0wOvZ8pPmTck8Tg |||
FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR
Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S
Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved
Visibility in High C ontrast Scenes Smart Motion Detectio...
lang:en **score:35** filesize: 191.38 K page_count: 4 document date: 2022-03-09



[\[pdf\]](#) User Manual

Guía rápida de Instalación TVC This device complies with part 15 of the FCC Rules Operation is subject
to following two conditions 1 this may not cause harmful interference vivotek camara red ip 12
megapixeles tipo fisheye 360 grados h265 vision nocturna analiticos inteligente deteccion movimie tvc mx
media 487418 movimiento exterior fe9391 ehv v2 guia rapida español |||
FE9391-EHV-v2 Gua rpida de Instalacin P/N: 625067400G Warning Before
Installation / Warnung vor der Installation / Waarschuwing voor installatie Power off
the Network Camera as soon as smoke or unusual odors are detected.
Netzwerkamera bei Rauchentwicklung oder ungewhnlichem Geruch sofort abscha...
lang:nl **score:34** filesize: 10.03 M page_count: 4 document date: 2022-08-08




[pdf] Specifications Datasheet

Product 000134495gateway soft tronik ru ds000134495gateway ds 000134495 Prospekt pro FE9391 EHV v2 v3FE9391 V2 VIVOTEK Venkovní IP kamera 8 7MPx fisheyegateway ds5737 en fe9391 ehv v2atkm cz imgserver eshop kdistrib 19 200 5737 v2gateway v3DownloadFE9391 dsVivotek VSS Nederland5737 v2datasheet vivotek 000134495vssnederland nl files products 2666 datasheet ||| ||| FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved Visibility ||| FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved Visibility

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved Visibility in High Contrast Scenes Smart Motion Detectio...

lang:en score:34 filesize: 191.39 K page_count: 4 document date: 2022-03-09



[pdf] User Manual

vivotek camara de red ip 12 megapixeles tipo fisheye 360 grados h265 vision nocturna analiticos inteligente deteccion movimiento exterior fe9391 ehv v2 guia rapida español VIVOTEK FE9391 EHV Cámara IP MP panorámica 360° Deep Search Smart IR II 20m CVA Stream III WDR Pro micrófono ciberseguridad Trend Micro IP66 IK10 Nema4X SNV NDAA ONVIF CCTV Tienda seguridad electrónica videovigilancia acceso y alarmas movimie cdn tvc mx media 487418 |||

FE9391-EHV-v2 Gua rpida de Instalacin P/N: 625067400G Warning Before Installation / Warnung vor der Installation / Waarschuwing voor installatie Power off the Network Camera as soon as smoke or unusual odors are detected. Netwerkcamera bei Rauchentwicklung oder ungewöhnlichem Geruch sofort abscha...

lang:nl score:34 filesize: 6.48 M page_count: 4 document date: 2022-08-08




[pdf] Accessories Borchure

cd5a48e2622d7a9d598028fbc0cdd0bda3acfa1eb0839015e airport solution brochure 2024 en vivotek file |||

Airport Solution Comprehensive Airport Surveillance 2024 H1 EN 1 Airport Solution Comprehensive ... table Views Remote Focus Ultra-High Resolution SC9133-RTL 360 View High Accuracy AI Counting FE9391-EHV-v2 12 MP Resolution 360 View SD9384-EHL PTZ Capabilities IR Illumination Smart Trac...

lang:en score:33 filesize: 2.24 M page_count: 12 document date: 2024-02-21



[pdf]

2023 traffic solutions en ver 1 webapi vivotek api DownloadCenter Download global p1

WSyblAyPGMDwJCirGa Zjg p2 j199RdC0wOvZ8pPmTck8Tg utm source BenchmarkEmail campaign
Week 49 4 Dec 23 Optimized Parking Access Experience with Competitive Cost Effectiveness medium
email |||

Traffic Solutions Traffic Management City Surveillance Parking and Access Control
2023 H2 EN E ... tion 30x Optical Zoom 200M Smart IR SD9368-EHL 2MP Resolution
40x Optical Zoom 250M Smart IR FE9391-EHV-v2 12MP Resolution 360 View 20m IR
illuminators License Plate Capture 5 License Plat...

lang:en score:32 filesize: 3.1 M page_count: 11 document date: 2023-12-11



[pdf]

Product vivotek camara de red ip 12 megapixeles tipo fisheye 360 grados h265 vision nocturna analiticos
inteligente deteccion movimiento exterior fe9391 ehv v2 ficha tecnica español VIVOTEK FE9391 EHV
Camara IP Megapi movimie tvc mx media 543731 |||

FE9391-EHV-v2 Cmara de red ojo de pez 12MP H.265 Vista panomorfa de 360 20M
IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X Sensor CMOS de 12
megapxeles 30 fps 2944x2944 360 20M IR con Smart IR II WDR Pro 120dB para
mejorar la visibilidad en escenas de alto contraste Deteccin ...

lang:es score:32 filesize: 447.77 K page_count: 4 document date: 2022-08-08



[pdf] Specifications

Product 233393 1 www x computers co za vivotek |||

FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR
Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X 12-Megapixel C MO S
Sensor 30 fps 2944x2944 360 20M IR with Smart IR II W D R Pro 120dB for Improved
Visibility in High C ontrast Scenes Smart Motion Detectio...

lang:en score:31 filesize: 192.06 K page_count: 4 document date: 2022-10-28

[pdf]

VIVOTEK Analytics Plug in for Genetec Camera Support List Network installed Deep Learning VCA package verion 6 17 4 1 or later version and valid license per camera vms plug support list genetec en vivotek file solutions vadvp |||

Update Date: 2022-08-30 VIVOTEK Analytics Plug-in for Genetec Plug-in - Camera Support List Product Category 360 Fisheye Fixed Dome Bullet BOX Mobile Dome Camera Models FD9192-H, FE9391-EHV-v2 FD9167-HT-v2*, FD9367-EHTV-v2*, FD9189-H-v2*, FD9189-HT-v2*, FD9389-EHV-v2*, FD9389-EHTV-v2*, IT9389-H-v2...

lang:nl score:31 filesize: 95.21 K page_count: 1 document date: 2022-08-31

[pdf] Flyer

October Promotion Flyer Dealers vivotek file |||

Future-Proof Your Security System with AI Deep Search Scan Me Contact your VIVOTEK authorized distri ... etwork Camera MS9390-EHV-v2 2x 8MP Fisheye Lenses 180 Panoramic FE9382-EHV-v2 6MP 360 Fisheye Lens FE9391-EHV-v2 12MP 360 Fisheye Lens SD9368-EHL 2MP, 60FPS, 40x Zoom PTZ Speed Dome SD9384-EHL 5MP, 3...

lang:en score:31 filesize: 1.29 M page_count: 1 document date: 2023-10-02

[pdf]

V series Fisheye Panoramic AI CameraThe Camera delivers 360° panoramic coverage with WDR Pro and Smart IR III technology It clear balanced images in day and 100391970 21315 Produktinformedia expert security de assets 100391970 Produktinfo |||

V-series Fisheye Panoramic AI Camera FE9191-H-V2 1.18mm / **FE9391-EHV-V2** 1.18mm The V-series Fisheye AI Camera delivers 360 panoramic coverage with WDR Pro and Smart IR III technology, It delivers clear and balanced images in day and night and optimizes IR strength based on scene conditions. Mul...

lang:en score:29 filesize: 3.09 M page_count: 4 document date: 2025-04-23

[pdf] Installation Guide Documentation Guide Accessories

AM 21O průvodce instalací VIVOTEK Montážní adaptér typu L pro montáž kamer FD9387 V3 FD9167 HT v2 FD9367 EHTV FD9365 FD9391 FE9380 HV FE9382 EHV 13103 am 21oguide en atkm cz pictures kdistrib 19 201 |||

VIVOTEK Fixed Dome Fisheye Series Wall-mount Bracket Installation Guide Using AM-21O wall-mount br ... sheye series FD9167-HT-v2, FD9367-EHTV-v2, FD9365-EHTV-v2, FD9391EHTV-v2 FE9380-HV, FE9382-EHV-v2, FE9391-EHV-v2 You may also refer to VIVOTEK s website for the list of supported models. Support for...

lang:en score:29 filesize: 2.64 M page_count: 8 document date: 2023-02-03

Product Category		Camera Models
360° Fisheye		FD9192-H, FE9391-EHV-v2, FD9167-HT-v2, FD9367-EHTV-v2, FD9365-EHTV-v2, FD9391EHTV-v2, FE9380-HV, FE9382-EHV-v2, FE9391-EHV-v2
Fixed Dome		FD9189-H-v2, FD9189-HT-v2, FD9389-EHV-v2, FD9389-EHTV-v2, IT9389-H-v2, IT9389-HT-v2
Bullet		MS9390-EHV-v2, MS9390-H-v2, MS9390-HT-v2
BOX		FD9167-HT, FD9167-EHTV
Mobile Dome		MS9384-EHL, MS9384-H

Future-Proof Your Security System with AI Deep Search

Contact your VIVOTEK authorized distributors now to find out your extra savings. Offer valid from October 1-31. Use code: **2023102319**

AI-Purpose Series with Smart Motion Detection

Smart Motion Detection
Intelligent Motion Detection technology can detect and track moving objects in real-time, reducing false alarms and improving security.

Smart Ways
Smart Motion Detection

VSS

VAST Security Station (VSS)
VSS is a powerful security station that can manage multiple cameras and provide real-time monitoring and recording.

AI-Enabled Products And Solutions

AI Features Deep Search
Intelligent searching through Deep Search can detect and track moving objects in real-time, reducing false alarms and improving security.

AI-Enabled Products And Solutions

AI-Enabled Products And Solutions

V-series Fisheye Panoramic AI Camera

FE9191-H-V2 (1.18mm) / FE9391-EHV-V2 (1.18mm)

The V-series Fisheye AI Camera delivers 360° panoramic coverage with WDR Pro and Smart IR III technology. It delivers clear and balanced images in day and night and optimizes IR strength based on scene conditions. Multi-stream fisheye deep-searching allows users to focus on specific areas or split views into different regions simultaneously without extra software needed, reducing the need for multiple cameras. Powered by Smart VCA, it ensures precise video analytics with accurate alarms.

Features

12MP Resolution 4x4K Ultra-High-Resolution Camera	H.265 Codec with Smart Stream III Reduced bandwidth and storage costs
120 dB WDR Pro	20M IR with Smart IR III Reduced IR lighting power consumption
Deep Search Technology Multi-stream fisheye deep-searching allows users to focus on specific areas or split views into different regions simultaneously without extra software needed, reducing the need for multiple cameras.	Weather-proof Certified IP67, IK10
Smart VCA Accurate detect incidents	Vision Object Analytic Identify people, vehicles and other objects
Deep Search Available with supported platform	Trend-Micro IoT Security Enhanced and optimized vulnerability protection

Hardware & Software

Using AM210 wall-mount bracket and compatible accessories


Corresponding part numbers: 6068001000

VIVOTEK

A Delta Group Company

VIVOTEK Fixed Dome & Fisheye Series Wall-mount Bracket

Installation Guide



Using AM210 wall-mount bracket and compatible accessories

Corresponding part numbers: 6068001000

Rev. 1.0

Part no.: 0202763000



[pdf]

Product vivotek camara de red ip 12 megapixeles tipo fisheye 360 grados h265 vision nocturna analiticos inteligente deteccion movimiento exterior fe9391 ehv v2 ficha tecnica español VIVOTEK FE9391 EHV Cámara IP MP panorámica 360° Deep Search Smart IR II 20m CVA Stream III WDR Pro micrófono ciberseguridad Trend Micro IP66 IK10 Nema4X SNV NDAA ONVIF CCTV Tienda seguridad electrónica videovigilancia acceso y alarmas movimie cdn tvc mx media 543731 |||

FE9391-EHV-v2 Cmara de red ojo de pez 12MP H.265 Vista panomorfa de 360 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X Sensor CMOS de 12 megapxeles 30 fps 2944x2944 360 20M IR con Smart IR II WDR Pro 120dB para mejorar la visibilidad en escenas de alto contraste Deteccin ...

lang:es score:27 filesize: 337.29 K page_count: 4 document date: 2022-08-08



[pdf] Borchure Catalog

Soluções City SurveillanceOPTIVISUS OPTIVISUS ProdutosVIVOTEK 2024 H1 Surveillance Solution Brochure ENvisus pt mirrors Catalogos VIVOTEK EN SolutionsSoluções SurveillancelB9387 EHTV V3 SD9384 EHL SD9368 ○ 2560x1920 5MP 50m 100m IR WDR Pro 3 focal length variants 2 7 ~ 13 5mm 22mm 12 ~40mm IP66 67 OPTIVISUS ENVIVOTEK ||| ||| City Surveillance Solutions 2024 H1 EN 1 Security and Safety for City Environments More and more people are moving into cities. According to the United Nations, the worldwide urban population has increased 59 in 2020. With more and more peo City Surveillance Solutions 2024 H1 EN 1 Security and Safety for City Environments More and more ... V-v2 3840x2160 8MP 50m IR WDR Pro Smart VCA IP66, IK10, NEMA 4X NDAA Compliant 360 Fisheye FE9391-EHV-v2 2944x2944 20m IR Smart VCA Secure Boot, Signed Firmware, Trend Micro IoT Security ...

lang:en score:26 filesize: 3.12 M page_count: 12 document date: 2024-02-07



[pdf] Specifications Datasheet

Product Datasheet Vivotek Panoramic Camera FE9391 EHV v2Vivotek Fisheye Security with 360 View — CTC Communicationsfe9391 ehv v2datasheet encdn shopify s files 1 0566 0655 6312 fe9391 en v 1712122771 |||


FE9391-EHV-v2 Fisheye Network Camera 12MP H.265 360 Panomorph View 20M IR Smart IR II Smart Stream III WDR Pro IP66 IK10 NEMA 4X Technical Specifications System Information Model CPU Flash RAM Camera Features Image Sensor Max. Resolution Lens Type Focal Length Aperture Iris Type Field of...

lang:en score:26 filesize: 215.54 K page_count: 3 document date: 2024-02-15

[illegible]


Spec AM 210 EN VIVOTEK FD9167 HT V2 FD9367 EHTV FD9365 FD9187 V3 FD9387 FD9391
FE9380 HV FE9382 EHV FE9391 vivotek resource center product 54855 |||

lang:no score:24 filesize: 328.47 K page count: 1 document date: 2025-07-21



Vivotek April 2022 MSRP Price List.xlsx elopez duke sys vivotek cdn hibuwbsites
d5a077b1c7494c788338a253eba940e2 files uploaded |||

Effective on Apr. 1, 2022 Form Factor Resolution Thermal Camera 384x256 720x480
Multiple Sensor ... x1920 5MP 2560x1920 5MP IB9391-EHT 3840x2160 8MP
FE9180-H FE9192-H CC8160 2560x1920 5MP FE9391-EHV-v2 1920x1080 2MP
Lens Fixed 8.8mm Fixed 19mm Fixed 35mm Fixed 50mm Fixed 8.8mm Fixed 1...
lang:es score:24 filesize: 800.86 K page count: 31 document date: 2022-07-19



camera analytic chart en vivotek file solutions vadvp |||

AI-Powered Video Analytics Chart No License Fee License Fee Required Free trial
available, excep ... ection Crowd Detection Face Detection Intrusion Detection
FE9382-EHV-v2 FE9391-EV* FE9391-EHV-v2 IP9165-HT-v2 with i-CS lens IP9165-
LPC-v2 with i-CS lens ...
lang:en score:23 filesize: 206.08 K page count: 4 document date: 2022-02-25

[illegible]

Kelly Huang TAA Compliant Product List VIVOTEK May 25 2025 · port Max 30W power budget 240W
48~57VDC input 40° C to Hyper PoE Tx 1x Port FE RJ45 1 DC Jack 20° C~60° 250525 vivotek resource
center technical compliance 49860 |||

Product Type 110 Network Camera Dome 110 Network Camera Dome 110 Network
Camera Dome 110 Netw ... 2mm fisheye lens, D/N, WDR Pro, Smart IR II, 20m IR
Illuminators, PoE, Built-in Mic, Smart Stream FE9391-EHV-v2 III, Smart VCA,
MicroSD/SDHC/SDXC, IP66, IK10, NEMA 4X, extreme weather - 40 - 60 /...
lang:en score:23 filesize: 397.62 K page count: 15 document date: 2025-05-27

