



Magnetic Universal AC Drain Kit (10ft)

Magnetic Universal Window Air Conditioner Drain Kit Instruction Manual

Brand: Generic | Model: Magnetic Universal AC Drain Kit (10ft)

INTRODUCTION

This manual provides instructions for the installation and use of the Magnetic Universal Window Air Conditioner Drain Kit. This patented kit is designed to effectively drain condensate from window, thru-wall, mini-split, and RV/motorhome air conditioner units, preventing water damage and nuisance dripping.

IMPORTANT SAFETY INFORMATION

WARNING:

The magnets used in this drain kit are extremely powerful. Keep away from children, medical devices (e.g., pacemakers), cell phones, laptops, credit cards, and any other items that may be sensitive to strong magnetic fields.

PACKAGE CONTENTS

- 1 x Magnetic Drain Funnel Adapter
- 1 x 10ft Clear Tubing (1/4" x 3/8" recommended if purchasing adapter only)



Image: The magnetic drain funnel adapter and the included 10-foot clear tubing.

SETUP AND INSTALLATION

The Magnetic Universal Window Air Conditioner Drain Kit is designed for quick and easy installation, typically in less than one minute. Ensure the base pan of your air conditioner is made of metal for the magnets to adhere properly.

1. **Step 1: Locate the Drain Hole**

Identify the condensate drain hole on the bottom of your window air conditioner unit. This kit is designed to work with any size or shape drain hole.



Image: A window air conditioner unit with the clear drain hose already connected and directing water away.

2. **Step 2: Attach the Magnetic Funnel Adapter**

Place the magnetic drain funnel adapter directly over the air conditioner's drain hole. The powerful magnets on the adapter will securely attach it to the metal base pan of the AC unit, creating a seal around the drain opening.




Image: A close-up view of the magnetic drain adapter securely attached to the bottom of an air conditioner unit, covering the drain hole.

3. Step 3: Connect the Tubing

Insert one end of the clear tubing into the outlet of the magnetic funnel adapter. Route the tubing to direct the condensate water to a desired location, such as a rain barrel, bucket, garden, or flowerbed. Ensure the tubing has a continuous downward slope to allow for proper drainage.



Image: A side view of an air conditioner unit showing the clear drain hose extending downwards from the magnetic adapter, directing water away from the building.

Installation Video

Your browser does not support the video tag.

Video: A demonstration of the Magnetic Universal Window Air Conditioner Drain Kit installation and function.

OPERATING INSTRUCTIONS

Once installed, the Magnetic Universal Window Air Conditioner Drain Kit operates passively. Condensate water produced by your air conditioner will flow into the magnetic funnel adapter and be directed through the clear tubing to your chosen

drainage point. No further action is required for its operation.

This kit helps to:

- Prevent water damage to property (porches, decks, walls, foundations).
- Eliminate annoying dripping noises.
- Allow for eco-friendly watering of plants and gardens with collected condensate.

MAINTENANCE

The Magnetic Universal Window Air Conditioner Drain Kit requires minimal maintenance. Periodically inspect the tubing for any blockages (e.g., debris, algae buildup) and ensure the magnetic adapter remains securely attached to the AC unit. If blockages occur, detach the tubing and flush with water to clear. Clean the adapter surface if necessary to maintain magnetic adhesion.

TROUBLESHOOTING

| Problem | Possible Cause | Solution |
|--|---|---|
| Water is not draining through the hose, or is leaking from around the adapter. | <ul style="list-style-type: none">• Adapter not securely attached.• AC unit base pan is not metal.• Tubing is kinked or blocked.• Tubing does not have a continuous downward slope.• Excessive condensation in very high humidity conditions. | <ul style="list-style-type: none">• Ensure the magnetic adapter is firmly pressed against the AC unit's metal base pan, centered over the drain hole.• Verify your AC unit has a metal base pan. Magnets will not stick to plastic.• Check the entire length of the tubing for kinks or obstructions. Clear any blockages.• Adjust the tubing's routing to ensure a consistent downward slope from the adapter to the drainage point.• In extremely high humidity, the AC unit may produce more condensate than the tubing can handle. Ensure the tubing is clear and properly sloped. Consider a larger diameter tubing if this is a persistent issue (note: this kit comes with 1/4" x 3/8" compatible tubing). |
| Adapter does not stick to the AC unit. | AC unit base pan is not metal. | This kit requires a metal base pan on your air conditioner for the magnets to adhere. It will not work with plastic base pans. |

SPECIFICATIONS

- **Product Type:** Magnetic Universal Window Air Conditioner Drain Kit
- **Brand:** Generic
- **Tubing Length:** 10 feet (approx. 120 inches)
- **Tubing Dimensions:** Approximately 0.37 inches outer diameter (1/4" x 3/8" compatible)
- **Color:** Clear

- **Compatibility:** Universal fit for window, thru-wall, mini-split, and RV/motorhome AC units with metal base pans.
- **Patent:** United States Patent No. 12,140,338

WARRANTY AND SUPPORT

For warranty information or product support, please contact the manufacturer directly through your purchase platform or the contact information provided with your product packaging. Please have your purchase details ready when contacting support.