Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

WELKIN A1102

WELKIN Containment Mat Instruction Manual

Model: A1102 | Brand: WELKIN

Introduction

The WELKIN Containment Mat is designed to provide heavy-duty, waterproof protection for your garage floor. It effectively prevents liquids, mud, snow, and other debris from staining or damaging your home garage surface. Its robust construction ensures durability and long-lasting performance in various conditions.

Safety Information

CAUTION: Adhere to the following safety guidelines to ensure safe use and prevent damage:

- Keep the mat away from direct heat sources.
- Do not use the mat in areas where corrosive chemicals are present.
- Do not exceed the maximum weight capacity of the mat.
- Exercise caution when walking on the mat, especially when wet or slippery, to prevent falls.

What's in the Box

Upon unboxing your WELKIN Containment Mat, verify that all components are present:

Contents List

1x Garage Floor Mat

4x Adhesive Tape pairs

2x Alcohol Prep Pads

1x Floor Squeegee



Figure 1: Included Parts

Setup Instructions

Follow these steps to properly set up your WELKIN Containment Mat:

1. **Unroll the Mat:** Carefully unroll the WELKIN Containment Mat in your desired garage parking area. Ensure it lies flat and covers the intended space.
2. **Positioning:** Adjust the mat's position to align with your vehicle's parking spot, ensuring adequate coverage for potential drips and spills.
3. **Secure with Adhesive Tape (Optional but Recommended):** To prevent the mat from shifting, especially on smooth garage floors, use the provided adhesive tape pairs.
    - **Step 1:** Mark the floor around the corner edges of the mat where the adhesive will be applied.
    - **Step 2:** Wipe the marked corners of the floor and the corresponding underside of the mat with the included alcohol prep pads. Allow to dry completely. This is crucial for optimal adhesion.
    - **Step 3:** Apply one side of an adhesive tape pair to the cleaned corner of the mat's underside and the other side to the marked spot on the floor. Press firmly to secure. Repeat for all four corners.



Figure 2: Hook & Loop Fixture Application



Figure 3: Mat Fully Unrolled

Operating the Containment Mat

The WELKIN Containment Mat is designed for passive operation, effectively containing various liquids and debris from your vehicle.

- **Liquid Containment:** The built-in high elastic sponge column containment edge prevents water, melted snow, mud, and oil from spreading across your garage floor.
- **Vehicle Parking:** Simply park your car, SUV, minivan, or pickup truck directly onto the mat. The mat's upgraded fabric surface is designed to prevent wheels from slipping and reduce noise.



Figure 4: Vehicle Parked on Mat



Figure 5: Protection from Various Elements


PARTS LIST



Garage Floor Mat

X1

Protect the garage floor from dirt, such as oil, ice, snow, mud, etc.



Adhesive Tape

X4

They are used to secure garage mats to prevent the mat from slipping or shifting.



Alcohol Prep Pad

X2

It is necessary to clean the velcro attached to the back of the garage mat to avoid the stickiness of the velcro reduces due to dust.



Floor Squeegee

X1

It can be used to clean garage mat surfaces.

Figure 6: Upgraded Fabric Surface and Containment Edge

Maintenance

Maintaining your WELKIN Containment Mat is simple and ensures its longevity and effectiveness:

- **Regular Cleaning:** Snow removal and mud cleaning are made easy with the included floor squeegee. Simply push accumulated liquids and debris off the mat towards a drain or outside the garage.
- **Washing:** The mat is washable with water for repeated use. You can hose it down or use a pressure washer for a thorough clean. Ensure it is dry before storing or reusing.
- **Storage:** When not in use, the mat can be easily rolled up and stored. It does not require any complex assembly or disassembly.



Figure 7: Easy Cleaning with Water

Troubleshooting

Here are solutions to common issues you might encounter:

Issue: Mat Shifts or Does Not Stay in Place

Solution: While the provided adhesive tapes are designed to secure the mat, some garage floor surfaces (e.g., coated concrete) may reduce their effectiveness. If the mat frequently shifts, consider using stronger, heavy-duty hook and loop fasteners or double-sided tape specifically designed for outdoor or garage use. Ensure the floor and mat surfaces are thoroughly cleaned and dry before application.

Specifications

Feature	Detail
Brand	WELKIN
Model Number	A1102
Item Weight	24.1 pounds
Product Dimensions (7'9" x 18' variant)	216.54 x 93.7 x 3.94 inches (L x W x Th)
Special Features	Non-Slip, Washable, Waterproof
Construction	Machine Made
Color	Black
UPC	810093610006



Figure 8: Sizing Chart for Different Models

© 2025 WELKIN. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09PY5G5D9

More documents and user manuals: **https://manuals.plus/**