

[manuals.plus](#) /

› [PRT](#) /

› [PRT Qutie Bluetooth Label Maker User Manual](#)

PRT Qutie

PRT Qutie Bluetooth Label Maker User Manual

Model: Qutie

1. INTRODUCTION

This manual provides comprehensive instructions for the safe and efficient use of your PRT Qutie Bluetooth Label Maker. Please read this manual thoroughly before operating the device and retain it for future reference.



Image: The PRT Qutie Bluetooth Label Maker in pink, shown with three rolls of label tape.

The PRT Qutie is a compact, portable thermal label printer designed for various organizational needs in homes, offices, and other environments. It connects wirelessly via Bluetooth to your smartphone, allowing for customized label creation through a dedicated application.

2. PACKAGE CONTENTS

Ensure all items are present in your package:

- PRT Qutie Label Maker
- USB Charging Cable
- 3 Rolls of Label Tape (as per product variant)
- User Manual (this document)

3. SETUP GUIDE

3.1 Charging the Device

Before initial use, fully charge the PRT Qutie Label Maker. Connect the provided USB cable to the device's Type-C port and a compatible USB power source. The device features a 2000 mAh lithium battery, providing approximately 980 feet of continuous printing on a full charge.



Image: A close-up view of the PRT Qutie label maker, highlighting its Type-C charging port and compact design.

3.2 Installing the Label Roll

Open the label maker's cover. Insert a label roll into the designated compartment, ensuring the tape feeds out correctly through the slot. Close the cover securely.

3.3 App Installation and Connection

The PRT Qutie operates via the "Sorticker" mobile application. Note that the app may sometimes appear as "HerePrint" in some contexts or older versions.

1. **Download the App:** Install the "Sorticker" app from your device's App Store (iOS) or Google Play Store (Android).
2. **Power On:** Turn on your PRT Qutie label maker.
3. **Open App & Bluetooth:** Open the Sorticker app on your smartphone and ensure Bluetooth is enabled on your phone.
4. **Connect:** Within the app, select the "Qutie" model from the device list. Click the connect button to establish a Bluetooth connection.
5. **Start Printing:** Once connected, you can begin creating and printing labels.

Easy to Use

Please connect in the "Hereprint" APP




Image: A visual guide demonstrating the three steps to connect the PRT Qutie label maker to a smartphone via Bluetooth using the "Hereprint" (Sorticker) application.

For more information and tutorials, visit the official PRT support page: [PRT Support](#).

4. OPERATING INSTRUCTIONS

4.1 Creating Labels with the Sorticker App

The Sorticker app provides extensive customization options for your labels.

- **Text:** Enter custom text, numbers, and dates.
- **Fonts:** Choose from over 130 fonts and various languages.
- **Graphics & Symbols:** Access a library of over 850 symbols and graphics.
- **Templates:** Utilize over 100 pre-designed templates for common uses.
- **Barcodes & QR Codes:** Generate and print barcodes and QR codes.
- **Images:** Embed images into your labels.

Free But Powerful App

You can download a variety of fonts/languages etc.



Image: The Sorticker app interface displaying a wide range of customization features including fonts, templates, symbols, and options for QR codes and barcodes.

4.2 Printing Labels

After designing your label in the Sorticker app:

1. Ensure the label maker is connected via Bluetooth.
2. Select the desired label type (e.g., "Continuous Paper" or "Gap Paper") within the app.
3. Edit your content as needed.
4. Tap the "Print" button in the app.
5. The label maker will print your design. Use the built-in cutter to neatly separate the label.

Verabschieden Sie sich von Unordnung und machen Sie das Leben einfacher




Arzneimittelkett



Notebook-DIY



Essensdatum



Kabel



Kosmetik



Einstufung

Image: A two-step guide within the Sorticker app, illustrating how to select "Continuous Paper" and then edit content for printing.

4.3 Applications

The PRT Qutie is suitable for a wide range of labeling tasks, including:

- Organizing kitchen items (spice racks, food containers)
- Labeling cosmetic products and jewelry boxes
- Categorizing office documents and folders
- Creating personalized labels for gifts
- General home organization



Image: A collage showcasing various practical applications of the PRT Qutie label maker, including organizing kitchen pantry items, cosmetic bottles, food storage, and office files.

5. MAINTENANCE

5.1 Cleaning the Device

To ensure optimal performance, periodically clean the exterior of the label maker with a soft, dry cloth. Do not use liquid cleaners or solvents. Ensure no dust or debris accumulates in the label output slot or around the print head.

5.2 Label Roll Storage

Store label rolls in a cool, dry place away from direct sunlight and extreme temperatures to preserve their adhesive and print quality.

6. TROUBLESHOOTING

- **Device not powering on:** Ensure the device is fully charged. Connect it to a power source and try again.
- **Cannot connect via Bluetooth:**

- Ensure Bluetooth is enabled on your smartphone.
- Make sure the label maker is powered on and within range.
- Restart both the label maker and your smartphone.
- Check the Sorticker app for connection status and try reconnecting.

• **Poor print quality:**

- Ensure the label roll is correctly installed and not damaged.
- Clean the print head if there is any visible debris.
- Verify that you are using original PRT label tape.

- **Labels not feeding:** Check for any obstructions in the label path. Ensure the label roll is properly seated.

If you encounter issues not covered here, please refer to the official PRT support resources or contact customer service.

7. SPECIFICATIONS

Feature	Detail
Brand	PRT
Model Name	Qutie
Product Dimensions	2.9D x 8.7W x 8.4H centimeters (approx. 3.4 x 3.3 x 1.1 inches)
Connectivity Technology	Bluetooth
Printing Technology	Thermal
Maximum Media Size	15 millimeters
Compatible Devices	Smartphone (Android, iOS)
Maximum Print Resolution	203 DPI
Maximum Monochrome Print Speed	35 Pages per minute
Battery Capacity	2000 mAh Lithium-polymer
Item Weight	150 Grams
Special Features	Portable, Built-in Cutter
Material	ABS Plastic
Included Components	3 label rolls






8. WARRANTY AND SUPPORT

Specific warranty details may vary by region and retailer. Please refer to your purchase documentation or the official PRT website for warranty information.

For technical support, product inquiries, or service requests, please contact PRT customer service through their official channels.



Related Documents - Qutie

 <p>Qutie</p>	<p>Qutie Label Maker Quick Start Guide</p> <p>This guide provides instructions for setting up and using the Qutie label maker, including product introduction, appearance, button operations, paper loading, app download, connection, printing, and battery charging.</p>
	<p>VOCSN V+Pro Resource Guide - Ventec Life Systems</p> <p>Ventec Life Systems VOCSN V+Pro critical care ventilator resource guide. Find information on reordering supplies, training materials, and customer support resources.</p>
	<p>CASIO PRT-70/700/71 Руководство пользователя</p> <p>Полное руководство пользователя для часов CASIO моделей PRT-70, PRT-700 и PRT-71 с модулями 2307, 2335, 2555, 2557. Инструкции по настройке, функциям барометра, высотомера, термометра и другим возможностям.</p>
	<p>Protege GX Otis MLI Elevator Integration Application Note</p> <p>Technical application note detailing the integration of ICT's Protege GX access control system with the Otis Medium Level Interface (MLI) elevator system for destination dispatch and enhanced security.</p>
	<p>Casio PRT-70, 700, 71 Watch User Manual - Features, Operation, and Specifications</p> <p>Comprehensive user manual for Casio watches models PRT-70, 700, 71, covering features like barometer, altimeter, thermometer, stopwatch, alarm, timer, auto-backlight, and battery replacement. Includes detailed operating instructions and specifications.</p>