

[Manuals.plus](#) /

› [SupplySource](#) /

› SupplySource AC to AC Adapter Instruction Manual for GoldStar TELECOMMUNICATION DV-1283-1

SupplySource DV-1283-1

SupplySource AC to AC Adapter Instruction Manual

For GoldStar TELECOMMUNICATION DV-1283-1 Power Supply Cord PSU

1. INTRODUCTION

This manual provides essential instructions for the safe and effective use of your SupplySource AC to AC Adapter, designed as a replacement power supply for GoldStar TELECOMMUNICATION DV-1283-1 devices. Please read this manual thoroughly before use and retain it for future reference.

The SupplySource AC to AC Adapter is manufactured with high-quality materials and incorporates multiple smart features to ensure safety. These features safeguard against incorrect voltage (IV), short circuits (SC), and internal overheating (IO). The charger is certified with CE and FCC standards.

Important Notice:

- Always ensure the DC output and tip size of the AC adapter are compatible with your device before connecting.
- When using the adapter for extended periods, ensure it is placed in a well-ventilated area with suitable humidity. Avoid placing it on or near skin products.



Figure 1: The SupplySource AC to AC power adapter, typically black with a cord and connector, ready for use.

2. SETUP

1. **Verify Compatibility:** Before connecting, confirm that your device requires an AC to AC adapter and that the voltage (AC 110V only) and connector tip size of this SupplySource adapter match your device's requirements. This adapter is specifically AC to AC, not AC to DC.
2. **Connect to Device:** Carefully insert the adapter's output connector into the power input port of your GoldStar TELECOMMUNICATION DV-1283-1 device. Ensure a snug and secure fit.
3. **Connect to Power Outlet:** Plug the adapter's input cord into a standard AC 110V wall outlet. Ensure the outlet is easily accessible and in good condition.
4. **Power On:** Once connected, your device should receive power. Refer to your device's own instruction manual for specific power-on procedures.

3. OPERATING INSTRUCTIONS

The SupplySource AC to AC Adapter operates by converting the incoming AC 110V power to the specific AC output required by your GoldStar TELECOMMUNICATION DV-1283-1 device. Once properly connected, the adapter will continuously supply power to your device.

- Ensure the adapter is not covered or obstructed during operation to allow for proper ventilation.
- Avoid operating the adapter in excessively hot, humid, or dusty environments.
- Disconnect the adapter from the power outlet when not in use for extended periods.

4. MAINTENANCE

Proper maintenance ensures the longevity and safe operation of your adapter.

- **Cleaning:** Disconnect the adapter from both the power outlet and your device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** Store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly winding the cord to prevent damage.
- **Inspection:** Periodically inspect the adapter's casing and cord for any signs of damage, such as cuts, fraying, or exposed wires. If damage is found, discontinue use immediately and replace the adapter.
- **Ventilation:** Always ensure adequate ventilation around the adapter during use to prevent overheating.

5. TROUBLESHOOTING

If you encounter issues with your SupplySource AC to AC Adapter, consider the following:

- **No Power to Device:**
 - Ensure the adapter is securely plugged into both the wall outlet and your device.
 - Check if the wall outlet is functional by plugging in another device.
 - Verify that the adapter's specifications (voltage, tip size) are correct for your device.
- **Adapter Overheating:**
 - Ensure the adapter is in a well-ventilated area and not covered.
 - Disconnect the adapter and allow it to cool down. If overheating persists, discontinue use.
- **Unusual Noises or Smells:** Immediately disconnect the adapter from the power source and discontinue use. Contact support.

If these steps do not resolve the issue, please contact SupplySource customer support for further assistance.

6. SPECIFICATIONS

Brand	SupplySource
Model Compatibility	GoldStar TELECOMMUNICATION DV-1283-1
Input Voltage	AC 110V (Only)
Output Type	AC to AC
Main Power Connector Type	2 Pin
Color	Black
Material	Metal, Plastic
Item Weight	11 ounces

7. WARRANTY AND SUPPORT

For specific warranty information regarding your SupplySource AC to AC Adapter, please refer to the documentation provided at the time of purchase or contact the seller directly. SupplySource products are designed for reliability and safety.

If you have any questions, concerns, or require technical assistance, please do not hesitate to contact SupplySource customer support or the retailer from whom you purchased the product. We are committed to assisting you.

Contact Information: Please refer to your purchase receipt or the product packaging for the most current contact details for SupplySource or your seller.