



[Manuals.plus](#) /

> [Kohler](#) /

> Kohler Statement Round Deep Massage Body Spray K-26299-CP Instruction Manual

Kohler 26299-CP

Kohler Statement Round Deep Massage Body Spray (Model K-26299-CP) Instruction Manual

Polished Chrome, 2.5 GPM

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Kohler Statement Round Deep Massage Body Spray. Please read this manual thoroughly before installation and use to ensure proper function and longevity of the product.



Figure 1: Kohler Statement Round Deep Massage Body Spray in Polished Chrome.

2. SAFETY INFORMATION

Always observe basic safety precautions when installing or servicing plumbing fixtures. Failure to follow these instructions could result in personal injury or property damage.

- Ensure water supply is turned off before beginning any installation or maintenance.
- Wear appropriate personal protective equipment, such as safety glasses.
- If you are unsure about any part of the installation, consult a qualified plumber.
- Do not use abrasive cleaners or tools that could damage the finish of the product.

3. SETUP AND INSTALLATION

3.1 Components Included

- Statement Round Deep Massage Body Spray unit
- Installation hardware (varies by model, refer to packaging)

3.2 Installation Steps

The Kohler Statement Round Deep Massage Body Spray is designed for wall-mounted installation. For detailed diagrams and specific measurements, refer to the installation guide provided with your product packaging.

1. **Prepare the Wall:** Ensure the wall opening is correctly sized and positioned according to the product's rough-in specifications.
2. **Connect Water Supply:** Connect the hot and cold water supply lines to the body spray unit. Ensure all connections are secure and watertight.
3. **Mount the Unit:** Insert the body spray unit into the wall opening. Secure it using the provided mounting hardware.
4. **Seal the Edges:** Apply a silicone sealant around the perimeter of the body spray to prevent water infiltration.
5. **Test for Leaks:** Turn on the water supply and check for any leaks.



Figure 2: Side view of the body spray, illustrating its semi-recessed design for wall mounting.

Statement™

Round 2.5 gpm (9.5 lpm) body spray

K-26299




Figure 3: Detailed diagram highlighting key features such as the Deep Massage streams, MasterClean sprayface, and 20-degree rotation.

4. OPERATION

The Kohler Statement Round Deep Massage Body Spray features a single function with four high-pressure Deep Massage streams. It is designed to provide a targeted hydrotherapy experience.

- **Activating the Spray:** The body spray is activated via your shower's diverter or valve system. Consult your shower valve's manual for specific operation.
- **Adjusting Spray Direction:** The sprayface is mounted on a rotating ball joint, allowing it to rotate 20 degrees in any direction. Gently adjust the sprayface to direct the Deep Massage streams to your desired area.

Your browser does not support the video tag.

Video 1: Demonstration of Kohler Statement Spray Experiences, showcasing various spray patterns including deep massage. This video illustrates the functionality and feel of the spray.

5. MAINTENANCE AND CLEANING

Regular cleaning will help maintain the appearance and performance of your body spray. The MasterClean™ sprayface is designed for easy cleaning and resists mineral buildup.

- **General Cleaning:** Clean the product with a soft, damp cloth and a mild soap. Rinse thoroughly with warm water and dry with a soft cloth.
- **Mineral Buildup:** For mineral deposits, gently rub the MasterClean™ sprayface nozzles with your finger or a soft brush to dislodge any buildup. Avoid harsh chemicals or abrasive cleaners, as these can damage the finish.
- **Do Not Use:** Abrasive cleaners, scouring pads, or chemicals containing ammonia, bleach, or acid.

6. TROUBLESHOOTING

Problem	Possible Cause	Solution
Low water flow	Mineral buildup in nozzles; partially closed water supply valve.	Clean MasterClean™ sprayface nozzles. Ensure water supply valve is fully open.
Leaking from connections	Loose connections; damaged seals.	Tighten connections. Inspect and replace seals if necessary. Ensure proper use of plumber's tape or sealant during installation.
Spray direction difficult to adjust	Mineral buildup around the ball joint.	Clean around the ball joint with a soft cloth and mild cleaner to remove any deposits.

7. SPECIFICATIONS

Feature	Detail
Model Number	K-26299-CP
Brand	Kohler
Flow Rate	2.5 GPM (Gallons Per Minute)
Material	Brass, Plastic
Finish Type	Polished Chrome
Installation Type	Wall Mounted
Number of Settings	1 (Deep Massage)
Number of Jets	4 (Deep Massage streams)
Shape	Round
UPC	885612882691

8. WARRANTY AND SUPPORT

8.1 Warranty Information

This Kohler Statement Round Deep Massage Body Spray is covered under Kohler's limited lifetime warranty. For full details regarding warranty coverage, terms, and conditions, please refer to the warranty documentation included with your product or visit the official Kohler website.

8.2 Customer Support

If you have any questions, require technical assistance, or need to order replacement parts, please contact Kohler customer service. Contact information can be found on the Kohler website or in your product's packaging.

Online Resources: www.kohler.com

