

manuals.plus /

- › [HMF](#) /
- › [HMF Vintage Combination Padlock User Manual](#)

HMF 6499-09

HMF Vintage 3-Digit Combination Padlock User Manual

Model: 6499-09 | Brand: HMF

PRODUCT OVERVIEW

The HMF Vintage 3-Digit Combination Padlock is a compact and decorative security device designed for various applications such as securing chests, suitcases, or bags. It features a resettable 3-digit combination, eliminating the need for keys.



Image: The HMF Vintage 3-Digit Combination Padlock in its closed state, showcasing its silver finish and three combination dials.



Image: Two HMF Vintage 3-Digit Combination Padlocks, one in silver and one in bronze, illustrating the available color variants.

SETUP: SETTING YOUR COMBINATION

Your HMF Vintage 3-Digit Combination Padlock comes preset to 0-0-0. Follow these steps to set your personal combination:

1. Ensure the padlock is set to the current combination (factory default is 0-0-0).
2. Pull up the shackle to open the lock.
3. Rotate the shackle 90 degrees (a quarter turn) counter-clockwise from the open position.
4. Press the shackle down firmly into the lock body, ensuring it stays depressed.
5. While holding the shackle down, set your desired 3-digit combination by rotating the dials. Choose a memorable number.
6. Release the shackle. It should spring back up slightly.
7. Rotate the shackle back to its original open position (another 90 degrees clockwise).
8. Scramble the dials to lock the padlock. Your new combination is now set.

Note: It is highly recommended to write down your new combination and store it in a safe place. If you forget your combination, there is no master key or override function to open the lock.



Image: The padlock with its shackle in the open position, ready for combination setting or unlocking.

OPERATING THE PADLOCK

To Unlock:

1. Align the three digits of your set combination with the indicator line on the padlock body.
2. Pull up the shackle. The padlock should open.

To Lock:

1. Close the shackle by pressing it down into the lock body.
2. Scramble the combination dials to a random set of numbers. This secures the lock and prevents unauthorized opening.



Image: A close-up front view of the padlock, showing the combination dials aligned to a specific number, ready for unlocking.

MAINTENANCE

The HMF Vintage 3-Digit Combination Padlock requires minimal maintenance. To ensure its longevity and smooth operation:

- Keep the padlock clean and free from dust and debris. Wipe with a soft, dry cloth.
- Avoid exposing the padlock to extreme temperatures or harsh chemicals, which may damage the finish or internal mechanism.
- If the dials become stiff, a small amount of graphite lubricant (not oil) can be applied to the moving parts.

TROUBLESHOOTING

- **Padlock does not open with the correct combination:**

- Ensure each digit is precisely aligned with the indicator line.
- Verify that you are using the correct combination. If you recently changed it, try the old combination as well, in case the change was not fully registered.
- Gently wiggle the shackle while pulling up to see if it releases.

- **Dials are stiff or hard to turn:**

- Clean any visible dirt or grime from around the dials.
- Apply a small amount of graphite powder lubricant into the gaps around the dials. Avoid using oil-based lubricants as they can attract dust.

- **Forgotten Combination:**

Unfortunately, if you have forgotten your combination and do not have it written down, there is no way to reset or recover the combination without knowing it. The padlock is designed for security and does not have a master key or backdoor. You may need to replace the padlock.

SPECIFICATIONS



Image: A detailed diagram illustrating the height, width, depth, and shackle dimensions of the padlock.

Brand	HMF
Model Number	6499-09
Color	Silver (Zilver)
Material	Alloy Steel
Lock Type	Combination Lock
Dimensions (H x W x D)	4.3 x 3.5 x 1.2 cm (1.69 x 1.38 x 0.47 inches)

Shackle Diameter	0.4 cm (0.16 inches)
Shackle Width (Inner)	0.9 - 1.5 cm (0.35 - 0.59 inches)
Weight	20 g (0.71 oz)
Special Features	Keyless functions, Resettable combination
Country of Origin	China

WARRANTY AND SUPPORT




For information regarding warranty, returns, or technical support for your HMF Vintage 3-Digit Combination Padlock, please refer to the seller's policy on the platform where you purchased the product or contact HMF customer service directly through their official website or contact channels.




For more information about HMF products, visit the [HMF Brand Store](#).



© 2024 HMF. All rights reserved.

Related Documents - 6499-09

	<p>HMF Padlock 3502 Instruction Manual</p> <p>Concise instructions for operating and setting the combination on the HMF Padlock, model 3502. Learn how to set your personal code and secure your belongings.</p>
	<p>Philips 5-Year Commercial Warranty Terms and Conditions for Bagged and Bagless Vacuum Cleaners</p> <p>This document outlines the terms and conditions for Philips' 5-year commercial warranty for bagged and bagless vacuum cleaners, including product eligibility, warranty period, consumer rights, and data processing information.</p>
	<p>HMF Electronic Lock Safe: Instruction Manual and Operation Guide</p> <p>Detailed instructions for operating, setting up, and installing HMF electronic lock safes (models 4612112-4612812). Covers battery replacement, code management, emergency access, automatic locking, wall mounting, and troubleshooting.</p>

	<p>Mavic Technical Manual 2009</p> <p>A comprehensive technical manual for Mavic bicycle wheels and components from 2009, detailing specifications, part numbers, maintenance, and usage for various models including Cosmic Carbone, Ksyrium Elite, R-System, and Crossmax series.</p>
	<p>Kendall Howard LINIER Swing-Out Wall Mount Cabinets Installation Guide</p> <p>Comprehensive installation instructions for Kendall Howard LINIER Swing-Out Wall Mount Cabinets, detailing part numbers, required tools, step-by-step mounting procedures, door configuration, rail adjustment, knockout removal, and warranty information.</p>
	<p>Airtec ICK-09 Series Pneumatic Valves: Technical Specifications and Accessories</p> <p>Detailed technical specifications, order codes, dimensions, and accessory information for the Airtec ICK-09 series of low-temperature pneumatic valves, including 5/2 and 5/3-way options.</p>