Manuals+

Q & A | Deep Search | Upload

Profile P4AAKASSPSS

GE Profile Opal 0.75-Gallon Side Tank for 2.0 Nugget Ice Maker Instruction Manual

Brand: Profile
Model: P4AAKASSPSS

Product Overview

The GE Profile Opal 0.75-Gallon Side Tank is an accessory designed to enhance the ice production capacity of your GE Profile Opal 2.0 Nugget Ice Maker. This slim, rounded tank seamlessly attaches to the main ice maker, allowing for approximately three times more ice production before requiring a refill. Its design ensures a compact footprint on your countertop while providing extended convenience.

Image: The GE Profile Opal 2.0 Nugget Ice Maker with the 0.75-Gallon Side Tank attached, displaying a full bin of nugget ice.

Setup and Installation

1. **Unpack Components:** Carefully remove the side tank and any included accessories from the packaging. Ensure all parts are present.
2. **Position the Side Tank:** The side tank can be attached to either side of your GE Profile Opal 2.0 Nugget Ice Maker. Position it next to the ice maker on a flat, stable surface.
3. **Connect the Water Tube:** Locate the water tube on the back of the ice maker and the corresponding connection point on the side tank. Connect the tube securely to ensure a watertight seal.

Image: The 0.75-Gallon Side Tank detached, highlighting the water connection point and the magnetic side for attachment to the ice maker.

4. **Secure Attachment:** The side tank features a magnetic attachment system that securely fastens it to the side of the ice maker. Gently push the side tank against the ice maker until it clicks into place.

Image: A person demonstrating the attachment of the 0.75-Gallon Side Tank to the main GE Profile Opal Ice Maker unit.

5. **Fill the Side Tank:** Remove the top cap of the side tank and fill it with clean, potable water. Replace the cap securely. The ice maker will automatically draw water from the side tank as needed.

Video: Side Tank Installation and Filling

Your browser does not support the video tag.

Video Description: This video demonstrates the process of attaching the GE Profile Opal 0.75-Gallon Side Tank to the Opal 2.0 Ice Maker and how to fill it with water.

Operating Instructions

Once the side tank is properly installed and filled, the GE Profile Opal 2.0 Nugget Ice Maker will automatically draw water from it. This extends the time between manual refills of the main reservoir, allowing for continuous ice production. The side tank increases the overall water capacity, enabling the ice maker to produce approximately three times more ice before needing attention.

- **Automatic Water Supply:** The side tank provides a continuous water supply to the ice maker's internal reservoir.
- **Refilling:** When the water level in the side tank is low, simply detach it, refill with water, and reattach. The ice maker will resume normal operation.
- **Increased Capacity:** Enjoy extended periods of nugget ice production without frequent manual refills.

Image: The GE Profile Opal 2.0 Nugget Ice Maker with the 0.75-Gallon Side Tank, illustrating the benefit of increased ice production capacity.

Maintenance and Cleaning

Regular cleaning of the side tank is essential to maintain hygiene and optimal performance. The side tank is designed for easy detachment, making the cleaning process straightforward.

1. **Detaching the Side Tank:** Gently pull the side tank away from the ice maker to detach it.
2. **Empty and Rinse:** Empty any remaining water from the side tank. Rinse it thoroughly with warm water.
3. **Cleaning Solution:** For a more thorough cleaning, use a mild soap solution or a diluted bleach solution (as recommended in the main ice maker manual) to clean the interior of the tank. Ensure to rinse thoroughly multiple times to remove all cleaning residue.
4. **Drying:** Allow the side tank to air dry completely before reattaching it to the ice maker.
5. **Frequency:** It is recommended to clean the side tank quarterly or as needed, especially if you notice any residue buildup.

Video: Detaching and Filling the Side Tank

Your browser does not support the video tag.

Video Description: This video illustrates how to detach the side tank from the ice maker and the process of refilling it with water.

Troubleshooting

If you encounter issues with your side tank, consider the following common solutions:

- **Water Not Flowing:** Ensure the water tube is securely connected between the side tank and the ice maker. Check that the side tank is properly seated and the internal valve is not obstructed.
- **Leakage:** Verify that all connections are tight and the side tank is correctly attached to the ice maker. Inspect the tank for any cracks or damage.
- **Unusual Odor/Taste:** Perform a thorough cleaning of the side tank and the ice maker as per the maintenance instructions. Use purified water to prevent mineral buildup.

For further troubleshooting or issues not listed here, please refer to the main GE Profile Opal 2.0 Nugget Ice Maker instruction manual or contact GE Appliances customer support.

Specifications

Brand	Profile
Model Name	P4AAKASSPSS
Product Dimensions	6.75"D x 3"W x 16.5"H
Capacity	0.75 Gallons
Material	Stainless Steel
Item Weight	3.38 pounds
Included Components	0.75 Gallon Ice Maker Side Tank

Warranty and Support

For information regarding the warranty of your GE Profile Opal 0.75-Gallon Side Tank, please refer to the warranty documentation included with your GE Profile Opal 2.0 Nugget Ice Maker or visit the official GE Appliances website. For customer support, product registration, or service inquiries, please consult the contact information provided in your main ice maker manual or on the GE Appliances website.