shernbao SMD-06P

shernbao Dog Dryer High Velocity Professional Dog/Pet Grooming Force Hair Dryer/Blower

Model: SMD-06P

Product Overview

The shernbao High Velocity Dog Dryer is designed for efficient and effective pet grooming. It features advanced aerodynamics for reduced volume and weight, improving drying efficiency by over 60%. This dryer offers adjustable temperature and speed settings to cater to various pet sensitivities and coat types.

- **Innovation and Revolution:** Improved aerodynamics, reduced volume and weight by half, our dryer improve efficiency over 60%, saving your precious time, especially when grooming large dogs.
- **Temperature Control:** 2 temperature settings, from 55°F to 118°F. Stable airflow for faster drying with less damage.
- **Adjustable Speed:** Dial from 515FPM-44000FPM for controlling noise levels, ideal for sensitive dogs.
- **Industrial Design:** Insulated ABS integrated molding casing for heat insulation, motor circuit isolation for reduced failure rate. Ergonomic handle for easy operation. Small size for portability and storage.
- **Accessories:** Includes 4 ft to 8 ft flexible hose, wall mount kit, 3 different nozzles, and air filters.



Figure 1: Shernbao Dog Dryer with included hose and three nozzle attachments.

Safety Information

For safe operation of your shernbao Dog Dryer, please adhere to the following safety guidelines:

- Keep out of reach of children.
- Do not use near water or in wet environments.
- Keep the power plug and cord away from heated surfaces.
- Do not leave unattended while in use.
- Ensure proper ventilation during operation to prevent overheating.
- Always unplug the dryer when not in use or before cleaning.

Setup

Follow these steps to set up your shernbao Dog Dryer:

1. **Unpack Components:** Carefully remove all components from the packaging, including the dryer unit, flexible hose, three nozzles, and wall mount kit.

2. **Attach Hose:** Connect the flexible hose to the air outlet of the dryer unit. Ensure it is securely twisted and locked into place to prevent air leakage.



Figure 2: The quick release and lock connector ensures a tight, leakage-proof attachment of the hose.

3. **Select Nozzle:** Choose the appropriate nozzle for your grooming needs and attach it to the end of the flexible hose. The nozzles are designed for different air flow patterns.



Figure 3: The dryer comes with three distinct nozzles for varied grooming tasks.

4. **Wall Mounting (Optional):** If desired, use the included wall mount kit to secure the dryer to a wall. Refer to the separate "Blower Hanging Installation Drawing" for detailed instructions.



Figure 4: The dryer supports wall mounting for convenient use in a grooming station.

Operating Instructions

Operating your shernbao Dog Dryer is straightforward:

1. **Power On:** Plug the dryer into a suitable electrical outlet. Locate the power switch on the handle.



Figure 5: Control panel showing the normal temperature switch, heating switch, and wind volume dial.

2. **Adjust Wind Volume:** Use the adjustable speed dial (Wind Volume Switch) to set the desired airflow. The speed ranges from 515FPM to 44000FPM. Start with a lower setting for sensitive pets and gradually increase as needed.



Figure 6: The adjustable speed dial allows precise control over airflow.

3. **Select Temperature:** The dryer offers two temperature settings: normal (cool air) and heated (55°F to 118°F). Use the temperature switches to select the appropriate setting.




Figure 7: The dryer provides fast drying capabilities and operates with reduced noise levels.

4. **Drying Process:** Direct the airflow towards the pet's coat, moving the nozzle continuously to ensure even drying. Avoid concentrating air on one spot for too long.



Figure 8: The high velocity airflow significantly reduces drying time.

5. **Power Off:** Once grooming is complete, turn off the dryer using the power switch and unplug it from the outlet.

Official Product Video: shernbao dog dryer-06P

Your browser does not support the video tag.

Video 1: An official demonstration of the shernbao dog dryer, showcasing its features and operation.

Maintenance

Regular maintenance ensures the longevity and optimal performance of your dryer:

- **Clean Air Filters:** Regularly check and clean the air filters located at the rear of the dryer. Accumulated pet hair and dust can reduce airflow and cause overheating. The detachable rear cover allows for easy access to the filter.
- **Hose and Nozzle Cleaning:** Clean the flexible hose and nozzles after each use to remove any trapped hair or debris.
- **Exterior Cleaning:** Wipe the exterior of the dryer with a soft, damp cloth. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** Store the dryer in a cool, dry place away from direct sunlight and moisture.



Figure 9: The detachable rear cover facilitates easy access for cleaning the air filter.

Troubleshooting

If you encounter issues with your shernbao Dog Dryer, try the following solutions:

Problem	Possible Cause	Solution
Dryer does not turn on.	No power, loose connection, or tripped circuit breaker.	Check power outlet, ensure plug is fully inserted, reset circuit breaker if necessary.
Weak airflow.	Clogged air filter, kinked hose, or incorrect speed setting.	Clean air filter, straighten hose, increase wind volume setting.
Overheating.	Blocked air intake/outlet, prolonged use, or dirty filter.	Turn off and unplug, allow to cool, clean air filter and ensure clear vents.
Unusual noise.	Loose components or foreign objects inside.	Turn off and unplug. Inspect for loose parts or obstructions. If noise persists, contact customer service.

Specifications

Feature	Detail
Brand	shernbao
Model Number	SMD-06P
Item Weight	6.31 Pounds
Product Dimensions (LxWxH)	15.75 x 10.63 x 6.7 inches
Color	Black
Material	Metal
Wattage	2387.2 watts
Power Source	Corded Electric
Temperature Settings	2 (55°F to 118°F)
Adjustable Speed Range	515FPM - 44000FPM
Included Components	Nozzle, Air Filter, Flexible Hose (4ft to 8ft), Wall mount kit

Warranty and Support

The shernbao Dog Dryer comes with a**12-month warranty**. For any product-related issues or inquiries, please contact our customer service team. We are committed to providing top quality products and fast service.



Figure 10: Our dedicated customer service team is ready to assist you.

You can find more information and contact details on the official shernbao store page:Visit the shernbao Store

© 2025 shernbao. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question