

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Bell+Howell](#) /
- › [Bell+Howell Hex Bulb E26 LED Garage Light Instruction Manual](#)

Bell+Howell 8358

Bell+Howell Hex Bulb E26 LED Garage Light Instruction Manual

Model: 8358

[Introduction](#) [Safety Information](#) [Features](#) [Package Contents](#) [Setup & Installation](#)
[Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

The Bell+Howell Hex Bulb E26 LED Garage Light is designed to provide high-intensity, adjustable lighting for various indoor spaces. This manual provides essential information for safe installation, operation, and maintenance of your Hex Bulb.



Image 1.1: Bell+Howell Hex Bulb product packaging, showing the bulb with six adjustable panels and key features like "Fits into Light

2. SAFETY INFORMATION

Please read all safety instructions carefully before installation and use. Failure to follow these instructions may result in electric shock, fire, or other hazards.

- **Power Off:** Always ensure the power supply to the light fixture is turned off at the circuit breaker before installing or removing the Hex Bulb.
- **Indoor Use Only:** This product is designed for indoor use. Do not expose to water or moisture.
- **Standard Sockets:** Use only with standard E26/E27 light sockets.
- **Ventilation:** Ensure adequate ventilation around the bulb to prevent overheating.
- **Do Not Disassemble:** Do not attempt to disassemble or modify the Hex Bulb. This will void the warranty and may cause damage or injury.
- **ETL Listed:** The Hex Bulb is ETL Listed, indicating compliance with North American safety standards.

3. PRODUCT FEATURES

The Bell+Howell Hex Bulb offers advanced lighting capabilities with user-friendly design:

- **Ultra Bright Illumination:** Equipped with 144 high-intensity LED bulbs, delivering over 3500 lumens of 3500 Kelvin natural white light.
- **Adjustable Design:** Features six panels, five of which can rotate 360 degrees, allowing precise light direction.
- **Easy Installation:** Screws into any standard E26/E27 light socket without requiring special tools or wiring.
- **Socket Extender Included:** A deep socket extender is provided for recessed fixtures or to provide more length for panel adjustment.
- **Durable & Long-Lasting:** Constructed with high-quality materials and rust-proof hinges, offering approximately 30,000 hours of LED bulb life.
- **Wide Coverage:** Designed to illuminate large areas effectively, suitable for garages, basements, attics, offices, and more.

SIX PANEL LIGHT BULB ADJUSTABLE DESIGN

144 LEDS • 3500K • ULTRA BRIGHT LIGHT



EASY INSTALL. NO WIRING NECESSARY!

Image 3.1: The Hex Bulb showcasing its six adjustable panels and the simple 3-minute setup process, highlighting "Easy Install. No Wiring Necessary!".

4. PACKAGE CONTENTS

Verify that all items are present in your package:

- 1 x Bell+Howell Hex Bulb E26 LED Garage Light
- 1 x Deep Socket Extender

5. SETUP & INSTALLATION


Installing your Hex Bulb is quick and easy:

1. **Turn Off Power:** Before beginning, ensure the power to the light fixture is completely turned off at the circuit breaker to prevent electrical shock.

2. **Remove Existing Bulb:** Carefully unscrew and remove any existing light bulb from the fixture.
3. **Install Hex Bulb:** Screw the Bell+Howell Hex Bulb directly into the standard E26/E27 light socket. Turn clockwise until it is securely tightened.
4. **Use Socket Extender (Optional):** If your fixture is recessed or if you require more length for optimal panel adjustment, first screw the deep socket extender into the fixture, then screw the Hex Bulb into the extender.
5. **Restore Power:** Once the Hex Bulb is securely installed, turn the power back on at the circuit breaker.


PANEL POSITIONS

PANELS FULL OPEN




.....

PANELS CLOSED




Net Weight .78lbs

PANELS HALF OPEN



.....

DEEP SOCKET EXTENSION INCLUDED



USE SOCKET EXTENDER FOR MORE LENGTH

HELPFUL FOR MOVABLE LIGHT PANELS.

FITS ANY STANDARD LIGHT SOCKET

Image 5.1: Illustration of the Hex Bulb in various panel positions (full open, half open, closed) and the deep socket extender, which is helpful for movable light panels.

Your browser does not support the video tag.

Video 5.1: An official product video demonstrating the installation and use of the Hex Bulb in various settings, highlighting its brightness and adjustable panels.

6. OPERATING INSTRUCTIONS

The Hex Bulb is designed for simple operation:

- **Turning On/Off:** Use your existing light switch to turn the Hex Bulb on or off.
- **Adjusting Panels:** Gently adjust the five outer LED panels to direct light precisely where needed. The panels can rotate 360 degrees.
- **Light Distribution:** Experiment with different panel angles to achieve optimal light distribution for your specific space, whether for broad area lighting or focused illumination.



**BRIGHTER THAN
REGULAR LIGHTBULBS**
GREAT FOR EVERY ROOM IN THE HOUSE!

Image 6.1: The Hex Bulb providing 360-degree lighting, illustrating its wide coverage suitable for various room types.

7. MAINTENANCE

The Bell+Howell Hex Bulb requires minimal maintenance:

- **Cleaning:** Ensure the power is off before cleaning. Wipe the bulb and panels with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- **LED Lifespan:** The LED bulbs are designed for approximately 30,000 hours of use and do not require replacement.

- **Storage:** If storing the bulb, keep it in its original packaging in a cool, dry place.

8. TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture. Bulb not screwed in properly. Faulty light switch.	Check circuit breaker and wall switch. Ensure bulb is securely tightened in the socket. Test the fixture with another working bulb.
Light is not bright enough.	Panels are not fully open or optimally angled. Room size exceeds recommended coverage.	Adjust panels to desired position for maximum light output. Consider adding additional Hex Bulbs for larger spaces.
Flickering light.	Loose connection. Incompatible dimmer switch (if applicable).	Turn off power, then re-tighten the bulb. Ensure the dimmer switch is compatible with LED bulbs.

9. SPECIFICATIONS

Feature	Detail
Brand	Bell+Howell
Model Number	8358
Light Source Type	LED
Number of LED Bulbs	144
Wattage	40 Watts
Brightness	3500 Lumens
Color Temperature	3500 Kelvin
Bulb Base	E26/E27
Voltage	120 Volts
Indoor/Outdoor Usage	Indoor
Material	Plastic
Item Weight	1.23 Pounds
Certification	ETL Listed

10. WARRANTY & SUPPORT

For warranty information or technical support, please refer to the product packaging or contact Bell+Howell customer service directly. Keep your purchase receipt as proof of purchase.

You can visit the official Bell+Howell store for more products and support:[Bell+Howell Store](#)



© 2025 Bell+Howell. All rights reserved.