Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

TESSAN TS-306

TESSAN TS-306 6-Outlet Power Strip with USB-C and USB-A Ports, 3-Meter Cable User Manual

Model: TS-306

1. Introduction

Thank you for choosing the TESSAN TS-306 Power Strip. This manual provides essential information for the safe and efficient use of your device. Please read these instructions carefully before use and retain them for future reference.

2. Safety Instructions

- Do not exceed the maximum load capacity of 3600W or 16A. Overloading can cause overheating and fire hazards.
- This product is designed for indoor use only. Do not expose it to moisture, water, or extreme temperatures.
- Do not disassemble, modify, or attempt to repair the device. Refer all servicing to qualified personnel.
- Keep out of reach of children and pets.
- Ensure the power plug is fully inserted into a wall outlet.
- Do not use in conjunction with other extension cords or power strips to avoid overloading.
- Unplug the power strip from the wall outlet when not in use for extended periods.


3. Product Overview

The TESSAN TS-306 is a compact and versatile power strip designed to provide multiple power and charging options for your devices. It features a unique cube design to prevent outlet blockage and includes a master on/off switch for energy saving.

Components:

- 6 AC Outlets (Schuko type)
- 1 USB-C Port (15W output)

- 2 USB-A Ports (12W output)
- Master On/Off Switch
- 3-Meter Power Cable
- Wall Mounting Holes



An overhead view of the TESSAN TS-306 power strip, highlighting its compact cube design, six AC outlets, three USB ports (one USB-C, two USB-A), and the integrated on/off switch. The 3-meter power cable and plug are also visible.



The TESSAN TS-306 power strip connected to a laptop, tablet, and smartphone, demonstrating its capability to power and charge multiple devices simultaneously. Icons indicate its features: 6 AC outlets, 3 USB ports, 1 master switch, and a 3-meter cable.

4. Setup

4.1 Placement

The TESSAN TS-306 power strip can be placed on a desk, floor, or mounted on a wall.

- **Desk/Floor Placement:** Simply place the power strip on a stable, flat surface. Its compact design minimizes clutter.
- **Wall Mounting:** For a more permanent and space-saving solution, use the two keyhole slots on the back of the power strip to mount it to a wall. Ensure appropriate screws and wall anchors are used for secure installation.



The TESSAN TS-306 power strip securely mounted on a wall, illustrating its wall-mountable design. The 3-meter cable allows for flexible placement in various room settings.



A view of the TESSAN TS-306 power strip from the back, clearly showing the two keyhole slots for wall mounting. This design allows for versatile placement, either on a flat surface or securely attached to a wall.

4.2 Connecting to Power

1. Uncoil the 3-meter power cable.

2. Plug the power strip's main plug into a standard wall outlet.
3. Ensure the master on/off switch on the power strip is in the 'OFF' position before connecting devices.

5. Operating Instructions

5.1 Using AC Outlets

1. Ensure the power strip is connected to a wall outlet and the master switch is 'ON'.
2. Plug your AC-powered devices into any of the six available AC outlets. The cube design allows for larger adapters without blocking adjacent outlets.
3. Verify that your devices are receiving power.



A visual comparison illustrating the advantage of the TESSAN TS-306's cube design. Unlike traditional linear power strips where large adapters can block adjacent outlets, the cube design ensures all outlets remain accessible, even with bulky plugs.

5.2 Using USB Ports

1. Connect your USB-C compatible device to the USB-C port for charging (up to 15W).

2. Connect your USB-A compatible devices to either of the two USB-A ports for charging (up to 12W per port).
3. The USB ports can be used simultaneously with the AC outlets.

5.3 Master On/Off Switch

- The integrated master switch controls power to all AC outlets and USB ports.
- Press the switch to the 'ON' position to supply power to connected devices.
- Press the switch to the 'OFF' position to cut power to all connected devices, helping to save energy and prevent phantom drain.

6. Maintenance

- Always unplug the power strip from the wall outlet before cleaning.
- Wipe the exterior with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- Ensure no dust or debris accumulates in the outlets or USB ports.
- Store the power strip in a cool, dry place when not in use.

7. Troubleshooting

7.1 No Power to Devices

- Check if the power strip's main plug is securely inserted into the wall outlet.
- Ensure the master on/off switch is in the 'ON' position.
- Verify that the wall outlet itself is functional by plugging in another device.
- Check if the total power consumption of connected devices exceeds the maximum load (3600W/16A). Unplug some devices if overloaded.


7.2 USB Ports Not Charging

- Ensure the power strip is powered on.
- Check the USB cable for damage and ensure it is properly connected to both the power strip and your device.
- Try a different USB port or cable.
- Verify that your device is compatible with the USB charging specifications (15W for USB-C, 12W for USB-A).


8. Specifications

Feature	Specification
Brand	TESSAN
Model	TS-306
AC Outlets	6 (Schuko type)
USB-C Output	15W
USB-A Output	2 x 12W
Cable Length	3 Meters

Feature	Specification
Max Power Rating	3600W
Max Current	16A
Voltage	250V
Dimensions (L x W x H)	14 x 7.6 x 7.6 cm
Key Features	Master On/Off Switch, Wall Mountable
Compatible Devices	Home Appliances, Office Equipment, USB Rechargeable Devices



An image detailing the compact dimensions of the TESSAN TS-306 power strip, measuring 14 cm in length and 7.6 cm in width and height. This highlights its space-saving design.



Multiple views of the TESSAN TS-306 power strip, including top, side, and angled perspectives, along with precise measurements (14cm length, 7.6cm width, 7.6cm height). This provides a comprehensive understanding of its physical form factor.

9. Warranty and Support

TESSAN products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official TESSAN website. If you encounter any issues or require technical assistance, please contact TESSAN customer support through the contact information provided on their official website or your retailer's support channels.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09T912JS1

More documents and user manuals: **https://manuals.plus/**