

[Manuals.plus](#) /

› [Simplicity Vacuums](#) /

› Simplicity Vacuums Brio Dry Canister Vacuum Instruction Manual

Simplicity Vacuums BRIO

Simplicity Vacuums Brio Dry Canister Vacuum Instruction Manual

Model: BRIO

IMPORTANT SAFETY INFORMATION

Read all instructions before using this appliance. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Do not leave appliance when plugged in. Unplug from outlet when not in use and before servicing.
- Do not use outdoors or on wet surfaces.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not use with damaged cord or plug. If appliance is not working as it should, has been dropped, damaged, left outdoors, or dropped into water, return it to a service center.
- Do not pull or carry by cord, use cord as a handle, close a door on cord, or pull cord around sharp edges or corners. Do not run appliance over cord. Keep cord away from heated surfaces.
- Do not unplug by pulling on cord. To unplug, grasp the plug, not the cord.
- Do not handle plug or appliance with wet hands.
- Do not put any object into openings. Do not use with any opening blocked; keep free of dust, lint, hair, and anything that may reduce air flow.
- Keep hair, loose clothing, fingers, and all parts of body away from openings and moving parts.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- Do not use without dust bag and/or filters in place.
- Turn off all controls before unplugging.
- Use extra care when cleaning on stairs.
- Unplug before connecting hose.

PRODUCT OVERVIEW

The Simplicity Brio Dry Canister Vacuum is designed for efficient dry mess cleanup on various indoor surfaces, including hardwood, tile, and rugs. It features a durable stainless steel canister, powerful suction, and quiet operation.



Image: The Simplicity Brio Dry Canister Vacuum, showing the main unit, hose, wand, and floor tool, along with a dusting brush and crevice tool.

WHAT'S INCLUDED

Your Simplicity Brio Dry Canister Vacuum package includes the following components:

What's Included?



1 Stainless Steel Canister

2 Two 24-inch Wands

3 Dusting Brush

4 Rug/Bare Floor Tool

5 Crevice Tool

6 1 SBCH-3 Genuine Vacuum Bag

7 1 SFBRIO High Flow Filter Set

8 7ft Hose

Image: A detailed layout of all included parts: 1. Stainless Steel Canister, 2. Two 24-inch Wands, 3. Dusting Brush, 4. Rug/Bare Floor Tool, 5. Crevice Tool, 6. SBCH-3 Genuine Vacuum Bag, 7. SFBRIO High Flow Filter Set, 8. 7ft Hose.

- Stainless Steel Canister Vacuum Cleaner
- Flexible Hose (7 feet)
- Two Extension Wands (24 inches each)
- Floor Tool (adjusts for rug and hard floor settings)
- Dusting Brush
- Crevice Tool
- One Simplicity SBCH-3 XL Vacuum Bag
- SFBRIO HEPA Filter Set
- 40-foot Commercial Grade Cord

SETUP AND ASSEMBLY

1. **Unpacking:** Carefully remove all components from the packaging. Retain packaging for future storage or transport.
2. **Filter and Bag Installation:**

Open the canister latches and remove the lid. Ensure the SFBRIO HEPA Filter is properly seated. Insert one Simplicity SBCH-3 XL Vacuum Bag into the canister, aligning the bag collar with the inlet opening. Close the canister lid securely with the latches.



Image: A person installing a new vacuum bag into the canister.

3. **Hose and Wand Assembly:**

Attach the flexible hose to the inlet port on the front of the canister by pushing it firmly until it clicks into place. Connect the two extension wands together, then attach them to the end of the hose. Finally, attach your desired cleaning tool (e.g., Floor Tool, Dusting Brush, Crevice Tool) to the end of the wand assembly.

Compact Canister with Onboard Tool Storage



Image: The Simplicity Brio vacuum fully assembled with hose, wand, and floor tool attached, ready for use.

4. **Power Cord:** Unwind the 40-foot commercial grade power cord. Ensure the cord is not tangled or obstructed before plugging into a suitable electrical outlet.

OPERATING INSTRUCTIONS

1. **Power On/Off:** Plug the vacuum into a standard electrical outlet. Locate the large foot-operated ON/OFF switch on the unit and press it to start or stop the vacuum.
2. **Adjusting Suction:** The Brio features variable speed and adjustable suction control. Use the dial located on the canister to increase or decrease suction power as needed for different cleaning tasks and surfaces.
3. **Using the Floor Tool:** The floor tool can be adjusted for different surfaces. For hard floors (hardwood, tile), ensure the brushes are retracted. For rugs and carpets, extend the brushes. Glide the tool over the surface to be cleaned.



Image: The Simplicity Brio vacuum's floor tool being used on a hard floor surface.

4. Using Attachments:

- **Dusting Brush:** Ideal for delicate surfaces, furniture, and shelves.
- **Crevice Tool:** Perfect for narrow spaces, corners, and edges.

The Brio's Super *POWERS*

CAN OF
STEEL



QUIET
49 DBA



2 GALLON
CAPACITY



10-AMP
MOTOR

Weight: 14 lbs

Image: A person using the crevice tool to clean a narrow gap between wooden planks.




Image: A person using the dusting brush to clean dust from a plant pot on a shelf.

5. **Onboard Tool Storage:** The vacuum features convenient onboard storage for the dusting brush and crevice tool, ensuring they are always within reach.




Image: The back of the Simplicity Brio vacuum showing the integrated storage for the dusting brush and crevice tool.

MAINTENANCE

1. Replacing the Dust Bag

The Simplicity Brio uses SBCH-3 XL vacuum bags. Replace the bag when it is full or when suction power noticeably decreases.

1. Unplug the vacuum cleaner from the power outlet.
2. Open the canister latches and remove the lid.
3. Carefully remove the full dust bag from the inlet opening.
4. Dispose of the full bag properly.
5. Insert a new Simplicity SBCH-3 XL vacuum bag, ensuring the collar is securely fitted over the inlet.
6. Replace the lid and secure the latches.

2. Cleaning/Replacing Filters

The SFBRIO HEPA Filter set should be checked regularly and replaced as needed to maintain optimal performance and

air filtration.

1. Unplug the vacuum cleaner.
2. Open the canister and locate the HEPA filter.
3. Remove the filter. Tap it gently over a trash can to remove loose debris. Do not wash the HEPA filter.
4. If the filter appears heavily soiled or damaged, replace it with a new SFBRIO HEPA Filter.
5. Reinstall the filter and close the canister.

3. Cleaning the Exterior

Wipe the exterior of the vacuum with a soft, damp cloth. Do not use harsh cleaners or solvents.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Vacuum does not turn on.	Not plugged in; Power outlet not working; Thermal protector activated.	Ensure plug is fully inserted. Check circuit breaker/fuse. Unplug and allow unit to cool for 30 minutes before restarting.
Loss of suction.	Dust bag full; Clogged hose/wand/tool; Filter needs cleaning/replacement.	Replace dust bag. Check hose, wands, and tools for obstructions. Clean or replace filters.
Unusual noise.	Obstruction in fan/motor area; Loose component.	Turn off and unplug. Inspect for obstructions. If noise persists, contact customer support.
Dust escaping from vacuum.	Dust bag not installed correctly; Filter not seated properly; Damaged dust bag/filter.	Reinstall dust bag. Ensure filters are correctly seated. Replace damaged components.

SPECIFICATIONS

- **Brand:** Simplicity Vacuums
- **Model Name:** Brio
- **Product Dimensions:** 16"L x 15"W x 13"H
- **Item Weight:** 14 pounds
- **Capacity:** 2 Gallons (Dry Mess)
- **Wattage:** 1200 watts
- **Amperage:** 10 Amps
- **Noise Level:** 49 dB (Whisper-quiet)
- **Hose Length:** 8 Feet
- **Cord Length:** 40 Feet (Commercial Grade)
- **Filter Type:** SFBRIO HEPA Filter
- **Bag Type:** SBCH-6 Vacuum Replacement Bags (SBCH-3 XL included)
- **Construction Material:** Stainless Steel
- **Special Features:** Bagged canister vacuum, Certified HEPA Filter and Bag, Professional Industrial vacuum, Quiet vacuum with 49 dBA, Variable speeds and adjustable suction control.
- **Certifications:** ETL Certified, Intertek Certified

What's Included?



1 Stainless Steel Canister

2 Two 24-inch Wands

3 Dusting Brush

4 Rug/Bare Floor Tool

5 Crevice Tool

6 1 SBCH-3 Genuine Vacuum Bag

7 1 SFBRIO High Flow Filter Set

8 7ft Hose

Image: A graphic illustrating key specifications of the Simplicity Brio vacuum, including dimensions, weight, capacity, and noise level.

WARRANTY AND SUPPORT

The Simplicity Brio Dry Canister Vacuum comes with a one-year limited warranty from the manufacturer. For warranty claims, technical support, or to purchase replacement parts and accessories, please contact Simplicity Vacuums customer service.

- **Manufacturer:** Simplicity
- **Warranty Description:** One year limited warranty.
- **Official Website:** www.simplicityvac.com

Please refer to the official Simplicity Vacuums website or your purchase documentation for the most up-to-date contact information and detailed warranty terms.

PRODUCT VIDEOS

Watch these official product videos for visual guidance on using your Simplicity Brio Dry Canister Vacuum.

Video: An official product video titled "Simplicity Vacuums Brio Canister Vacuum for Dry Messes" demonstrating the features and use of the Simplicity Brio vacuum. This video is provided by Simplicity Vacuums.

© 2024 Simplicity Vacuums. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question