

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [saschedross](#) /

> [saschedross AC/DC Adapter User Manual for TaoTronics TT-DL13 LED Desk Lamp](#)

saschedross AC/DC Adapter

saschedross AC/DC Adapter User Manual

Compatible with TaoTronics TT-DL13 LED Desk Lamp

1. INTRODUCTION

This manual provides essential information for the safe and effective use of your saschedross AC/DC Adapter. This adapter is designed to provide power to compatible devices, specifically the TaoTronics TT-DL13 LED Desk Lamp. Please read this manual thoroughly before use and retain it for future reference.

2. SAFETY INSTRUCTIONS

To ensure safe operation and prevent damage, observe the following precautions:

- Use the adapter only with devices that match its specified voltage and current requirements (9V-10V, 1.2A-3A).
- Do not expose the adapter to water, moisture, or extreme temperatures.
- Avoid dropping or subjecting the adapter to strong impacts.
- Do not attempt to open or modify the adapter. This will void the warranty and may cause electrical hazards.
- Ensure the power outlet is easily accessible and unplug the adapter during lightning storms or when unused for extended periods.
- Keep the adapter away from children.

3. PRODUCT OVERVIEW

The saschedross AC/DC Adapter is a reliable power supply unit featuring over-voltage, over-current, and short-circuit protection to safeguard your devices.




Image 1: The saschedross AC/DC Adapter showing its main unit and cable lengths. The adapter unit measures approximately 4.2 inches in length, 1.8 inches in width, and 1.2 inches in height. The total cable length is approximately 10.6 feet, with the DC output cable being 3.7 feet and the AC input cable being 6.6 feet.



Image 2: The detachable AC power cord, which connects the adapter to the wall outlet. It features a standard two-prong plug on one end and a C7 connector on the other, designed to fit into the adapter unit.

4. SETUP

1. **Unpack:** Carefully remove the AC/DC adapter and its power cord from the packaging.
2. **Connect AC Cord:** Insert the C7 connector end of the AC power cord firmly into the AC input port on the adapter unit.
3. **Connect to Device:** Plug the barrel connector of the adapter's output cable into the power input port of your TaoTronics TT-DL13 LED Desk Lamp. Ensure a secure connection.
4. **Plug into Wall:** Insert the two-prong plug of the AC power cord into a standard 100-240VAC wall outlet.



Image 3: The saschedross AC/DC Adapter properly set up, with the AC power cord plugged into a wall outlet and the adapter unit resting on a surface, ready to power a compatible device. A green indicator light on the adapter signifies it is receiving power.

5. OPERATION

Once properly connected, the adapter will supply power to your compatible device. A green LED indicator on the adapter unit will illuminate when power is being supplied. No further user interaction is required for the adapter itself during operation.

6. MAINTENANCE

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and moisture. Avoid tightly coiling the cables to prevent damage.
- **Inspection:** Periodically inspect the adapter and cables for any signs of damage, such as frayed wires, cracks, or loose connections. If damage is found, discontinue use immediately.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
No power to device	Adapter not plugged in; loose connection; faulty outlet; damaged adapter.	Ensure all connections are secure. Try a different wall outlet. Check if the adapter's LED indicator is on. If not, the adapter may be faulty.
Adapter is hot to touch	Normal operation under load; poor ventilation; overloaded.	Ensure adequate ventilation around the adapter. If excessively hot or emitting smoke/smell, unplug immediately and discontinue use.
Device not charging/powering correctly	Incompatible device; device fault.	Verify your device's power requirements match the adapter's output (9V-10V, 1.2A-3A). Test the device with its original adapter if available.

8. SPECIFICATIONS

Feature	Detail
Brand	saschedross
Model (ASIN)	AC/DC Adapter (B09TL8TTCN)
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	9V - 10V DC
Output Current	1.2A - 3A (1200mA - 3000mA)
Wattage	27 Watts (Max)
Connector Type	Barrel Connector
Protection Features	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Certifications	CE
Manufacturer	Shenzhen Waweis Technology Co., Ltd

9. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the documentation provided with your purchase or contact the seller directly. Keep your purchase receipt as proof of purchase for any warranty claims.