

[Manuals.plus](#) /

› [Moen](#) /

› Moen Banbury 84945 Single Handle High Arc Bathroom Faucet Instruction Manual

Moen 84945

Moen Banbury 84945 Single Handle High Arc Bathroom Faucet Instruction Manual

Model: 84945

INTRODUCTION

Thank you for choosing the Moen Banbury Single Handle High Arc Bathroom Faucet. This manual provides detailed instructions for the installation, operation, maintenance, and troubleshooting of your new faucet. Please read this manual thoroughly before beginning installation to ensure proper function and to prevent damage.



Image: Moen Banbury 84945 Single Handle High Arc Bathroom Faucet, showcasing its chrome finish and high arc design.

IMPORTANT SAFETY INFORMATION

- Always turn off the main water supply before installing or servicing the faucet.
- Wear safety glasses and gloves during installation.
- If you are unsure about any part of the installation, consult a qualified plumber.
- Do not overtighten connections, as this may cause damage.

PACKAGE CONTENTS

Verify that all components are present before beginning installation.

- Moen Banbury Faucet Assembly (Model 84945)
- Mounting Hardware

- Supply Lines (integrated or separate, depending on model)
- Drain Assembly (if included with your model)
- Installation Instructions

SETUP AND INSTALLATION

Tools Required (Not Included):

- Adjustable Wrench
- Phillips Screwdriver
- Plumber's Putty or Silicone Sealant
- Flashlight
- Safety Glasses

Pre-Installation Steps:

1. **Turn off Water Supply:** Locate the main water shut-off valve for your home or the shut-off valves under the sink. Turn them off completely.
2. **Remove Old Faucet:** Disconnect the hot and cold water supply lines from the old faucet. Remove the mounting nuts and lift the old faucet from the sink. Clean the sink surface thoroughly.

Faucet Installation:

1. **Prepare Faucet:** Apply a thin bead of plumber's putty or silicone sealant around the base of the new faucet.
2. **Mount Faucet:** Insert the faucet body through the mounting hole(s) in the sink or countertop. Ensure the faucet is properly aligned.
3. **Secure Faucet:** From underneath the sink, slide the rubber washer, metal washer, and mounting nut onto the threaded shank(s). Hand-tighten the mounting nut, then use an adjustable wrench to secure it firmly, but do not overtighten.
4. **Connect Supply Lines:** Connect the hot and cold water supply lines from the faucet to the corresponding shut-off valves. Use an adjustable wrench to tighten connections, ensuring a leak-free seal. Do not overtighten.
5. **Install Drain Assembly (if applicable):** Follow the separate instructions provided with your drain assembly for proper installation.

OPERATING INSTRUCTIONS

1. **Turn on Water Supply:** Slowly turn on the hot and cold water supply valves under the sink. Check for any leaks.
2. **Flush Faucet:** With the faucet handle in the "off" position, slowly open the main water supply. Remove the aerator from the spout. Turn the faucet handle to the full hot and full cold positions, allowing water to run for at least one minute to flush out any debris from the lines.
3. **Reinstall Aerator:** Turn off the faucet, reinstall the aerator, and check for proper water flow.
4. **Temperature and Flow Control:** The single handle controls both water temperature and flow.
 - Lift the handle to increase water flow.
 - Move the handle left for hot water and right for cold water.

MAINTENANCE AND CARE

- **Cleaning:** Clean your Moen faucet regularly with a soft cloth and warm, soapy water. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the finish.

- **Aerator Cleaning:** If water flow decreases, the aerator may be clogged. Unscrew the aerator from the spout, rinse any debris, and reattach.
- **Hard Water:** In areas with hard water, mineral deposits can build up. Regular cleaning helps prevent this. For stubborn deposits, use a solution of vinegar and water, but test on an inconspicuous area first.

TROUBLESHOOTING GUIDE

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator Partially closed shut-off valves Debris in supply lines	Clean or replace aerator. Ensure shut-off valves are fully open. Flush supply lines (refer to Operating Instructions).
Leaks at Faucet Base	Loose mounting nut Improperly seated gasket/putty	Tighten mounting nut (do not overtighten). Reapply plumber's putty or silicone sealant.
Leaks at Supply Line Connections	Loose connections Damaged O-rings or washers	Tighten connections. Replace O-rings or washers if damaged.
Water Temperature Issues	Incorrect supply line connection Water heater issues	Verify hot and cold supply lines are connected correctly. Check water heater settings and function.

PRODUCT SPECIFICATIONS

Feature	Detail
Model Number	84945
Brand	Moen
Style	Banbury
Finish	Chrome
Mounting Type	Deck Mount
Number of Handles	1 (Single Handle)
Spout Height	4.87 Inches
Spout Reach	4.87 Inches
Material	Zinc
Item Weight	4.05 pounds
Product Dimensions (L x W x H)	10 x 10 x 10 inches
UPC	026508337998

WARRANTY AND CUSTOMER SUPPORT

Moen products are manufactured under the highest standards of quality and workmanship. For detailed warranty information, please refer to the warranty card included with your product or visit the official Moen website. If you require assistance with installation, parts, or have any questions regarding your Moen Banbury faucet, please contact Moen Customer Service:

- **Website:** www.moen.com
- **Phone:** Refer to the Moen website for regional contact numbers.

© 2025 Moen Incorporated. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question