

## HOT-SHOT HU2HSR

# Hot-Shot HS2000 The Green One Electric Livestock Prod Rechargeable Handle

## User Instruction Manual

### 1. INTRODUCTION

This manual provides essential information for the safe and effective use of your Hot-Shot HS2000 The Green One Electric Livestock Prod Rechargeable Handle. This device is designed to assist in the humane movement of livestock. Please read all instructions carefully before operation.

The Hot-Shot HS2000 handle features a permanently sealed, maintenance-free motor and is designed for reliable performance, even in wet conditions, with an IP45 solid and water ingress rating. It includes a rechargeable battery and a USB charger for convenience.

### 2. SAFETY INFORMATION

**WARNING: This product is intended for use with livestock only. Misuse can result in injury to animals or humans. Always use with caution and in accordance with local regulations and animal welfare guidelines.**

These items are controlled and authorized by the U.S. Government for export only to the specified country of ultimate destination for use by the end-user herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized end-user or consignee(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. government or as otherwise authorized by U.S. law and regulations.

- Always ensure the prod is off when not in use or when handling.
- Do not immerse the handle in water, despite its water-resistant rating.
- Keep out of reach of children.
- Do not attempt to open or modify the sealed motor unit.
- Use only the provided USB charger or a compatible charger with the correct voltage and current specifications.

### 3. PACKAGE CONTENTS



Your Hot-Shot HS2000 package should contain the following items:

- Hot-Shot HS2000 The Green One Rechargeable Prod Handle
- Rechargeable Battery (pre-installed)
- USB Charger



**USB Charger:** This image shows the included USB charger, which is used to recharge the prod handle's internal battery. It consists of a wall adapter and a USB cable with a barrel jack connector.

## 4. SETUP

### 4.1 Charging the Handle



Before first use, fully charge the prod handle. Locate the charging port, typically at the base or side of the handle. Connect the provided USB charger to the handle and plug the USB adapter into a standard wall outlet. A full charge typically takes approximately 12 hours. The indicator light (if present) will show charging status.

### 4.2 Attaching a Prod Shaft



The Hot-Shot HS2000 handle is compatible with any Hot-Shot prod shaft (sold separately). To attach a shaft:

1. Ensure the handle is turned off.
2. Align the connection end of the prod shaft with the receptacle on the handle.
3. Push the shaft firmly into the handle until it clicks securely into place. Ensure the electrical contacts are properly seated.
4. To remove, press the release button or mechanism on the handle and pull the shaft out.



**Assembled Prod:** This image illustrates the Hot-Shot Green One handle with a compatible prod shaft attached, ready for use. The shaft extends from the top of the handle.

## 5. OPERATING INSTRUCTIONS

---

Once the prod handle is charged and a shaft is securely attached, it is ready for operation.

- **Activation:** The prod is activated by pressing the trigger or button located on the handle.
- **Application:** Briefly touch the two contact points at the end of the prod shaft to the animal. A short, controlled application is usually sufficient.
- **Duration:** Apply the prod for the minimum duration necessary to achieve the desired movement. Prolonged application is unnecessary and can be harmful.
- **Wet Conditions:** The HS2000 is designed to deliver effective performance even on wet animals.

Always use the prod as a last resort and in conjunction with other humane handling techniques. Avoid using the prod on sensitive areas of the animal.

## 6. MAINTENANCE

---

The Hot-Shot HS2000 features a permanently sealed, maintenance-free motor, requiring minimal upkeep.

- **Cleaning:** After each use, wipe down the handle and shaft with a damp cloth to remove dirt and debris. Do not use harsh chemicals or abrasive cleaners.

- **Storage:** Store the prod handle in a dry, cool place, away from direct sunlight and extreme temperatures. Ensure it is turned off before storage.
- **Battery Care:** For optimal battery life, avoid completely draining the battery frequently. Recharge as needed. If storing for extended periods, charge the battery every few months.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Prod not activating	Low battery; Shaft not properly connected; Faulty trigger/button	Recharge battery; Re-seat shaft firmly; Contact support if issue persists
Prod not holding charge	Battery degradation; Faulty charger	Ensure charger is working; Battery may need replacement (contact support)
Weak output	Low battery; Dirty contacts on shaft/handle	Recharge battery; Clean contacts with a dry cloth

## 8. SPECIFICATIONS

- **Model:** HS2000 (HU2HSR)
- **Brand:** HOT-SHOT
- **Manufacturer:** Miller Manufacturing
- **Color:** Green
- **Material:** Plastic
- **Power Source:** Rechargeable Battery
- **Charger:** USB Charger (included)
- **Water Resistance:** IP45 Certified (Solid and Water Ingress Standards)
- **Compatibility:** Works with any Hot-Shot prod shaft
- **Approximate Package Weight:** 1.54 Pounds
- **UPC:** 731141502558
- **Date First Available:** February 8, 2022

## 9. WARRANTY AND SUPPORT

For warranty information, technical support, or replacement parts, please contact Miller Manufacturing directly. Refer to the product packaging or their official website for the most current contact details.

**Manufacturer:** Miller Manufacturing

**Website:** [www.miller-mfg.com](http://www.miller-mfg.com)