

Manuals.plus /

› KPCM Display Ltd /

› KPCM Display Ltd Gas Shut-Off Safety Sign (L) - Self-Adhesive Sticker User Manual

KPCM Display Ltd 5.06E+12

KPCM Display Ltd Gas Shut-Off Safety Sign (L)

Model: 5.06E+12 | Brand: KPCM Display Ltd

1. INTRODUCTION

This manual provides essential information for the proper installation, use, and maintenance of your KPCM Display Ltd Gas Shut-Off Safety Sign (L). Please read these instructions carefully before application to ensure optimal performance and longevity of the product. This sign is designed to clearly indicate the location for gas shut-off in an emergency.

2. PRODUCT OVERVIEW

The KPCM Display Ltd Gas Shut-Off Safety Sign is a self-adhesive sticker designed for clear and durable display. It features digital printing and lamination for enhanced durability, ensuring it withstands various environmental conditions.

Key Features:

- Gas Shut-Off Safety Sign (L)
- Self-adhesive backing for easy application
- Digitally printed and laminated for increased durability
- Constructed from durable plastic material
- Dimensions: 300mm x 100mm

Product Image:



Image of the KPCM Display Ltd Gas Shut-Off Safety Sign. The sign is red with white text that reads 'Turn Gas Off' and features a white flame icon on the right side, indicating its purpose as a fire safety and gas control marker.

3. SETUP AND APPLICATION

Proper surface preparation is crucial for effective adhesion and longevity of the safety sign.

Application Steps:

1. **Prepare the Surface:** Ensure the application surface is clean, dry, and smooth. Remove any dust, dirt, grease, or oil using a suitable cleaner. A clean, oil-free surface is essential for proper adhesion.
2. **Measure and Position:** Carefully measure and mark the desired location for the sign. Ensure it is visible and accessible according to safety regulations and best practices.
3. **Peel Backing:** Slowly peel off the protective backing film from the adhesive side of the sign. Avoid touching the adhesive surface with your fingers to prevent contamination.
4. **Apply the Sign:** Align the sign with your marked position. Starting from one edge, gently press the sign onto the surface, smoothing it out with a clean, dry cloth or a squeegee to remove any air bubbles. Work from the center outwards to ensure full contact and prevent wrinkles.
5. **Final Adhesion:** Apply firm, even pressure across the entire surface of the sign for a few seconds to ensure maximum adhesion.

4. OPERATION

The KPCM Display Ltd Gas Shut-Off Safety Sign is a passive safety device. Its primary function is to provide a clear, visual indication of the gas shut-off location. No active operation is required from the user once the sign is properly installed. Its presence serves as a constant reminder and guide in emergency situations.

5. MAINTENANCE

To ensure the longevity and continued visibility of your safety sign, follow these simple maintenance guidelines:

- **Cleaning:** Periodically clean the surface of the sign with a soft, damp cloth and mild soap. Avoid abrasive cleaners or harsh chemicals, as these can damage the laminated surface and printing.
- **Inspection:** Regularly inspect the sign for any signs of damage, peeling, or fading. If the sign becomes unreadable or detached, it should be replaced immediately to maintain safety standards.
- **Environmental Conditions:** While designed for durability, extreme temperatures or prolonged direct

sunlight may affect the sign over many years. Position the sign in a location that minimizes exposure to harsh conditions if possible.

6. TROUBLESHOOTING

Most issues related to the safety sign are minor and can be resolved with simple steps.

Problem	Possible Cause	Solution
Sign is peeling or not adhering properly.	Surface was not clean, dry, or smooth; insufficient pressure during application; extreme temperature fluctuations.	Ensure surface is thoroughly cleaned and dried before application. Apply firm, even pressure across the entire sign. If peeling persists, the sign may need to be replaced.
Sign appears faded or discolored.	Prolonged exposure to direct sunlight or harsh chemicals.	While laminated for durability, extreme conditions can cause fading over time. Replace the sign if its visibility is compromised. Avoid using harsh cleaning agents.
Air bubbles under the sign.	Improper application technique.	When applying, smooth the sign from the center outwards using a squeegee or cloth to push out air bubbles. For existing bubbles, you may carefully prick a small hole with a needle and smooth the air out, though this may affect durability.

7. SPECIFICATIONS

Attribute	Detail
Product Name	Gas Shut-Off Safety Sign (L)
Brand	KPCM Display Ltd
Model Number	5.06E+12
ASIN	B09VCJGWTk
Material	Plastic
Dimensions (L x W)	300mm x 100mm
Mounting Type	Surface (Self-Adhesive)
Orientation	Landscape
Durability	Digitally printed and laminated
First Available Date	March 11, 2022

8. WARRANTY AND SUPPORT

All KPCM Display Ltd safety signs come with a **5-year warranty** from the date of purchase, covering manufacturing defects and material integrity under normal use. This warranty does not cover damage

resulting from improper installation, misuse, or external factors such as vandalism or extreme environmental conditions.

For warranty claims, technical support, or any inquiries regarding your product, please contact KPCM Display Ltd customer service through their official website or the retailer from whom the product was purchased. Please have your product model number and purchase details ready when contacting support.