

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

> [Puig](#) /

> [Puig WINDSHIELD NG TOURING SUZUKI GSX-S1000/ GSX-S950 21-22 User Manual](#)

Puig WINDSHIELD NG TOURING SUZUKI GSX-S1000/ GSX-S950 21-22

Puig WINDSHIELD NG TOURING SUZUKI GSX-S1000/ GSX-S950 21-22 User Manual

Model: 20835F

INTRODUCTION

This manual provides essential information for the installation, maintenance, and care of your Puig NG Touring Windshield, designed specifically for Suzuki GSX-S1000 and GSX-S950 models from 2021-2022. Please read this manual thoroughly before proceeding with installation to ensure proper fitment and optimal performance.

KEY FEATURES

- **High Quality Construction:** Manufactured from durable 3mm PMMA (Acrylic) for longevity and performance.
- **Aerodynamic Design:** Engineered to provide high resistance to impacts and superior aerodynamic capacity, tested in a wind tunnel.
- **Motorcycle Compatibility:** Best complement for naked-type motorcycles with non-round headlights, specifically Suzuki GSX-S1000/GSX-S950 (2021-2022).
- **Enhanced Riding Comfort:** Designed to deflect wind and debris, improving rider comfort on touring rides.

WHAT'S IN THE BOX

Your Puig NG Touring Windshield package includes all necessary components for installation. Please verify that all parts are present and undamaged upon opening the package.

- Puig NG Touring Windshield (Dark Smoke)
- Mounting Brackets (specific to Suzuki GSX-S1000/GSX-S950 21-22)
- Hardware Kit (screws, washers, nuts, etc.)
- Installation Instructions (this manual)

SETUP AND INSTALLATION

Installation of the Puig NG Touring Windshield requires basic mechanical skills and tools. It is recommended to have a clean, well-lit workspace. Refer to your motorcycle's service manual for specific details on removing existing components if necessary.

1. **Preparation:** Ensure the motorcycle is stable on a stand. Gather all components from the box and the necessary tools (e.g., Allen wrenches, screwdrivers).
2. **Initial Fitment:** Carefully position the windshield and mounting brackets to understand their orientation and attachment points on the motorcycle's front end.
3. **Attach Brackets:** Secure the mounting brackets to the designated points on the motorcycle, typically near the headlight or handlebars. Do not fully tighten bolts at this stage.
4. **Mount Windshield:** Attach the windshield to the installed brackets using the provided hardware. Ensure proper alignment.
5. **Final Tightening:** Once the windshield is correctly aligned and positioned, progressively tighten all bolts, ensuring a secure fit without over-tightening.
6. **Inspection:** After installation, gently check the windshield for stability and ensure it does not interfere with steering or other controls.



Image: The Puig NG Touring Windshield in Dark Smoke, shown installed on the front of a Suzuki GSX-S1000 motorcycle. The windshield is mounted above the headlight assembly, complementing the bike's design.

MAINTENANCE

Proper maintenance will extend the life and clarity of your Puig windshield.

- **Cleaning:** Clean the windshield regularly with mild soap and water using a soft cloth. Avoid abrasive cleaners, solvents, or harsh chemicals as they can damage the PMMA material.
- **Drying:** Dry with a clean, soft microfiber cloth to prevent water spots and streaks.
- **Inspection:** Periodically check all mounting hardware for tightness. Vibrations from riding can sometimes loosen bolts.

- **Scratch Prevention:** Avoid wiping the windshield when dry or dusty, as this can cause scratches. Rinse off loose dirt first.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Windshield feels loose after installation.	Mounting bolts are not sufficiently tightened.	Carefully re-tighten all mounting bolts. Do not overtighten.
Missing or damaged parts upon arrival.	Shipping damage or packaging error.	Contact Puig customer support or your retailer immediately for assistance. Provide proof of purchase and details of the missing/damaged items.
Excessive wind buffeting.	Incorrect installation angle or rider height/position.	Ensure the windshield is installed at the correct angle as per instructions. Adjust riding posture if possible.

SPECIFICATIONS

Attribute	Detail
Brand	Puig
Model Name	WINDSHIELD NG TOURING
Model Number	20835F
Compatibility	Suzuki GSX-S1000/GSX-S950 (2021-2022)
Material	3mm PMMA (Acrylic)
Color	DARK SMOKE
Item Weight	2.51 pounds
Product Dimensions	16.34 x 4.88 x 18.5 inches
Country of Origin	Spain

WARRANTY AND SUPPORT

Puig products are manufactured to high quality standards. For warranty information or technical support, please refer to the official Puig website or contact your authorized dealer. Keep your proof of purchase for any warranty claims.

For further assistance, you may visit the [Puig Official Website](#) or contact their customer service department.

