

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [ALOADECOR](#) /

> [ALOADECOR 5-Light Painted Brass Luxury Tier Crystal Chandelier \(Model A70720315D60\) Instruction Manual](#)

ALOADECOR A70720315D60

ALOADECOR 5-Light Painted Brass Luxury Tier Crystal Chandelier (Model A70720315D60) Instruction Manual

Model: A70720315D60 | Brand: ALOADECOR

INTRODUCTION

This manual provides detailed instructions for the safe installation, operation, and maintenance of your ALOADECOR 5-Light Painted Brass Luxury Tier Crystal Chandelier. Please read all instructions carefully before beginning installation and retain this manual for future reference.



Image: The ALOADECOR 5-Light Painted Brass Luxury Tier Crystal Chandelier, showcasing its elegant design with multiple tiers of crystals and a brass finish, illuminating a modern living space.

IMPORTANT SAFETY INFORMATION


- Always turn off the main power supply at the circuit breaker before installing, cleaning, or servicing the fixture.
- Consult a qualified electrician if you are not familiar with electrical installations.
- Ensure all electrical connections are made in accordance with local codes and ordinances.
- Use only the specified bulb type and wattage to avoid overheating and potential fire hazards.
- Do not connect this fixture to an ungrounded electrical system.
- Handle crystal components with care to prevent breakage.

PACKAGE CONTENTS

Carefully unpack all components and inspect for any damage. Keep all packaging materials until you are satisfied with the product. The package should include:

- Chandelier Frame (Main Body)
- Adjustable Chain
- Canopy (Ceiling Plate)
- Crystal Components (various shapes and sizes, labeled M, N, O as shown in assembly video)
- Mounting Hardware (screws, wire nuts, etc.)
- Instruction Manual

Product Details



Product Specification

Voltage:	120V
Wattage:	MAX 40W
Material:	Metal & Crystal
Finish:	Painted
Color:	Antique Gold
Bulb:	5*E12 (not included)



DIMMING INFORMATION

This fixture is dimmable when used with compatible wall dimmer and dimmable light bulbs.
NOT INCLUDED

Image: A diagram illustrating the chandelier's dimensions (24 inches diameter, 16 inches height, 59 inches adjustable chain), bulb requirements (E12 MAX 40W LED bulb, not included), and compatibility with sloped, flat, and vaulted ceilings. It also highlights dimming information.

SPECIFICATIONS

Brand	ALOADECOR
Model Number	A70720315D60
Color	Antiqued Gold

Material	Crystal, Iron
Style	Modern
Light Fixture Form	Chandelier
Product Dimensions	23.62 x 23.62 x 15.75 inches (D24" x H16")
Item Weight	30.5 Pounds
Number of Light Sources	5
Bulb Base	E12
Max Wattage per Bulb	40W (Incandescent) / 10W (LED)
Voltage	110 Volts
Special Feature	Dimmable (with compatible dimmer switch and bulbs)
Installation Type	Chandelier or Flush Mount

SETUP AND INSTALLATION

Before installation, ensure the power is turned off at the circuit breaker. It is recommended to have two people for installation. Wear gloves to prevent fingerprints on crystal components.

Step 1: Unpacking and Component Identification

Carefully open the packaging and lay out all components on a clean, soft surface. Refer to the parts list to ensure all pieces are present. The crystal components are typically labeled (e.g., Part M, Part N, Part O) for easier assembly.

Your browser does not support the video tag.

Video: This video demonstrates the unboxing process and identification of various components, including the main frame and different types of crystal pieces (Part N, Part O, Part M).

Step 2: Attaching Crystal Components

Attach the crystal components to the chandelier frame according to their designated positions. The video below illustrates how to attach the crystal strands (Part N, Part O) and crystal bars (Part M) to the frame. Ensure each crystal is securely hooked.

Your browser does not support the video tag.

Video: This video demonstrates the process of attaching the crystal components to the chandelier frame. It shows how to hook the smaller crystal strands (Part N, Part O) and the longer crystal bars (Part M) to their respective positions on the fixture.



Image: A detailed close-up view of the chandelier's crystal tiers, highlighting the precision-cut crystals and their arrangement on the frame.

Step 3: Mounting the Fixture

This fixture can be installed as a traditional chandelier with an adjustable chain or as a flush mount ceiling light. Determine your preferred installation method before proceeding.

1. **For Chandelier Installation:** Attach the adjustable chain to the fixture and the ceiling canopy. Adjust the chain length to your desired height (between 17"h & 78"h).
2. **For Flush Mount Installation:** Remove the chain and attach the fixture directly to the ceiling canopy.
3. Connect the electrical wires (live, neutral, ground) from the fixture to your household wiring according to local electrical codes. Secure the canopy to the ceiling junction box using the provided mounting hardware.



Image: An illustration demonstrating the dual-use functionality of the light fixture, showing how it can be installed either as a hanging chandelier with a chain or as a flush mount ceiling light directly against the ceiling.

Step 4: Installing Bulbs

Once the fixture is securely mounted and wired, install 5 E12 base bulbs (not included). The fixture accommodates a maximum of 40W incandescent bulbs or 10W LED bulbs per socket. Ensure bulbs are fully screwed in.

OPERATING INSTRUCTIONS

- **Power On/Off:** Operate the chandelier using your standard wall switch.
- **Dimming Functionality:** This chandelier is dimmable. To utilize the dimming feature, you must use dimmable E12 bulbs and a compatible wall dimmer switch (both sold separately).
- **Control Method:** The product specifications mention "App" as a control method. If your model includes smart features, refer to the separate smart control instructions or app guide for pairing and operation.

Your browser does not support the video tag.

Video: A brief overview video showcasing the installed chandelier, demonstrating its illumination and aesthetic appeal in a room setting.

MAINTENANCE

- **Cleaning:** To clean the fixture, turn off the power and allow it to cool. Gently wipe the metal frame with a soft, dry cloth. For crystal components, use a soft, lint-free cloth dampened with a mild glass cleaner. Avoid abrasive cleaners or harsh chemicals that may damage the finish or crystals.
- **Bulb Replacement:** Ensure power is off before replacing bulbs. Allow old bulbs to cool completely. Replace with E12 base bulbs, not exceeding 40W incandescent or 10W LED.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	Power is off at the circuit breaker. Loose wire connections. Faulty bulb(s). Faulty wall switch.	Check the circuit breaker and ensure it is on. Verify all wire connections are secure. Replace bulbs with new, working ones. Test the wall switch or consult an electrician.
Light flickers.	Loose bulb. Incompatible dimmer switch/bulbs. Loose wiring.	Tighten all bulbs. Ensure dimmable bulbs are used with a compatible dimmer. Check wire connections.
Crystals appear dull.	Dust or residue buildup.	Clean crystals as per maintenance instructions.

WARRANTY AND SUPPORT

This ALOADECOR chandelier comes with a **1-year warranty**. In case of any issues or if you require replacement parts, please contact ALOADECOR customer support. Free replacements are available for eligible components. For further assistance, please visit the [ALOADECOR Store on Amazon](#).

