

[Manuals.plus](#) /

› [SR SUN RISE](#) /

› SR SUN RISE Shower Faucet System SRSH-UPC26 - 10 Inch Brushed Nickel User Manual

SR SUN RISE SRSH-UPC26

SR SUN RISE Shower Faucet System SRSH-UPC26 - 10 Inch Brushed Nickel User Manual

Multifunctional High Pressure Shower Head System with Handheld Shower Head Fixtures

[Overview](#)

[Setup](#)

[Operating](#)

[Maintenance](#)

[Troubleshooting](#)

[Specifications](#)

[Warranty &](#)

[Support](#)

1. OVERVIEW

The SR SUN RISE Shower Faucet System (Model SRSH-UPC26) is a multifunctional high-pressure shower system designed for modern bathrooms. It includes a 10-inch rain shower head, a handheld shower head with multiple settings, and a pressure balance valve for consistent temperature control. This system is cUPC certified and compliant with ASME A112.18.1-2018/CSA B125.1-18 standards, ensuring safety and quality.



Figure 1: Complete SR SUN RISE Shower Faucet System in Brushed Nickel.

2. SETUP AND INSTALLATION

This section outlines the components and general steps for installing your SR SUN RISE Shower Faucet System. Professional installation is recommended.

2.1 Included Components

- 10 Inch Rain Shower Head (ABS with Brass Ball Joint)
- 6 Settings Hand Shower (ABS)
- 16 Inch Wall Mounted Shower Arm (304 Stainless Steel)
- Rough-in Valve and Trims (Solid Brass)
- Shower Bracket (Solid Brass)
- 71 Inch Shower Hose (304 Stainless Steel)
- Accessories Required for Installation

ALL PARTS IN THE PACKAGE



Figure 2: All components included in the SR SUN RISE Shower Faucet System package.

2.2 Installation Notes

- The system is designed for standard 1/2" U.S. plumbing connections.
- The pressure balance valve includes two check valves to prevent water hammer noise.
- Ensure proper embedded depth for the rough-in valve as per the provided diagram.





Figure 3: Detailed view of the rough-in valve components and connections.



Figure 5: Eight distinct spray modes of the rain shower head.

3.2 Handheld Shower Head Functions

The handheld shower head offers 6 functions: Rainfall, Rainfall+Trickle, Power Massage, Rainfall+Spray, Power Spray, and Water Save Trickle. It is designed for optimal performance even in low water pressure environments.

6 SETTINGS FOR YOUR CHOICE



Figure 6: Six adjustable settings for the handheld shower head.



Figure 7: High pressure water flow from the handheld shower head.

3.3 Switching Between Shower Functions

Use the diverter on the rough-in valve to switch between the rain shower head and the handheld shower head. For adjusting the shower faucet volume, refer to the video below.

Your browser does not support the video tag.

Video 2: Guide on how to adjust the shower faucet volume.

Your browser does not support the video tag.

Video 3: Overview of the SR SUN RISE 3-Function Rainfall Shower System.

4. MAINTENANCE

To ensure the longevity and optimal performance of your SR SUN RISE Shower Faucet System, follow these maintenance guidelines:

- **Cleaning the Finish:** The brushed nickel finish is anti-fingerprint and corrosion-resistant. Clean regularly with a soft cloth and mild soap. Avoid abrasive cleaners or harsh chemicals that can damage the finish.

- **Nozzle Maintenance:** The rain shower head and handheld shower head feature soft silicone nozzles. These can be easily wiped to remove accumulated minerals (calcium and lime build-up), ensuring consistent spray patterns.
- **Hose Care:** The 71-inch shower hose is designed to be flexible, explosion-proof, and anti-kink. Periodically check the hose for any signs of wear or damage.

5. TROUBLESHOOTING

Here are solutions to common issues you might encounter:

- **Water Hammer Noise:** The pressure balance valve has built-in two check valves to effectively eliminate water hammer noise. If you experience this, ensure the installation was done correctly and check for any loose connections in your plumbing system.
- **Inconsistent Water Temperature:** The pressure balance valve's cartridge monitors water pressure. If temperature fluctuates, ensure the hot and cold water supply lines are correctly connected and that there are no blockages affecting water flow. Refer to Video 1 for temperature adjustment.
- **Low Water Pressure:** While the shower heads are designed for high pressure, ensure your home's water supply pressure is adequate. Check for mineral build-up in the silicone nozzles and clean them if necessary.

6. SPECIFICATIONS

Feature	Detail
Brand	SR SUN RISE
Model Number	SRSH-UPC26
Color	Brushed Nickel
Material	Brass, 304 Stainless Steel, ABS
Finish Type	Brushed
Number of Handles	1
Mounting Type	Wall Mount
Flow Rate	1.75 Gallons Per Minute (6.6L/min)
Maximum Pressure	6.6 Bars
Head Size	10 inches
Shower Hose Length	71 inches
Certifications	cUPC, ASME A112.18.1-2018/CSA B125.1-18, California Energy Commission Approved

7. WARRANTY AND SUPPORT

SR SUN RISE offers a **10-year warranty** for this product, covering any product quality problems. We are committed to supporting our consumers.

If you have any questions or require assistance, please feel free to contact our **24/7 online customer service team**. Your satisfaction is our priority.