

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [ALPHA BIDET](#) /
- › [ALPHA BIDET UX Pearl Bidet Toilet Seat Instruction Manual](#)

ALPHA BIDET UX-EW

ALPHA BIDET UX Pearl Bidet Toilet Seat

INSTRUCTION MANUAL

Product Overview

The ALPHA BIDET UX Pearl is an advanced bidet toilet seat designed for enhanced personal hygiene and comfort. Featuring an ultra-low profile and a sleek white finish, it integrates seamlessly into modern bathrooms. Key functionalities include endless warm water, a warm air dryer, photocatalyst deodorizer, LED nightlight, and customizable user presets.



Figure 1: The UX Pearl Bidet Toilet Seat and Remote Control. This image showcases the compact and modern design of the bidet seat, highlighting its low profile and the accompanying remote for easy control.

- **Next Generation Design:** Ultra-low profile at just 4.5" tall in the rear.
- **Endless Warm Water:** Energy-efficient, ceramic core tankless water heater provides unlimited warm water.
- **Advanced Bidet Technology:** Includes warm air dryer, photocatalyst deodorizer, and LED nightlight with ambient light sensor.
- **Uber Hygienic:** Arced stainless steel nozzle minimizes splashback, and Pure Breeze bowl freshener enhances cleanliness.
- **Customizable & Accessible:** Two programmable user presets and two shortcut functions for personalized use.

Setup and Installation

Before beginning installation, ensure you have all necessary components as listed in the packaging. Turn off the water supply to your toilet and drain the tank by flushing. The UX Pearl is designed for straightforward installation on most standard elongated toilets.

Included Components:

- Mounting plate
- Top mounting bolts
- Mounting brackets
- Remote control with wall mount
- User manual
- 7/8" T-valve

Installation Steps:

1. **Remove Existing Seat:** Carefully remove your current toilet seat and lid from the toilet bowl.
2. **Install Mounting Hardware:** Insert the rubber expansion nuts into the toilet bowl holes. Place the mounting plate over the holes, followed by the metal brackets. Insert the metal bolts through the brackets and tighten until the mounting plate is secure.
3. **Connect Water Supply:** Disconnect the existing supply hose from the toilet tank fill valve. Connect the provided 7/8" T-valve to the fill valve, ensuring the rubber washer is properly seated. Reconnect your existing supply hose to the bottom of the T-valve. Lastly, connect the UX Pearl's pre-attached braided supply hose to the side outlet of the T-valve.
4. **Attach Bidet Seat:** Slide the UX Pearl onto the mounting plate until you hear an audible click, indicating it is securely locked in place.
5. **Connect Power:** Plug the bidet's power cord into a GFCI (Ground Fault Circuit Interrupter) outlet. Ensure the outlet is within reach and properly grounded.
6. **Restore Water Supply:** Slowly open the shut-off valve at the wall and check for any leaks. Double-check all connections.



Figure 2: Mounting Plate Installation. This image shows the mounting plate secured to the toilet bowl, ready to receive the bidet seat.



Figure 3: Complete Installation Kit. This image displays all the parts required for installation, including the remote, mounting hardware, and T-valve.

Operating Instructions

The UX Pearl is operated primarily via its intuitive remote control, which can be mounted on the wall for easy access. A side control knob on the bidet seat also provides basic wash functions.

Remote Control Functions:

- **Rear Wash:** Activates the rear cleansing spray.
- **Front Wash:** Activates the feminine cleansing spray.
- **Oscillate:** Moves the nozzle back and forth for a wider cleansing area.
- **Pressure Adjustment:** Increase (+) or decrease (-) spray pressure.
- **Nozzle Position:** Adjust the nozzle forward or backward for optimal reach.
- **Dry:** Activates the warm air dryer.
- **Stop:** Halts any active bidet function.
- **User Presets (1 & 2):** Store and recall personalized settings for spray pressure, nozzle position, and temperature.
- **Water Temperature:** Adjust the temperature of the wash water.
- **Dryer Temperature:** Adjust the temperature of the warm air dryer.
- **Seat Temperature:** Adjust the heated seat temperature.
- **Easy Wash:** Shortcut for a pre-programmed wash cycle.
- **Light:** Toggles the LED nightlight on/off or sets it to dark mode activation.
- **Auto Wash/Dry:** Shortcut for a combined wash and dry cycle.
- **Pure Breeze:** Activates the bowl sanitizing and freshening function.



Figure 4: Remote Control Layout. This image details the various buttons and their corresponding functions on the remote control.

Side Control Knob:

Located on the side of the bidet seat, this knob allows for manual activation of basic rear and front wash functions, providing an alternative to the remote control.



Figure 5: Side Control Knob. This image highlights the illuminated side control knob, offering manual operation of essential bidet functions.

Maintenance

Regular maintenance ensures the longevity and optimal performance of your UX Pearl bidet seat. Always unplug the unit and turn off the water supply before performing any cleaning or maintenance.

Nozzle Cleaning:

The stainless steel nozzle is self-cleaning, automatically rinsing before and after each use. For additional cleaning, you can manually extend the nozzle (refer to your user manual for specific instructions) and gently wipe it with a soft cloth and mild, non-abrasive cleaner.



Figure 6: Self-Cleaning Nozzle. This image illustrates the nozzle's self-cleaning mechanism, ensuring hygiene with every use.

Exterior Cleaning:

Wipe the exterior surfaces of the bidet seat with a soft, damp cloth. Avoid using harsh chemicals, abrasive cleaners, or strong detergents, as these can damage the finish. For stubborn stains, a mild soap solution can be used.

Pure Breeze Deodorizer:

The Pure Breeze function utilizes ion particles to sanitize and freshen the bowl. This feature does not require replacement cartridges, simplifying maintenance.



Figure 7: Pure Breeze Deodorizer. This image visually represents the air plasma generation process that controls odors and bacteria within the toilet bowl.

Specifications

Feature	Detail
Brand	ALPHA BIDET
Model Number	UX-EW
Color	White
Material	Stainless Steel, Plastic
Style	UX Pearl
Shape	Elongated
Product Dimensions	21"L x 15"W
Item Weight	13.32 pounds
Operation Mode	Manual (via remote/side knob)
UPC	674276780074
Batteries Required	Yes (for remote)




Figure 8: Product Dimensions and Toilet Requirements. This diagram provides essential measurements to ensure compatibility with your toilet.

Warranty & Support

The ALPHA BIDET UX Pearl Bidet Toilet Seat comes with a **3-year manufacturer's warranty**. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any inquiries regarding your product, please refer to the detailed contact information provided in your included user manual or visit the official ALPHA BIDET website.