Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

DL-pro 00650499

DL-pro 1995PH7 Ribbed V-Belt for Dryer User Manual

Model: 00650499 | Brand: DL-pro

Product Overview

This manual provides essential information for the DL-pro 1995PH7 ribbed V-belt, designed as a replacement part for various dryer models. This V-belt features fine PH-type ribs and is compatible with original part numbers such as Bosch 650499 and 00650499.



Figure 1: The DL-pro 1995PH7 ribbed V-belt, a replacement part for dryer drums.

Specifications

Feature	Detail
Length	1995 mm
Rib Type	PH (Fine Ribs)
Height	Approx. 2.5 mm
Rib Spacing	Approx. 1.6 mm
Number of Ribs	7

Compatible Original Part Numbers	Bosch, Balay, Constructa, Siemens, Neff: 00650499
Common Markings	Hutchinson B/S/H 9000431719 7PH 1995, 1995 PH 7, 1995PH7, 1995H7, 7PH1995, 7H1995

Compatibility

This ribbed V-belt is designed to be compatible with a wide range of dryer models from various manufacturers. Below are lists of compatible models and series. Please verify your appliance's model number against these lists or consult your appliance's service manual.

Ersatzteil passend für folgenden Geräte:

Bosch

Avantixx 7
Maxx
Maxx 8
Avantixx 8
Logixx 8
Maxx 7
Avantixx
Serie 4
Classixx 7
Maxx 8 sensitive
SelfCleaning Condenser
iSensoric
Serie 4 SelfCleaning Condenser
Serie 6 SelfCleaning Condenser
Avantixx 7 selfCleaning Condenser
Avantixx selfCleaning condenser
Maxx SelfCleaning Condenser
EcoAvantixx7
Maxx 7 selfCleaning condenser
EcoMaxx 7 selfCleaning condenser
EcoAvantixx7 selfCleaning condenser
MaxxPlus
EcoLogixx 8 SelfCleaning Condenser
EcoLogixx 7 SelfCleaning Condenser
Avantixx 8 selfCleaning condenser
EcoAvantixx 7 SelfCleaning Condenser
EcoAvantixx 7S
EcoAvantixx 7 S EcoEdition
EcoLogixx 7
Serie 4SelfCleaning condenser
Edition 25
SportsEdition selfCleaning condenser
Serie4 SelfCleaning Condenser
Serie 6
Serie 8 SelfCleaning Condenser
Serie 8
Edition 25 SelfCleaning Condenser
Logixx 7 SelfCleaning Condenser
Logixx 8 selfCleaning condenser
Logixx 9 SelfCleaning Condenser
EcoLogixx 8 EcoEdition
Maxx 8 selfCleaning condenser
EcoAvantixx 6 SelfCleaning Condenser
EcoAvantixx
Avantixx 7 selfCleaning codenser
Champion Edition SelfCleaning Condenser
Exxcel 7 SelfCleaning Condenser
EcoAvantixx 6
WINNER
Logixx 8 Self Cleaning Condenser
Logixx 9 Self Cleaning Condenser
EcoLogixx 7S
EcoLogixx 7 sensitive
EcoLogixx 7S SelfCleaning Condenser
EcoLogixx 7S EcoEdition
EcoLogixx 7 S SelfCleaning Condenser
EcoLogixx 7 S
EcoLogixx 7 S TitanEdition SelfCleaning Condenser
iSensoric selfCleaning condenser
HomeProfessional selfCleaning condenser
HomeProfessional

Siemens

iSensoric
IQ300 selfCleaning Condenser
iQ700 selfCleaning condenser
SelfCleaning Condenser
selfcleaningCondenser
IQ500 selfCleaning condenser
iQ500
iQ300
iQ700
iQ 300
IQ 500 selfCleaning condenser
IQ 300 selfCleaning condenser
iQ 700 selfCleaning condenserA++
selfCleaning condenserA++
iQ700 selfCleaning condenserA++
IQ 500
ecoEdition selfCleaning condenser
selfCleaning condenser iQ500
IQ 700 SelfCleaning Condenser
iQ700 self Cleaning condenser
Heatpump Technology
iQ390 selfCleaning condenser
iQ790 selfCleaning condenser
iSensoric iQ300
iQ100
iQ700 selfCleaning condenser A++
iQ 700 selfCleaning condenser A++
iQ 790 SelfCleaning condenser A++
iQ700 runner selfCleaning condenserA++
iQ 590 champion selfCleaning condenser
Extraklasse iQ 590 selfCleaning condenser
IQ700 blueTherm
IQ 700
IQ 790
IQ790
iQ 790 selfCleaning condenser
SelfCleaning Condeser
iQ790 self Cleaning condenser
iQ800 selfCleaning Condenser
iSensoric selfCleaning condenser
iQ890 selfCleaning Condenser
selfCleaning condenser iSensoric

Gaggenau

WT260100/17
WT260110/01
WT260110CN/18
WT260110CN/19
HomeProfessional selfCleaning condenser

Neff

R8380X4EU/10
R8380X4EU/22
R8580X2ES/05
R8580X2IR/05
R8581X2ES/05
R8581X3ES/01
R8581X3ES/03
SelfCleaning Condenser

Pitsos

WTP60100/22
WTP60100/24
WTP60100/25
WTP60100/28
WTP60100/30
WTP60100/35
WTP60100/38
WTP70000/03
WTP70000/04
WTP70000/07
WTP70008/01
WTP70008/02
WTP700D8/03
WTP700D8/04
WTP700D8/06
WTP700D8/07
WTP700D8/08
WTP700G9/01
WTP80320/04
WTP80320/05
WTP80320/06
WTP80320/09
WTP80320/10
WTP80320/11
WTP80320/12
WTP80321/13
WTP80321/14
WTP80321/15
WTP80321/16
WTP80321/18
WTP80321/19
WTP80321/24
WTP86100I/21

Profilo

KM8350CTR/04
KM8351CTR/01
KM8351CTR/02
KM8430BTR/01
8kg

Novamatic

WTH83FU0CH/04
WTH83FU0CH/06
WTH83FU0CH/07
WTH83FU0CH/08
WTM83FU0CH/01
WTM83FU0CH/03
WTM83FU1CH/02
WTM83FU1CH/03
WTW841FUCH/22
WTW841FUCH/23
WTW841FUCH/24
WTW84FU2CH/15
WTW84FU2CH/16
WTW84FU2CH/17
WTW84FU2CH/18
WTW84FU2CH/19
WTW84FU2CH/23
WTW84FU2CH/24

Figure 2: Partial list of compatible Bosch, Siemens, Gaggenau, Neff, Pitsos, Profilo, and Novamatic dryer models.



Constructa	Constructa	Koenic	Balay	Balay
CWK3H000/03	CWK5W460/03	1KDR73007/18	3SB285B/03	3SC81602A/24
CWK3H000/04	CWK5W460/05	1KDR73007/19	3SB285B/04	3SC81602A/25
CWK3H000/06	CWK5W461/03	1KDR73007/21	3SB285B/06	3SC81602A/27
CWK3H000/07	CWK5W461/05	1KDR73007/22	3SB285B/07	3SC81602A/28
CWK3H000/08	CWK5W461/08	1KDR73007/23	3SB285B/08	3SC81602A/30
CWK3M200/01	CWK5W462/03	1KDR73007/24	3SB975B/01	3SC81602X/25
CWK3M200/03	CWK5W462/04	1KDR73017/17	3SB975B/03	3SC81602X/27
CWK3M201/01	CWK6B200/01	1KDR73017/18	3SB976B/01	3SC81602X/29
CWK3M201/02	CWK6H200/03	1KDR73017B/18	3SB976B/02	3SC81602X/30
CWK3M201/04	CWK6H200/04	1KDR73017B/19	3SB985B/02	3SC873/33
CWK3M201/05	CWK6H200/07	1KDR73017B/22	3SB987B/06	3SC873/35
CWK3R200/02	CWK6R200/01	1KDR73017B/23	3SB987B/07	3SC873/38
CWK3W200/22	CWK6R200/02	1KDR73017B/24	3SB987B1/22	3SC873/39
CWK4E100FG/22	CWK6R200/05	1KDR73017BN/15	3SB987BA/05	3SC873/40
CWK4E100FG/25	CWK6R201/01	1KDR73018/03	3SB987X/05	3SC883/33
CWK4E100FG/27	CWK6W200/12	1KDR73018N/04	3SB988B/05	3SC883/35
CWK4E100FG/28	CWK6W200/22	1KDR7301C/16	3SB988BA/01	3SC883/38
CWK4E600IL/01	Energy	1KDR7301C/17	3SB988BA/03	3SC883/39
CWK4E600IL/02	Selbstreinigender Kondensator	1KDR7301C/18	3SB988BA/05	3SC883/40
CWK4H000NL/03	Energy selfCleaning condenser	1KDR7301C/19	3SB988X/07	3SC883X/33
CWK4W360/04	7kg	1KDR7301C/23	3SB995B/02	3SC883X/35
CWK4W360/05		1KDR7301C/24	3SB995B/03	3SC883X/39
CWK4W360/06	**Unbekannt**	1KDR83025/10	3SB996B/05	SC7410
CWK4W360/09	1KDR73018C/04	1KDR83025/22	3SB996B/08	SC7410 selfCleaning condenser
CWK4W360/10		1KDR83025C/12	3SB997B/02	SC873 touch control
CWK4W360/11		1KDR83025C/22	3SB998B/02	SC883 touch control
CWK4W360/12		KDR73005/01	3SC71600A/24	
CWK4W360/13		KDR73005BN/01	3SC71600A/25	
CWK4W360CH/05		KDR73005BN/02	3SC71600A/27	
CWK4W360CH/06		KDR73006/02	3SC71600A/28	
CWK4W360CH/09		KDR73006/03	3SC71600A/30	
CWK4W360CH/10		KDR73006/04	3SC74100A/01	
CWK4W360CH/11		KDR73006/05	3SC74100A/02	
CWK4W360CH/12		KDR73006/06	3SC74100A/03	
CWK4W360CH/13		KDR73006/15	3SC74100A/04	
CWK4W360NL/04		KDR73006BN/02	3SC74100A/05	
CWK4W360NL/09		KDR73006BN/04	3SC74100A/06	
CWK4W361/13		KDR73006BN/06	3SC74100A/15	
CWK4W361/14		KDR73006CH/02	3SC74101A/17	
CWK4W361/15		KDR73006CH/03	3SC74101A/19	
CWK4W361/16		KDR73006CH/04	3SC74101A/22	
CWK4W361/17		KDR73006CH/05	3SC74101A/23	
CWK4W361/18		KDR73006CH/06	3SC74101A/24	
CWK4W361/19		KDR73006CH/15	3SC74300A/01	
CWK4W361/23		KDR73017/15	3SC74300A/02	
CWK4W361/24		KDR73017/16	3SC74300A/04	
CWK4W361CH/13		KDR73017/17	3SC74300A/05	
CWK4W361CH/15		KDR73017/18	3SC76300A/05	
CWK4W361CH/16		KDR73017B/15	3SC76300A/06	
CWK4W361CH/17		KDR73017BN/15	3SC76300A/09	
CWK4W361CH/18		KDR73017BN/17	3SC76300A/10	
CWK4W361CH/19		KDR73017BN/18	3SC76300A/11	
CWK4W361CH/22		KDR73017BN/19	3SC76300A/12	
CWK4W361CH/23		KDR73017BN/24	3SC76300A/13	
CWK4W361NL/09		KDR73017CH/15	3SC76300A/15	
CWK4W361NL/10		KDR73017CH/16	3SC76301A/17	
CWK4W361NL/11		KDR73017CH/17	3SC76301A/19	
CWK4W361NL/12		KDR73017CH/18	3SC76301A/24	
CWK4W362NL/13		KDR73017CH/24	3SC81601A/21	
CWK4W362NL/17		TCV50011/15	3SC81601A/22	
CWK4W362NL/18		KDR73007	3SC81601A/24	
CWK4W362NL/19		KDR83025	3SC81601X/21	
CWK4W362NL/23		KDR73006BN	3SC81601X/22	
CWK5R400/01		KDR73006CH	3SC81601X/24	

Figure 3: Partial list of compatible Constructa, Koenic, and Balay dryer models.

Key Compatible Brands and Series:

- **Bosch:** iQ500, iQ300, iQ700, iQ790, iSensoric, Extraklasse, Avantixx, Maxx, Logixx, Serie 4, Serie 6, Serie 8, HomeProfessional.
- **Siemens:** iQ500, iQ300, iQ700, iQ790, iSensoric, Extraklasse, SelfCleaning Condenser, Avantixx, Maxx, Logixx, Serie 4, Serie 6, Serie 8, HomeProfessional.
- **Balay, Constructa, Gaggenau, Koenic, Neff, Novamatic, Pitsos, Profilo.**

Installation (Setup)

Replacing a dryer's ribbed V-belt typically requires disassembling parts of the dryer. Due to the complexity and potential safety risks (electrical components, sharp edges), it is highly recommended that installation be performed by a qualified technician. If you choose to proceed yourself, ensure you follow all safety precautions and consult your specific dryer model's service manual.

General Steps (Consult Dryer Manual for Specifics):

1. **Safety First:** Disconnect the dryer from the power supply before beginning any work. Turn off the circuit breaker.
2. **Access the Drum:** Depending on your dryer model, this may involve removing the top panel, front panel, or rear panel.
3. **Locate the Old Belt:** The belt wraps around the dryer drum and the motor pulley. Note its routing.
4. **Remove the Old Belt:** Carefully remove the old belt from the drum and motor pulley.
5. **Install the New Belt:** Route the new 1995PH7 belt around the drum and then around the motor pulley, ensuring it is properly seated and tensioned. The ribbed side of the belt typically faces the motor pulley.
6. **Reassemble:** Reattach all panels and components in reverse order of disassembly.
7. **Test:** Reconnect power and test the dryer to ensure the drum spins freely and quietly.

Operation

Once the DL-pro 1995PH7 ribbed V-belt is correctly installed, your dryer should operate as intended, with the drum rotating smoothly. The belt's function is to transmit power from the motor to the dryer drum, enabling the tumbling action necessary for drying clothes.
No special operational procedures are required for the belt itself; simply use your dryer according to its manufacturer's instructions.

Maintenance

The ribbed V-belt is a wear-and-tear component. While it does not require regular user maintenance, its lifespan can be affected by:

- **Overloading the Dryer:** Excessive load weight can put undue strain on the belt.
- **Worn Pulleys or Rollers:** Damaged or seized pulleys/rollers can cause friction and premature belt wear.
- **Foreign Objects:** Objects getting caught in the drum or around the belt can cause damage.

If you notice any unusual noises (squealing, thumping) or a decrease in drum rotation efficiency, it may indicate belt wear or other internal issues requiring inspection by a qualified technician.

Troubleshooting

If your dryer is experiencing issues after belt replacement or if you suspect the belt is failing, consider the following:

- **Dryer Drum Not Spinning:** This is the most common symptom of a broken or severely worn belt. Ensure the belt is

properly installed and intact.

- **Loud Squealing or Thumping Noises:** This could indicate a worn belt, misaligned belt, or issues with the idler pulley or drum rollers.
- **Burning Smell:** A burning smell can occur if the belt is slipping or rubbing against other components due to misalignment or wear. Immediately disconnect power if you detect a burning smell.

For persistent issues, it is advisable to consult a professional appliance repair technician.

Warranty and Support

For information regarding the warranty of your DL-pro 1995PH7 ribbed V-belt, please refer to the purchase documentation or contact DL-pro customer support directly. DL-pro is committed to providing quality replacement parts.
As a leader in appliance spare parts distribution, DL-pro aims to offer the best solutions for appliance repair. For further assistance or inquiries, please visit the official DL-pro website or contact their customer service.

Figure 4: The DL-pro brand logo.

© 2024 DL-pro. All rights reserved. This manual is for informational purposes only.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09VTD3YKV

More documents and user manuals: **https://manuals.plus/**