



Manuals.plus /

› Bestway /

› Bestway Steel Pro 10' x 30" Round Above Ground Pool with Filter Pump Instruction Manual

Bestway B09VYC5TDM

Bestway Steel Pro 10' x 30" Round Above Ground Pool with Filter Pump Instruction Manual

Model: B09VYC5TDM

[Instructions](#) [Safety Information](#) [Included Components](#) [Setup](#)
[Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#)

INTRODUCTION

This manual provides essential instructions for the safe setup, operation, and maintenance of your Bestway Steel Pro 10' x 30" Round Above Ground Pool. Please read all instructions carefully before assembly and use to ensure proper function and safety.

Bestway

STEEL PRO®

SUMMER FUN THAT LASTS



10 FT.

30 IN.
DEEP

90%
1,236 gal.

WATER
CAPACITY

Image: Overview of the Bestway Steel Pro pool, highlighting its 10 ft diameter, 30 in depth, and 1,236-gallon capacity at 90% fill.

SAFETY INFORMATION

WARNING: Failure to follow these instructions can result in serious injury or death.

- **Drowning Hazard:** Children under 5 are at the highest risk for drowning. Always supervise children who are in or near the pool.
- **No Diving:** This pool is not deep enough for diving. Diving into shallow water can cause severe injury, paralysis, or death.
- **Fencing:** Install a pool fence or other approved barrier around the pool to prevent unauthorized access by children. Consult local building codes for specific fencing requirements.
- **Location:** Ensure the pool is set up on a level, stable surface free from sharp objects.
- **HOA Rules:** Review your Homeowners Association (HOA) rules and restrictions before purchasing and installing this product, as not all housing agencies permit private above-ground pools.

INCLUDED COMPONENTS

Verify that all components are present before beginning assembly:

- Round Pool Liner (DuraPlus enhanced 3-ply PVC)
- Steel Frame Components (Corrosion-resistant with FrameLink System™)
- Model 58511E 330-Gallon Filter Pump
- Type I Filter Cartridge
- Repair Patch

INCLUDED ITEMS



ROUND
POOL



330 GAL. FILTER PUMP
& TYPE I CARTRIDGE

Image: Visual representation of the main items included with your pool set: the round pool, filter pump, and filter cartridge.

SETUP INSTRUCTIONS

The Bestway Steel Pro pool is designed for easy, no-tool assembly. It typically takes 1-2 people approximately 30 minutes to set up, not including fill time.

1. **Prepare the Site:** Choose a flat, level area free of debris, rocks, or sharp objects. Clear any vegetation.
2. **Lay Liner Flat:** Carefully unroll and spread the pool liner in the chosen area. Ensure the drain valve is positioned correctly.
3. **Assemble Frame:** Connect the steel frame components according to the diagrams in your detailed manual. The FrameLink System™ provides secure, corrosion-resistant connections.
4. **Fill with Water:** Begin filling the pool with water. As the water level rises, smooth out any wrinkles in the bottom of the liner. Stop filling when the water reaches the recommended level, typically 90% capacity.



EASY, NO-TOOL SETUP

Ready for water in 30 minutes*
with the help of 1-2 people.



1

LAY LINER
FLAT



2

ASSEMBLE
FRAME



3

FILL WITH
WATER

*Does not include fill time.

Image: A visual guide demonstrating the three main steps for setting up the pool: laying the liner, assembling the frame, and filling the pool with water.

Your browser does not support the video tag.

Video: An official product video from Spreetail showcasing the features and easy setup process of the Bestway Steel Pro 10' x 30" Round Above Ground Pool Set.

OPERATION

Filter Pump (Model 58511E)

The included 330 GPH filter pump is designed to circulate and filter your pool water, keeping it clean and clear. Ensure the pump is connected correctly to the pool's inlet and outlet valves as per the pump's separate instruction manual.

- **Power Connection:** Connect the filter pump to a grounded electrical outlet. Do not use extension cords.
- **Daily Operation:** Run the filter pump for several hours each day to maintain water clarity. The exact duration depends on pool usage and environmental conditions.
- **Filter Cartridge:** The pump uses a Type I filter cartridge. Regularly check and clean the cartridge to ensure efficient filtration.



Image: The Bestway Steel Pro pool shown alongside its filter pump and a Type I filter cartridge, illustrating the filtration system.

MAINTENANCE

Regular maintenance is crucial for extending the life of your pool and ensuring safe swimming conditions.

- **Water Chemistry:** Regularly test and adjust pool water chemistry (pH, chlorine, alkalinity) to prevent algae

growth and ensure swimmer comfort.

- **Filter Cleaning/Replacement:** Clean the filter cartridge every few days, or more often with heavy use. Replace the filter cartridge every 2-4 weeks, or when it becomes visibly dirty and cannot be cleaned effectively.
- **Pool Cleaning:** Skim debris from the water surface daily. Vacuum the pool bottom as needed to remove settled dirt.
- **Liner Inspection:** Periodically inspect the pool liner for any signs of wear, tears, or punctures. Address any damage promptly using the provided repair patch.
- **Draining:** To drain the pool, connect a garden hose to the built-in flow control valve.

TROUBLESHOOTING

Common Issues and Solutions

- **Water Leakage:** If you observe water leaking from the pool, first check the exterior for visible damage. If no external damage is found, inspect the interior of the pool liner, particularly along seams and stitching lines. Leaks can sometimes occur in manufacturing seams. If a leak is identified, use the provided repair patch according to its instructions.
- **Cloudy Water:** This often indicates insufficient filtration or improper water chemistry. Ensure the filter pump is running for adequate periods, and clean or replace the filter cartridge. Test and adjust water chemicals as necessary.
- **Pump Not Working:** Check the power connection and ensure the pump is plugged into a functional, grounded outlet. Verify that the circuit breaker has not tripped. Inspect hoses for kinks or blockages.

SPECIFICATIONS

Feature	Detail
Brand	Bestway
Model Number (ASIN)	B09VYC5TDM
Shape	Round
Product Dimensions (L x W x H)	120.08" x 120.08" x 29.92" (10 ft x 30 in)
Water Capacity (90%)	1236 Gallons
Material Type	DuraPlus Puncture-Resistant Material
Filter Pump Model	58511E (330 GPH)
Included Components	Pool, Filter Pump, Repair Patch
Item Weight	16.9 Kilograms

WARRANTY AND SUPPORT

For warranty information, product registration, or technical support, please refer to the documentation included with your product or visit the official Bestway website. Keep your proof of purchase for warranty claims.

