Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Xbeauty 46R43

Xbeauty 43-Inch Propane Gas Fire Pit Table Instruction Manual

Model: 46R43 | Brand: Xbeauty

Introduction
Important Safety Information
Package Contents
Setup and Assembly
Operating Instructions
Care and Maintenance
Troubleshooting
Product Specifications
Warranty and Support

Introduction

This manual provides essential instructions for the safe and efficient operation, assembly, and maintenance of your Xbeauty 43-inch Propane Gas Fire Pit Table. Please read all instructions carefully before use to ensure proper functionality and safety.



The Xbeauty 43-inch Propane Gas Fire Pit Table, designed for outdoor use, featuring a rectangular tabletop and integrated fire pit.

Important Safety Information

Your Xbeauty fire pit table is ETL certified, and the regulator is CSA certified, ensuring safety when used correctly. Adherence to these guidelines is crucial for safe operation.

General Safety Warnings:

- Do not store or use gasoline or other flammable vapors and liquids in the vicinity of this or any other appliance.
- An LP cylinder not connected for use shall not be stored in the vicinity of this or any other appliance.
- For outdoor use only.
- Keep children and pets away from the fire pit.

- Ensure adequate ventilation.
- Never leave the fire pit unattended when in operation.
- Do not cover the fire pit desktop with the waterproof cover when it is hot. Allow it to cool completely to prevent water stains and damage to the coating.

Package Contents

Verify all components are present and undamaged before assembly. If any parts are missing or damaged, contact customer support.

- One fire pit table with burner lid
- Waterproof (Not Rain-Proof) fire pit cover
- Rain cover
- 8.8lbs glass stone
- Accessories bag (necessary screws, nuts & washers)
- Product manual



All components included in the Xbeauty fire pit table package, laid out for inspection before assembly.

Setup and Assembly

Assembly is straightforward. Follow the numbered instructions provided in the included product manual. Ensure all parts are correctly aligned and secured. It is recommended to have two people for assembly.

▶ **Watch video online**

See it in action here!

Video demonstrating the unboxing and initial assembly steps for the Xbeauty fire pit table, highlighting labeled parts for easy identification.



The fully assembled Xbeauty fire pit table, ready for propane tank installation and operation.

Operating Instructions

Ignition:

1. Ensure the propane tank is connected and the gas valve is fully open.
2. Push and turn the control knob to the "LOW" position.
3. Press and hold the igniter button until the flame ignites.
4. Continue to hold the control knob for 15-20 seconds after ignition to ensure the thermocouple is heated.
5. Release the control knob. If the flame goes out, repeat the process.

Adjusting Flame:

Rotate the control knob between "LOW" and "HIGH" to adjust the flame intensity to your desired level.

Turning Off:

1. Turn the control knob clockwise to the "OFF" position.
2. Turn the cylinder valve on the gas tank clockwise to close.



Close-up of the control panel on the Xbeauty fire pit table, showing the igniter button and flame adjustment knob.

▶ **Watch video online**

Fire Pit Table 43" Outdoor Gas Fire Pit Table with Lid

Video demonstrating the Xbeauty fire pit table in operation, showcasing the flame and overall ambiance.

Care and Maintenance

- Clean the fire pit regularly with a soft cloth and mild detergent.
- Ensure the fire pit is completely cool before covering it.
- Use the provided rain cover to protect the fire pit from weather elements when not in use.
- Store the fire pit in a dry, sheltered area during prolonged periods of non-use.



The Xbeauty fire pit table with its protective cover, illustrating proper storage and care.

Troubleshooting

Problem: Fire pit does not ignite.

- Check if the propane tank valve is fully open.

- Ensure the igniter battery is correctly installed and has power.
- Verify gas flow by listening for a hiss when the control knob is turned.
- If the flame goes out after releasing the control knob, ensure you held it long enough for the thermocouple to heat up.

Problem: Low flame.

- Check propane tank level.
- Ensure the control knob is set to "HIGH".
- Verify there are no obstructions in the burner.

Problem: Soot or smoke.

- Ensure the burner is clean and free of debris.
- Check for proper gas pressure.

Product Specifications

Feature	Detail
Model Number	46R43
Brand	Xbeauty
Material	Alloy Steel, Iron, Stone
Product Dimensions	22.05"D x 42.91"W x 24.8"H
Item Weight	66.1 Pounds
Fuel Type	Liquefied Petroleum Gas
Heat Output	50,000 BTU
Certifications	ETL (fire pit), CSA (regulator)



Diagram illustrating the dimensions of the Xbeauty 43-inch fire pit table.

Warranty and Support

For warranty information, please refer to the documentation included with your purchase or contact Xbeauty customer support directly.

For further assistance, visit the Xbeauty Store on Amazon.

© 2026 Xbeauty. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B09W5MJ53T

More documents and user manuals: **https://manuals.plus/**