

## Yabano CM6851

# Yabano CM6851 Espresso Machine Portafilter and Filter Set Instruction Manual

Model: CM6851

## INTRODUCTION

---

This instruction manual provides essential information for the proper use and maintenance of your Yabano Portafilter and Stainless Steel Filter Set. This set is designed as a replacement or accessory for compatible espresso machines, ensuring optimal performance and longevity.

Please read this manual thoroughly before initial use to ensure correct assembly and operation.

## PACKAGE CONTENTS

---

Upon unpacking, please verify that all components are present and undamaged:

- 1x Portafilter
- 1x Stainless Steel Filter (2-Cup capacity)



Image: The Yabano CM6851 Portafilter with its black handle and silver head, accompanied by a separate stainless steel filter basket. The portafilter features a small lever near the head for securing the filter basket.

## COMPATIBILITY

This Portafilter and Stainless Steel Filter Set is specifically designed for the **Yabano CM6851 Espresso Machine**.

It is also compatible with the **FOHERE Espresso Machine (B09TDD3VDM)**.

Using this set with other espresso machine models may result in improper fit, leaks, or damage to the machine or portafilter.

## SETUP INSTRUCTIONS

- 1. Insert Filter Basket:** Place the stainless steel filter basket into the portafilter head. Ensure it sits flush and securely within the portafilter.
- 2. Prepare Coffee Grounds:** Fill the filter basket with your desired amount of finely ground espresso coffee.
- 3. Tamp Grounds:** Use an espresso tamper to evenly compress the coffee grounds in the filter basket. This creates a compact puck for optimal extraction.
- 4. Attach Portafilter to Machine:** Align the portafilter with the group head of your Yabano CM6851 Espresso Machine. Insert the portafilter into the group head and twist it firmly to the right until it is securely locked in place. Ensure a tight seal to prevent leaks during brewing.

## OPERATING INSTRUCTIONS

Once the portafilter is securely attached to your espresso machine with prepared coffee grounds, follow your espresso machine's specific operating instructions for brewing. The portafilter's function is to hold the

coffee grounds and facilitate the pressurized water flow through them.

After brewing, carefully remove the portafilter by twisting it to the left. Be cautious as the portafilter and filter basket will be hot.

## MAINTENANCE AND CLEANING

---

Regular cleaning is crucial for maintaining the performance and hygiene of your portafilter and filter set.

- **After Each Use:**

- Remove the used coffee puck from the filter basket.
- Rinse the filter basket and portafilter head under warm running water to remove any coffee residue.
- Wipe the portafilter handle with a damp cloth.

- **Deep Cleaning (Weekly/Bi-weekly):**

- Remove the filter basket from the portafilter.
- Soak both the portafilter head (avoiding the handle if possible) and the filter basket in a solution of warm water and a mild detergent or espresso machine cleaner.
- Use a brush to scrub away any stubborn coffee oils or residue from all surfaces, especially the filter holes.
- Rinse thoroughly with clean water to ensure no detergent residue remains.

- **Drying:** Allow all components to air dry completely before reassembly or storage to prevent water spots and bacterial growth.

### Caution:

- Do not wash the portafilter handle in a dishwasher, as this may damage the handle material or finish.
- Avoid using abrasive cleaners or scouring pads, which can scratch the stainless steel surface.

## TROUBLESHOOTING

---

This section addresses common issues you might encounter with your portafilter and filter set.

- **Issue: Portafilter leaks during brewing.**

- **Solution 1:** Ensure the portafilter is securely locked into the espresso machine's group head. It should be twisted firmly to the right.
- **Solution 2:** Check the group head gasket on your espresso machine. A worn or dirty gasket can cause leaks. Refer to your espresso machine's manual for gasket inspection and replacement.
- **Solution 3:** Verify that the filter basket is correctly seated within the portafilter.

- **Issue: Filter basket is difficult to insert or remove from the portafilter.**

- **Solution:** Ensure there is no coffee residue or debris obstructing the fit. Clean both the portafilter head and the filter basket thoroughly.

- **Issue: Coffee flow is too fast or too slow.**

- **Solution:** This is typically related to coffee grind size, dose, or tamping pressure, rather than the portafilter itself. Adjust these factors according to your espresso machine's recommendations and your preference.

## SPECIFICATIONS

---

<b>Component</b>	Portafilter and Filter Basket
<b>Material</b>	Stainless Steel (Filter), Stainless Steel and Plastic (Portafilter Handle)
<b>Filter Capacity</b>	2-Cup
<b>Package Dimensions</b>	9 x 3 x 2 inches
<b>Item Weight</b>	8.3 ounces
<b>Number of Pieces</b>	2 (1 Portafilter, 1 Filter Basket)

## WARRANTY AND SUPPORT

---

Information regarding specific warranty terms or direct customer support for this product is not available in the provided data. For warranty claims or technical assistance, please refer to the documentation included with your original Yabano CM6851 Espresso Machine or contact Yabano customer service directly through their official channels.