

VOLISUN 21065ZM

VOLISUN Modern Bathroom Vanity Light 23.6 inch Instruction Manual

Model: 21065ZM

[Introduction](#)[Safety Information](#)[Package Contents](#)[Setup](#)[Operating Instructions](#)[Maintenance](#)[Troubleshooting](#)[Specifications](#)[Warranty & Support](#)

1. INTRODUCTION

Thank you for choosing the VOLISUN Modern Bathroom Vanity Light. This manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read these instructions thoroughly before beginning installation and retain them for future reference.

This VOLISUN Modern Bathroom Vanity Light (Model 21065ZM) is a 23.6-inch, 14W dimmable LED fixture designed for bathrooms, mirror cabinets, restrooms, and sinks. It features 5 CCT (Correlated Color Temperature) options and is ETL certified, ensuring both versatility and safety for your indoor spaces.

2. SAFETY INFORMATION

WARNING: RISK OF ELECTRIC SHOCK. Disconnect power at the circuit breaker or fuse box before installation or servicing. Improper wiring can result in electric shock or fire.

- Always turn off the main power supply before installing, cleaning, or performing any maintenance on the fixture.
- Ensure all electrical connections comply with local codes and ordinances, as well as the National Electric Code (NEC).
- If you are unfamiliar with electrical wiring, consult a qualified, licensed electrician.
- Do not install this fixture in areas where it may be exposed to direct water spray or submersion. It is rated IP44 for damp environments.
- Do not attempt to modify the fixture. Any modifications may void the warranty and create safety hazards.
- Handle the fixture with care to avoid damage to the LED components.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before installation. If any parts are missing or damaged, contact VOLISUN customer service.

- 1 x LED Bathroom Vanity Light Fixture
- 1 x Circle Crossbar
- 1 x Screw Kit (mounting screws, wire nuts)
- 1 x Instruction Manual
- Reserved Wires (pre-attached to fixture)

4. SETUP AND INSTALLATION


4.1 Pre-installation Checklist

- Ensure the power is turned off at the circuit breaker.
- Confirm the product size (23.6 inches) is suitable for your intended installation area.
- Gather necessary tools: screwdriver, wire strippers, electrical tape (not included).

4.2 Installation Steps

1. **Prepare the Mounting Surface:** Ensure the electrical junction box is securely mounted and accessible.
2. **Attach the Crossbar:** Secure the provided circle crossbar to the junction box using the mounting screws.
3. **Connect Wires:** Carefully connect the fixture's wires to the corresponding house wires (black to black, white to white, ground to ground) using the wire nuts. Ensure connections are secure.
4. **Mount the Fixture:** Align the fixture with the crossbar and secure it with the provided screws. Ensure enough space is left between the ceiling/wall and the light to tighten the screws properly.

Warm Tips: Leave enough space between the ceiling and light to tighten the screw.



1. Connect the wires correctly.

2. Connect the vanity light to the steel crossbar plate.

Image: Step-by-step guide for installing the VOLISUN vanity light, showing wire connections and mounting to the crossbar. Ensure wires are connected correctly and the fixture is secured to the crossbar.



Image: Detailed dimensions of the VOLISUN 23.6-inch vanity light, measuring 23.6 inches in length, 3.2 inches in width, and 4.5 inches in height. Close-up views show the acrylic diffuser and metal construction.

5. OPERATING INSTRUCTIONS

5.1 Color Temperature Adjustment (5CCT)

Your VOLISUN vanity light features 5 selectable Correlated Color Temperatures (CCT) to suit your preference and mood. To change the color temperature:

- Locate the slide switch on the side of the fixture's base.
- Slide the switch to select your desired color temperature:
 - **2700K:** Soft Warm White
 - **3000K:** Warm White
 - **3500K:** Neutral White

- **4000K:** Cool White
- **5000K:** Daylight

5 COLOR TEMPERATURE SELECTABLE

	2700K/SOFT WARM WHITE
	3000K/WARM WHITE
	3500K/NEUTRAL WHITE
	4000K/COOL WHITE
	5000K/DAY LIGHT




Image: Diagram illustrating the 5 CCT color temperature options (2700K to 5000K) and the slide switch on the VOLISUN vanity light. This allows users to choose between various shades of white light.


5.2 Dimming Functionality

The fixture is 5%-100% smoothly dimmable, allowing you to adjust the brightness to your preference. This feature requires a compatible dimmer switch (not included) installed in your electrical system.


- Ensure your dimmer switch is compatible with LED fixtures. The VOLISUN light is compatible with most dimmers on the market.
- Adjust the dimmer switch to achieve the desired brightness level.

Stepless Dimming

Find the right brightness for your make-up



▶ Matches **90%** of dimmers on the market



Dimmer Switch **(NOT INCLUDED)**

Image: Graphic demonstrating the 5%-100% stepless dimming capability of the VOLISUN vanity light, compatible with most dimmer switches. A dimmer switch is shown, indicating how to adjust brightness.

5.3 Product in Use



Image: The VOLISUN vanity light installed above a bathroom mirror, demonstrating its modern design and effective illumination in a typical bathroom setting.



Image: Another view of the VOLISUN vanity light in a bathroom, featuring an ETL Listed mark, indicating compliance with North American safety standards.

6. MAINTENANCE

Regular maintenance helps ensure the longevity and optimal performance of your VOLISUN vanity light.

- **Cleaning:** Turn off the power before cleaning. Use a soft, dry, or slightly damp cloth to wipe the fixture. Avoid using abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish or electrical components.
- **Inspection:** Periodically inspect the fixture for any signs of damage, loose wiring, or wear. If any issues are found, disconnect power and consult a qualified electrician or contact customer support.
- **LEDs:** The integrated LED light source is designed for long-term use and is not user-replaceable.

7. TROUBLESHOOTING

If you encounter issues with your VOLISUN vanity light, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Light does not turn on	No power supply; Loose wiring; Faulty switch	Check circuit breaker/fuse; Ensure all wire connections are secure; Test the wall switch.
Light flickers or dims inconsistently	Incompatible dimmer switch; Loose wiring; Overloaded circuit	Ensure dimmer is LED compatible; Check wire connections; Consult an electrician to check circuit load.
Incorrect color temperature	CCT slide switch set incorrectly	Adjust the CCT slide switch on the side of the fixture to the desired setting.
Humming or buzzing noise	Incompatible dimmer; Loose wiring	Replace with a high-quality, LED-compatible dimmer; Check and secure all wiring connections.

8. SPECIFICATIONS

Feature	Detail
Brand	VOLISUN
Model Number	21065ZM
Size	23.6 inches (L) x 3.2 inches (W) x 4.5 inches (H)
Color	Black
Material	Acrylic, Aluminum, Metal
Wattage	14 Watts
Voltage	110-277 Volts (AC)
Brightness	980 Lumens
Color Temperature	5CCT Selectable (2700K/3000K/3500K/4000K/5000K)
Dimming	5%-100% Smoothly Dimmable (with compatible dimmer)
Water Resistance Level	IP44 (Waterproof)
Certifications	ETL, FCC Certificated
Light Source	Integrated LED
Mounting Type	Hardwired, Flush Mount

9. WARRANTY & SUPPORT

9.1 Product Warranty

VOLISUN proudly stands behind its products. This Modern Bathroom Vanity Light comes with a full **2-year service warranty** from the date of purchase. This warranty covers any defects in materials or workmanship that may cause the

light to stop working or exhibit other malfunctions under normal use.
Please retain your proof of purchase for warranty claims.

9.2 Customer Support

For any questions, technical assistance, or warranty claims, please contact VOLISUN customer service. Our team is available to provide professional after-sales support.

Contact Information: Please refer to the VOLISUN official website or your purchase platform for the most current customer service contact details.

Your browser does not support the video tag.

Video: Official VOLISUN video showcasing the 5CCT Dimmable Black Vanity Light, highlighting its features and design. This video provides a visual overview of the product's capabilities.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question