

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [hysure](#) /

› [Hysure Small Dehumidifier User Manual](#)

## hysure Q4

# Hysure Small Dehumidifier User Manual

Model: Q4

## PRODUCT OVERVIEW

---

The Hysure Small Dehumidifier (Model Q4) is a compact and portable dehumidification solution designed to reduce excess moisture in various small to medium-sized spaces. It features a 1400ml (49oz) water tank, automatic shut-off when full, and quiet operation, making it suitable for bedrooms, bathrooms, closets, RVs, and offices. This dehumidifier also includes 7 optional colorful LED lights to enhance its aesthetic appeal.



Image: Front view of the Hysure Small Dehumidifier, showcasing its compact design, transparent water tank, and the illuminated base indicating colorful light options.

## KEY FEATURES

---

- **Efficient Dehumidification:** Removes up to 350ml of moisture per day (at 86°F, 80% RH) from areas up to 2200 cubic feet.
- **Large Capacity Water Tank:** Equipped with a 1400ml (49oz) detachable water tank for less frequent emptying.
- **Automatic Shut-Off:** The unit automatically turns off when the water tank is full, indicated by a flashing yellow light, preventing overflow.
- **Ultra-Quiet Operation:** Operates at less than 30dB, ensuring minimal disturbance for sleep, study, or work.
- **7 Colorful LED Lights:** Features optional mood lighting with 7 different colors to create a pleasant ambiance.

- **Portable and Compact Design:** Lightweight and small, making it easy to move and place in various locations.



Image: The Hysure dehumidifier placed on a nightstand next to a bed, illustrating its compact size and the optional colorful night light feature in a bedroom setting.




Image: A visual representation highlighting the 7 optional mood lights and the 12V high-efficient dehumidification using semiconductor refrigeration technology, showing humidity reduction from 80% to 40%.

## SETUP AND INSTALLATION

---

1. **Unpack the Dehumidifier:** Carefully remove the dehumidifier and all accessories from the packaging. Ensure all components are present: the dehumidifier unit, power adapter, and instruction manual.
2. **Choose a Location:** Place the dehumidifier on a flat, stable surface in the desired area. Ensure there is at least 20cm (8 inches) of space around the unit for proper air circulation. Avoid placing it directly against walls or furniture.
3. **Connect Power:** Insert the power adapter plug into the DC input port on the back of the dehumidifier. Then, plug the power adapter into a suitable electrical outlet (AC 100-240V, 50/60Hz).
4. **Initial Check:** Before turning on, ensure the water tank is correctly seated in the base.



Image: The Hysure dehumidifier, its retail box, instruction manual, and power adapter, illustrating the items included in the package.

## OPERATING INSTRUCTIONS

1. **Power On/Off:** Press the power button located on the top of the unit to turn the dehumidifier on or off. The indicator light will illuminate when the unit is operating.

2. **Select LED Light Mode:** Press the light button (sun icon) on the top panel to cycle through the 7 colorful LED light options or to turn the light off.
3. **Automatic Shut-Off:** The dehumidifier will automatically stop operating when the water tank is full. The indicator light will flash yellow to alert you that the tank needs to be emptied.

## No Beep Operation

Get peaceful sleep, study, work or relaxation



Image: A person reading next to the Hysure dehumidifier, emphasizing its quiet operation (less than 30dB) suitable for peaceful environments.



Image: A graphic illustrating the 360° visible water tank and the range of 7 LED light colors available for selection.




Image: The dehumidifier with its water tank illuminated by a flashing yellow light, indicating the auto shut-off feature when the tank is full.

## MAINTENANCE

---

### Emptying the Water Tank

When the water tank is full, the dehumidifier will automatically shut off, and the indicator light will flash yellow. Follow these steps to empty the tank:

1. **Turn Off the Unit:** Press the power button to turn off the dehumidifier and unplug it from the power outlet.
2. **Remove the Tank:** Gently pull the water tank out from the bottom of the dehumidifier unit.
3. **Open and Empty:** Open the tank cover and carefully pour out the collected water.
4. **Clean the Tank:** Rinse the water tank with clean water. For thorough cleaning, use a mild detergent and soft cloth. Do not use abrasive cleaners.
5. **Reinstall the Tank:** Place the tank cover back securely and slide the empty water tank back into the dehumidifier until it clicks into place.
6. **Resume Operation:** Plug the dehumidifier back in and press the power button to restart operation.

# 1400mL Gran Capacity

Detachable Water Tank For Easy Clean



Image: A step-by-step visual guide demonstrating how to detach the main body, open the tank cover, and empty the 1400ml water tank for easy cleaning.

## Cleaning the Dehumidifier

- **Exterior Cleaning:** Wipe the exterior of the unit with a soft, damp cloth. Do not use harsh chemicals or abrasive materials.

- **Air Inlet/Outlet:** Periodically check the air inlet and outlet for dust or debris. Use a soft brush or vacuum cleaner to gently remove any blockages to ensure optimal performance.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Dehumidifier does not turn on.	Not plugged in. Power outlet malfunction. Water tank not properly installed.	Ensure the power adapter is securely plugged into the unit and the wall outlet. Test the outlet with another device. Re-insert the water tank correctly until it clicks into place.
No water collected or low dehumidification.	Humidity level is too low. Temperature is too low. Air inlets/outlets are blocked. Unit size is too small for the space.	Dehumidifiers work best in humid conditions (above 40% RH). Optimal operating temperature is 59-86°F (15-30°C). Clear any obstructions from the air inlets and outlets. Ensure the dehumidifier is suitable for the room size (rated for 2200 cubic feet).
Unit is noisy.	Unit not on a flat surface. Internal fan obstruction.	Place the unit on a firm, level surface. Check for any foreign objects inside the unit (unplug first). If noise persists, contact support.
Water tank indicator light flashes yellow, but tank is not full.	Water tank not properly seated. Sensor issue.	Remove and re-insert the water tank firmly. If the issue persists, contact customer support.

## SPECIFICATIONS

Feature	Detail
Brand	hysure
Model Name	Q4
Dehumidification Capacity	Up to 350ml/day (at 86°F, 80% RH)
Water Tank Capacity	1400 Milliliters (49oz)
Coverage Area	Up to 2200 Cubic Feet
Operation Mode	Automatic (with auto shut-off)
Noise Level	Less than 30dB
Product Dimensions	11.6 x 11.6 x 22 inches (approx. 15.3cm x 15.3cm x 24cm)
Item Weight	2.92 pounds

Feature	Detail
Color	Black
Power Consumption	36W (Energy Saving)
Special Features	7 Colorful LED Lights, Auto Shut-Off, Quiet Operation



Image: The Hysure dehumidifier with its approximate dimensions (15.3cm/6in width and 24cm/9.4in height) clearly marked.

## SAFETY INFORMATION

---

- Always unplug the dehumidifier before cleaning or performing any maintenance.
- Do not block the air inlets or outlets.
- Do not immerse the unit, power cord, or plug in water or other liquids.
- Keep out of reach of children and pets.
- Use only the provided power adapter.
- Do not operate the dehumidifier if the power cord or plug is damaged.
- This appliance is designed for indoor use only.

## WARRANTY AND SUPPORT

---

For warranty information or technical support, please refer to the contact details provided in your product packaging or visit the official Hysure website. Keep your purchase receipt as proof of purchase for any warranty claims.

You can visit the Hysure Store for more information: [Hysure Official Store](#)