

[Manuals.plus](#) /

> [EQUIPMAXX](#) /

> EQUIPMAXX Long Reach 2-in-1 Electric Pole Hedge Trimmer & Chainsaw User Manual

EQUIPMAXX B09WSMSXLM

EQUIPMAXX Long Reach 2-in-1 Electric Pole Hedge Trimmer & Chainsaw

Model: B09WSMSXLM

IMPORTANT SAFETY INFORMATION

Always read and understand this manual before operating the tool. Failure to follow all instructions listed below may result in electric shock, fire, and/or serious personal injury.

General Safety Rules

- **Keep work area clean and well lit.** Cluttered or dark areas invite accidents.
- **Do not operate power tools in explosive atmospheres**, such as in the presence of flammable liquids, gases or dust. Power tools create sparks which may ignite the dust or fumes.
- **Keep children and bystanders away** while operating a power tool. Distractions can cause you to lose control.

Electrical Safety

- **Power tool plugs must match the outlet.** Never modify the plug in any way. Do not use any adapter plugs with earthed (grounded) power tools.
- **Avoid body contact with grounded surfaces** such as pipes, radiators, ranges and refrigerators. There is an increased risk of electric shock if your body is grounded.
- **Do not expose power tools to rain or wet conditions.** Water entering a power tool will increase the risk of electric shock.
- **Do not abuse the cord.** Never use the cord for carrying, pulling or unplugging the power tool. Keep cord away from heat, oil, sharp edges or moving parts. Damaged or entangled cords increase the risk of electric shock.

Personal Protective Equipment (PPE)

- Always wear **eye protection** (safety glasses or goggles) and **hearing protection** (earplugs or earmuffs) when operating the tool.
- Wear **heavy-duty gloves** to protect hands from cuts and abrasions.
- Wear **non-slip footwear** to ensure stable footing.
- A **hard hat** is recommended when cutting overhead branches.

PRODUCT OVERVIEW

The EQUIPMaxx 2-in-1 Electric Pole Tool is designed for versatile garden maintenance, allowing you to switch between a hedge trimmer and a chainsaw for various pruning and cutting tasks.

Components and Key Features



The complete EQUIPMaxx 2-in-1 Electric Pole Tool, showcasing the main pole unit, the hedge trimmer attachment, and the chainsaw attachment.

INSIDE THE BOX



Inside the Box: This image displays all components included with your purchase: the chainsaw head with cover, hedge trimmer head with cover, telescopic pole with integrated power cord, a hex key for adjustments, a weight harness belt, and the user manual.

- **Dual Functionality:** Easily switch between a 750W chainsaw head and a 500W hedge trimmer head.
- **Long Reach Telescopic Pole:** Extends up to 7 feet with the chainsaw and up to 8 feet with the hedge trimmer, allowing access to high branches and hedges.
- **Corded Electric:** Eliminates the need for battery charging, providing consistent power and uninterrupted use. Features a long 25-foot power cord for extensive reach.
- **Multi-angle Hedge Trimmer:** The hedge trimmer head features a 120° swivel adjustment with 5 locking positions (-30°, 0°, 30°, 60°, 90°) for optimal cutting angles.
- **Lightweight Design:** The chainsaw pole weighs 6 lbs 13 oz, and the hedge trimmer pole weighs 7 lbs 5 oz, designed for comfortable handling and reduced fatigue.
- **Automatic Chain Oil Feed:** The chainsaw features a 0.6 fluid ounce (90ml) tank for automatic chain lubrication. **Note: Chainsaw oil is NOT included and must be purchased separately.**
- **Tool-less Chain Tensioning:** The chainsaw chain tension can be adjusted easily without additional tools.

Product Features



- 1 Hedge trimmer head unit powered by 500W motor.
- 2 16 inch blade length with a maximum of 3/4 inch cutting width.
- 3 120° articulating head in 5 locking positions -30°/ 0°/ 30°/ 60°/ 90°
- 4 Long reach telescopic pole handle(Pruner max 7 feet/ hedge trimmer max 8 1/2 feet).
- 5 Chainsaw pruner head unit powered by 750W motor.
- 6 8" blade with chain which gives a maximum of 7 1/2" of cutting length.
- 7 Tool-less chain tensioning system for quick and easy adjustment on the go.
- 8 Automatic chain oil feed with a 0.6 fluid ounces tank capacity.

Detailed diagram illustrating the key features and components of the 2-in-1 tool.

SETUP

1. Unboxing and Initial Inspection

Carefully remove all components from the packaging. Inspect for any damage that may have occurred during shipping. Ensure all parts listed in the "Inside the Box" section are present.

2. Assembling the Telescopic Pole

1. Locate the telescopic pole unit.
2. To extend the pole, release the clamp located on the top section.
3. Pull the inner pole section outwards to the desired length.
4. Securely fasten the clamp to lock the pole in position.

The telescopic pole can be extended to reach higher areas, providing flexibility for various tasks.



The integrated 25-foot power cord offers ample reach, reducing the need for additional extension cords.

3. Attaching the Tool Head (Hedge Trimmer or Chainsaw)

1. Identify the male ridge on the top of the telescopic pole and the female receiver on the desired tool head (hedge trimmer or

chainsaw).

2. Align the ridge with the receiver and push the tool head firmly onto the pole until it clicks into place.
3. Securely fasten the clamp to lock the pole in position.

16" TRIMMING BLADE **3/4" CUTTING WIDTH**



The 16-inch trimming blade of the hedge trimmer attachment, designed for efficient hedge sculpting.



4. Filling Chainsaw Oil (Chainsaw Attachment Only)

Before first use and periodically during operation, ensure the chainsaw oil reservoir is filled. The chainsaw features a 0.6 fluid ounce (90ml) tank for automatic chain lubrication.

- **IMPORTANT: Chainsaw oil is NOT included with this product.** Purchase appropriate chainsaw bar and chain oil separately from a reputable retailer.
- Locate the oil cap on the chainsaw head.
- Unscrew the cap and carefully fill the reservoir with chainsaw oil.
- Replace the cap securely.



Diagram showing the 90ml tank for automatic chain oil feed and the quick chain adjustment mechanism on the chainsaw head.

5. Attaching the Weight Harness Belt

To reduce fatigue during extended use, attach the included weight harness belt.

1. Drape the harness over your shoulders.
2. Attach the clip of the harness to the designated attachment point on the telescopic pole.
3. Adjust the harness straps for a comfortable fit that evenly distributes the tool's weight.



The weight relief harness helps to reduce arm fatigue during prolonged operation.

OPERATING INSTRUCTIONS

General Operation

- Before plugging in, ensure the power switch is in the "OFF" position.
- Connect the 25-foot power cord to a suitable outdoor-rated extension cord, if necessary, and then to a grounded power outlet.
- To start the tool, press the safety lock button and then squeeze the trigger handle. Release the trigger to stop the tool.
- Always maintain a firm grip on the pole with both hands during operation.
- Keep the power cord clear of the cutting area and away from the blades/chain.



The safe grip trigger lock ensures accidental activation is prevented, enhancing user safety.

Hedge Trimmer Operation

1. **Adjusting the Articulating Head:** The hedge trimmer head can be adjusted up to 120° with 5 locking positions. To adjust, press the articulating head lock mechanism and rotate the head to the desired angle. Release the mechanism to lock.
2. **Trimming Technique:** Use a sweeping motion to cut hedges. For thick growth, make several passes, removing small amounts of material each time.
3. **Overhead Trimming:** Utilize the telescopic pole and articulating head to trim the tops and sides of tall hedges without a ladder.

120° ARTICULATING HEAD

5 LOCKING POSITIONS



The 120° articulating head allows for versatile cutting angles, making it easier to shape hedges.



**EASILY REACH AND
TRIM TALL HEDGES**

Easily reach and trim tall hedges with the extended pole and articulating head.

Chainsaw Operation

1. **Branch Size:** The 8-inch chain bar is ideal for cutting overhanging limbs and thin logs. Do not attempt to cut branches larger than the cutting length (approx. 7.5 inches).
2. **Cutting Technique:** Allow the saw to reach full speed before engaging the branch. Apply steady, even pressure. Avoid forcing the saw, as this can cause kickback or damage.
3. **Overhead Cutting:** When cutting overhead, ensure no one is standing directly below the branch. Be aware of falling debris.

EFFORTLESS CUTTING AND PRUNING



Effortless cutting and pruning of tree branches with the chainsaw attachment.

Your browser does not support the video tag.

Official product video demonstrating the assembly and operation of both the hedge trimmer and chainsaw attachments, including their use for trimming hedges and cutting tree branches.

MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your EQUIPMAXX tool.

- **Always unplug the tool from the power source before performing any maintenance.**
- **Blade/Chain Cleaning:** After each use, clean the hedge trimmer blades and chainsaw chain with a stiff brush to remove sap and debris. Apply a light coat of machine oil to prevent rust.
- **Chainsaw Oil Level:** Regularly check the chainsaw oil level and refill as needed. Ensure the automatic oil feed is functioning correctly by observing oil on the chain during operation.
- **Chain Tension Adjustment:** The chain tension of the chainsaw can be adjusted by a tension screw. Refer to the diagram in the "Setup" section for location. Proper tension is crucial for safe and efficient cutting. The chain should be snug but still able to be pulled freely around the bar by hand.

- **Blade Sharpening:** Dull hedge trimmer blades or chainsaw chains can reduce efficiency and increase strain on the motor. Sharpen or replace blades/chains as necessary. Consult a professional for sharpening if unsure.
- **General Cleaning:** Wipe down the main unit and attachments with a damp cloth. Do not use harsh chemicals or abrasive cleaners.
- **Storage:** Store the tool in a dry, secure location, out of reach of children. Ensure blades/chains are covered with their protective sheaths.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Tool does not start	No power supply; Safety lock not engaged correctly; Damaged cord.	Check power outlet and cord connection. Ensure safety lock is pressed before squeezing trigger. Inspect cord for damage; replace if necessary.
Chainsaw chain comes off frequently	Incorrect chain tension; Worn chain or bar.	Adjust chain tension (refer to Maintenance section). Inspect chain and bar for wear; replace if damaged or excessively worn.
Poor cutting performance (Hedge Trimmer)	Dull blades; Blades clogged with debris.	Clean blades thoroughly. Sharpen or replace blades.
Poor cutting performance (Chainsaw)	Dull chain; Insufficient chain oil; Incorrect chain tension.	Sharpen or replace chain. Check and refill chainsaw oil reservoir. Adjust chain tension.
Overheating	Overloading the tool; Blocked ventilation slots.	Reduce load on the tool (cut smaller sections). Clean ventilation slots to ensure proper airflow. Allow tool to cool down.

SPECIFICATIONS

Feature	Specification
Brand	EQUIPMAXX
Model Number	B09WSMSXLM
Power Source	Corded Electric
Hedge Trimmer Motor	500 Watts
Hedge Trimmer Blade Length	16 Inches
Hedge Trimmer Cutting Width	3/4 Inches (Max)
Hedge Trimmer Articulating Head	120° Swivel (5 locking positions)
Chainsaw Motor	750 Watts
Chainsaw Bar Length	8 Inches
Chainsaw Cutting Length	7 1/2 Inches (Max)
Chainsaw Oil Tank Capacity	0.6 Fluid Ounces (90ml)
Telescopic Pole Extension (Chainsaw)	Up to 7 Feet
Telescopic Pole Extension (Hedge Trimmer)	Up to 8 Feet
Power Cord Length	25 Feet

Feature	Specification
Chainsaw Pole Weight	6 lbs 13 oz
Hedge Trimmer Pole Weight	7 lbs 5 oz
Material	Plastic, Stainless Steel
Color	Multicolor
UPC	603051909324

WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the contact details provided in the original product packaging or visit the official EQUIPMAXX website. Keep your purchase receipt as proof of purchase for any warranty claims.

You can also visit the [EQUIPMAXX Store on Amazon](#) for more product information and support resources.

