

Camco 50007

Camco Eaz-Lift Large Side Wind Jack Foot Instruction Manual

Model: 50007

PRODUCT OVERVIEW

The Camco Eaz-Lift Large Side Wind Jack Foot is designed as an interchangeable or replacement component for your RV trailer jack. This foot enhances stability and support for your trailer when parked, distributing weight more effectively on various surfaces. Constructed from durable, zinc-plated steel, it offers a robust solution for trailer leveling and stabilization.

Key Features

- **Replacement Part:** An interchangeable or replacement foot for your trailer jack.
- **Provides Jack Support:** Jack foot helps support and stabilize your trailer jack to the ground when parked.
- **Lift Capacity:** Rated for a 5,000 lb. lift capacity.
- **Compatibility:** Works with jack tubes featuring a 2-inch inner diameter (ID). Suitable for use with 2,000 lb. to 5,000 lb. jacks.
- **Dimensions:** Measures 7 ¼-inches (L) x 3 ¾-inches (W) x 1 ¾-inches (H).
- **Includes:** One (1) trailer foot jack and one (1) clevis pin for secure attachment.
- **Durable Construction:** Manufactured from durable, zinc-plated steel for longevity and corrosion resistance.

COMPONENTS INCLUDED

The Camco Eaz-Lift Large Side Wind Jack Foot package includes the following items:

- One (1) Eaz-Lift Jack Foot
- One (1) Clevis Pin



Image: The Camco Eaz-Lift Jack Foot and its accompanying clevis pin.

SETUP AND INSTALLATION

Follow these steps to properly install your Camco Eaz-Lift Large Side Wind Jack Foot:

1. **Prepare the Jack:** Ensure your trailer jack is fully retracted and the trailer is securely supported by other means (e.g., wheel chocks, safety stands) to prevent accidental movement.
2. **Remove Existing Foot (if applicable):** If replacing an old jack foot, remove the existing clevis pin or retaining hardware and slide the old foot off the jack tube.
3. **Verify Compatibility:** Confirm that your trailer jack tube has a 2-inch inner diameter (ID) for proper fitment of the Eaz-Lift Jack Foot.
4. **Attach New Foot:** Slide the Camco Eaz-Lift Jack Foot onto the bottom of the trailer jack tube. Align the holes on the jack foot with the corresponding holes on the jack tube.
5. **Secure with Clevis Pin:** Insert the provided clevis pin through the aligned holes of the jack foot and the jack tube. Secure the clevis pin with its retaining clip to ensure it does not dislodge during use.
6. **Test Installation:** Slowly lower the trailer jack to ensure the new foot is securely attached and provides stable support.



Image: The Camco Eaz-Lift Jack Foot ready for installation.




Image: Top view of the jack foot, illustrating the tube receiver and pin hole.



Image: Close-up of the clevis pin, essential for securing the jack foot.

Installation Video Reference

For a visual guide on installing a heavy-duty trailer jack foot, please refer to the video below. While the specific product in the video may vary, the installation principles are similar.

Video: Demonstrates the installation and function of a heavy-duty trailer jack foot plate, showing how it attaches to a trailer jack and provides stable ground support.

OPERATING INSTRUCTIONS

The Camco Eaz-Lift Jack Foot is designed to simplify the process of stabilizing your trailer. Once installed, operate your trailer jack as usual. The large foot plate will provide a wider, more stable base on various terrains, reducing the risk of the jack sinking into soft ground or shifting.

- **Lowering the Jack:** Extend your trailer jack until the Eaz-Lift foot makes firm contact with the ground. Ensure the trailer is level and stable.
- **Raising the Jack:** Retract your trailer jack when preparing to move the trailer. The foot will lift with the jack.
- **Enhanced Stability:** The wide base of the foot helps prevent the jack from sinking into soft soil, asphalt, or other uneven surfaces, providing consistent support.



Image: Side profile of the jack foot, showing its robust design.



Image: Bottom view of the jack foot, displaying key product information.

MAINTENANCE

To ensure the longevity and optimal performance of your Camco Eaz-Lift Large Side Wind Jack Foot, consider the following maintenance tips:

- **Regular Inspection:** Periodically inspect the jack foot and clevis pin for any signs of wear, damage, or corrosion.
- **Cleaning:** Clean the jack foot as needed to remove dirt, mud, or debris that may accumulate during use. A simple wipe-down with a damp cloth is usually sufficient.
- **Lubrication:** While the zinc-plated steel offers corrosion resistance, applying a light coat of rust-inhibiting lubricant to the clevis pin and its insertion points can help maintain smooth operation and prevent seizing.
- **Storage:** When not in use for extended periods, store the jack foot in a clean, dry place to protect it from harsh elements.

PRODUCT SPECIFICATIONS

Attribute	Detail
Brand	Camco
Model Number	50007

Attribute	Detail
Item Weight	1.73 pounds
Package Dimensions	8.46 x 4.76 x 3.11 inches
Load Capacity	5,000 lbs
Compatibility	2-inch ID jack tubes (for 2,000 lb. to 5,000 lb. jacks)
Material	Zinc-plated steel
Color	Silver
UPC	014717500074

WARRANTY AND SUPPORT

For specific warranty information, product support, or to inquire about replacement parts, please contact Camco customer service directly. You can find more information and contact details on the official Camco website or through their Amazon store: [Camco Store on Amazon](#).