

Evenflo 54712427

# Evenflo Pivot Vizer Travel System User Manual

Model: 54712427 | Brand: Evenflo

## 1. INTRODUCTION

Thank you for choosing the Evenflo Pivot Vizer Travel System. This comprehensive manual provides detailed instructions for the safe and effective use of your new stroller and LiteMax Infant Car Seat. Designed for versatility and convenience, this travel system adapts to your child's growth, offering multiple modes of use and innovative features like the integrated privacy shade.

Please read all instructions carefully before assembly and use. Keep this manual for future reference.



*Image: The Evenflo Pivot Vizor Travel System, showcasing the stroller and the LiteMax Infant Car Seat.*

## 2. SAFETY INFORMATION

---

**WARNING: Failure to follow these warnings and instructions could result in serious injury or death.**

- Always secure your child with the harness system.
- Never leave your child unattended in the stroller or car seat.
- The Evenflo LiteMax Infant Car Seat is designed for infants weighing from **4 to 35 pounds**.
- The stroller is designed for a child up to **55 pounds**.
- Ensure the stroller is fully locked and stable before placing a child in it.
- Avoid placing heavy bags on the handle, as this can cause the stroller to tip.
- This product meets JPMA safety standards.

### 3. WHAT'S IN THE BOX

---

Your Evenflo Pivot Vizer Travel System package includes the following components:

- 1 Stroller Frame
- 1 Stroller Seat (convertible to carriage mode)
- 1 Evenflo LiteMax Infant Car Seat
- 1 Stay-in-Car Base for Infant Car Seat
- 1 Integrated Mesh Privacy Shade
- 1 Flex-Hold Cup Holder

### 4. SETUP AND ASSEMBLY

---

#### 4.1 Stroller Assembly

1. **Unfold the Stroller Frame:** Release the folding latch and lift the handle until the frame locks into place. Ensure all locking mechanisms are engaged.
2. **Attach Wheels:** Insert the front and rear wheels into their respective slots until they click securely.
3. **Attach Stroller Seat:** Align the stroller seat with the frame connectors and push down until it clicks into place. The seat can be attached facing forward or rearward.
4. **Attach Cup Holder:** Secure the flex-hold cup holder to the designated attachment point on the stroller handle.

#### 4.2 Infant Car Seat Base Installation

The LiteMax Infant Car Seat base can be installed using your vehicle's LATCH system or the vehicle's seat belt.

1. **LATCH Installation:** Locate your vehicle's lower anchor bars. Attach the LATCH connectors from the car seat base to the anchor bars. Press firmly on the base to remove slack from the LATCH straps until the base is secure and does not move more than one inch side-to-side or front-to-back at the belt path.
2. **Seat Belt Installation:** Route the vehicle's lap and shoulder belt through the designated belt path on the car seat base. Buckle the seat belt and remove all slack by pressing firmly on the base while tightening the belt. Ensure the base is secure and does not move more than one inch.

#### 4.3 Attaching the Privacy Shade

The unique mesh privacy shade is stored in a convenient bumper bar pouch and can be easily attached to either the toddler seat or infant car seat canopy.

1. **For Toddler Seat:** Unzip the top portion of the shade from the bumper bar pouch and attach it to the toddler seat canopy using the integrated zippers.
2. **For Infant Car Seat:** Pull the bottom portion of the shade from the pouch's zippered pocket and attach it to the infant car seat canopy using the integrated zippers. No tools are necessary for attachment.



## EASY PEASY ZIP & GO

The 2-part mesh privacy shade is easy to attach to the toddler seat or infant car seat — no tools necessary

*Image: Demonstrating the easy attachment of the privacy shade to the stroller canopy.*

## 5. OPERATING INSTRUCTIONS

---

### 5.1 Modes of Use

The Evenflo Pivot Vizion Travel System offers 6 versatile modes to accommodate your child's needs from infancy through toddlerhood:

1. **Infant Car Seat on Stroller (Parent-Facing):** Attach the LiteMax Infant Car Seat directly to the stroller frame, facing the parent.
2. **Infant Car Seat on Stroller (Forward-Facing):** Attach the LiteMax Infant Car Seat directly to the stroller frame, facing away from the parent.
3. **Carriage Mode (Parent-Facing):** The stroller seat converts into a flat carriage for newborns, facing the parent.
4. **Carriage Mode (Forward-Facing):** The stroller seat converts into a flat carriage for newborns, facing away



from the parent.

5. **Toddler Seat Mode (Parent-Facing):** The stroller seat in an upright position, facing the parent.

6. **Toddler Seat Mode (Forward-Facing):** The stroller seat in an upright position, facing away from the parent.



## MAKE CHANGES ON THE FLY

6 modes offer the ultimate in versatility, including toddler seat mode that easily transitions to carriage

*Image: Visual representation of the six versatile modes of the travel system.*

### 5.2 Stroller Features

- **Reversible Modular Frame:** Easily switch the direction of the stroller seat or car seat to have your child face you or the world.
- **Smooth Maneuverability:** Equipped with large cruiser tires, front-wheel swivel, and rear-wheel suspension for a comfortable ride and easy navigation.
- **Flip-Flop Friendly Brake:** A convenient foot-activated brake system keeps the stroller stationary when needed.
- **Oversized Peek-a-Boo Window:** Monitor your child without disturbing them through the canopy's clear window.
- **Oversized Storage Basket:** A large basket beneath the seat provides ample space for essentials.
- **Flex-Hold Cup Holder:** Securely holds beverages for the parent.

- **Rider Board Compatibility:** The stroller accepts the Evenflo Rider Board (sold separately) for an additional passenger.

# SWITCH IT UP



Reversible, modular frame allows you to face your child in or let your child look out in carriage mode

*Image: The stroller seat in reversible carriage mode, illustrating parent-facing and forward-facing options.*

## 5.3 Car Seat Usage

The Evenflo LiteMax Infant Car Seat seamlessly transitions from your car to the stroller frame, providing continuous comfort and safety for your infant.

- Ensure the car seat is securely clicked into the stroller frame before use.
- Always use the 5-point harness system to secure your infant in the car seat.
- When transferring the car seat from the vehicle to the stroller, ensure the car seat handle is in the correct position for carrying or stroller attachment as per the car seat manual.



## MOVE SEAMLESSLY FROM CAR TO STROLLER

Includes an Evenflo LiteMax Infant Car Seat for babies weighing from 4 to 35 lb, and a stay-in-car base

*Image: A parent pushing the stroller with the LiteMax Infant Car Seat attached, demonstrating the seamless transition from car to stroller.*

### 6. CARE AND MAINTENANCE

Proper care and maintenance will extend the life of your Evenflo Pivot Vizor Travel System.

- **Fabric Cleaning:** For minor spills and stains on cloth, vinyl, or plastic surfaces, clean with cold water and mild soap. Air dry.
- **Removable Seat Pads:** If your model has removable seat pads, machine wash them separately in cold water on a delicate cycle. DO NOT use chlorine bleach. Tumble dry for 10-15 minutes on low heat, then remove immediately. DO NOT iron or dry clean.
- **Metal and Plastic Parts:** Wipe clean with a soft damp cloth and dry with a soft cloth. DO NOT use abrasive cleaners.

## 7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Stroller does not fold/unfold easily.	Folding latch is stuck or frame is not aligned.	Ensure all components are clear of the folding mechanism. Apply gentle pressure and check for obstructions. Refer to assembly instructions for proper unfolding.
Car seat difficult to connect/disconnect from stroller.	Connectors are not aligned or debris is present.	Ensure the car seat is perfectly aligned with the stroller's attachment points. Press firmly until you hear a click. Check connectors for any debris and clean if necessary.
Wheels are not swiveling smoothly.	Debris in wheel mechanism or swivel lock engaged.	Clean any dirt or debris from the wheel axles and swivel mechanisms. Ensure the front wheel swivel locks are disengaged if you desire swivel functionality.
Brake is not engaging/disengaging properly.	Mechanism obstructed or worn.	Check for any obstructions around the brake pedal and wheel. If the issue persists, contact Evenflo customer support.

## 8. SPECIFICATIONS

Feature	Detail
Brand	Evenflo
Model Number	54712427
Color	Promenade Blue
Materials	Polyester, Ethylene Vinyl Acetate, Mesh, Metal (Frame)
Stroller Maximum Weight	55 Pounds
Car Seat Weight Capacity	4 to 35 Pounds (Rear-Facing)
Age Range (Description)	Infant
Included Components	1 Stroller, 1 Car Seat
Installation Type (Car Seat)	LATCH
Harness Type	5 Point
Item Weight	24.9 Pounds



Feature	Detail
Item Dimensions (L x W x H)	35"L x 27.25"W x 42.5"H
Folded Size (W x D x H)	27.25" W x 21.5" D x 28.8" H
Front Wheel Diameter	7 Inches
Back Wheel Diameter	9 Inches
Number of Cup Holders	1
Stroller Brake System	Yes

## 9. WARRANTY AND SUPPORT

### 9.1 Manufacturer's Warranty

The Evenflo Pivot Vizion Travel System comes with a **90-day limited warranty** from the manufacturer. Please retain your proof of purchase for warranty claims.


### 9.2 Customer Support

For further assistance, replacement parts, or to inquire about warranty service, please visit the official Evenflo website or contact their customer service department. Contact information can typically be found on the Evenflo website or on the product packaging.

**Evenflo Official Website:** [www.evenflo.com](http://www.evenflo.com)

© 2024 Evenflo. All rights reserved.

### Related Documents

<div><div><div><div><div><div></div></div></div><div><div><div><b>evenflo</b></div><div><b>Victory</b></div><div>Stroller/Travel System</div><div>Poussette / Système de déplacement</div><div>Carrinho/Sistema de viagem</div></div></div></div><div><div>Stroller: 16 to 32 lbs Up to 38 in</div><div>Pushchair: 16 to 32 lbs Up to 38 in</div><div>Carrier: 5 to 22 lbs Up to 31 in</div></div><div><div>Read all instructions before assembly and use of product. Read all instructions before use of product. Lisez les instructions avant l'assemblage et l'utilisation du produit. Lisez les instructions avant l'utilisation du produit. Lisez les instrucciones antes de usar el producto. Lisez les instrucciones antes de usar el producto.</div></div></div></div>	<p><a href="#">Evenflo Victory Stroller/Travel System User Manual</a></p> <p>Comprehensive user manual for the Evenflo Victory Stroller/Travel System, covering assembly, usage, safety warnings, care, and maintenance. Includes instructions for use with Evenflo LiteMax and SafeMax infant car seats.</p>
---	---



**STROLLER**  
Up to 55 lbs (25 kg)  
Up to 43 in (109 cm)

**CARRIOLA**  
Hasta 25 kg (55 lb)  
Hasta 109 cm (43 in)



Read all instructions before assembly and use of product.  
**KEEP INSTRUCTIONS FOR FUTURE USE.**  
 Lea todas las instrucciones antes de ensamblar y usar el producto.  
**GUARDE LAS INSTRUCCIONES PARA USO FUTURO.**

## Evenflo Pivot Xpand Stroller Travel System User Manual

Comprehensive user manual for the Evenflo Pivot Xpand Stroller/Travel System, covering assembly, dual modes (Toddler Seat and Carriage), safety guidelines, infant car seat compatibility, and maintenance. Learn to configure for single or double use.



Poussette / Système de  
Carrinho/Sistema de vóio



<b>Stretcher</b>	Up to 50 lbs (22.6 kg) Up to 38 in. (96 cm)
<b>Pneumatic</b>	Jump to 22.6 kg (50 lb) Jump to 96 cm (38 in.)
<b>Carriole</b>	Heads 22.6 kg (50 lb) Heads 96 cm (38 in.)

Read all instructions before assembly and use of product.  
**KEEP INSTRUCTIONS FOR FUTURE USE.**  
 Lire les instructions avant l'assemblage et l'utilisation du produit.  
**CONSERVER CES INSTRUCTIONS POUR RÉFÉRENCE FUTURE.**  
 Lea las instrucciones antes de armar y usar el producto.  
**GUARDE ESTAS INSTRUCCIONES PARA REFERENCIA FUTURA.**

## Evenflo Pivot Stroller/Travel System User Manual

Comprehensive guide for the Evenflo Pivot Stroller/Travel System, covering assembly, usage modes (carriage and toddler seat), safety warnings, and maintenance. Learn how to attach accessories like the canopy, bumper bar, child tray, and cupholder.



**CLIVET**



Read all instructions before assembly and use of this product. Keep instructions for future use.  
Lue les instructions avant de monter votre produit. Gardez-elles pour référence future.

## Evenflo SHYFT Modular Stroller/Travel System: User Manual

Comprehensive user manual for the Evenflo SHYFT Modular Stroller/Travel System, covering assembly, usage, care, and warranty information. Features include infant mode, toddler mode, and compatibility with Evenflo car seats.