



[Manuals.plus](#) /

> [HyFlex](#) /

> Ansell HyFlex 11-600 Industrial Gloves User Manual

HyFlex 11-600

Ansell HyFlex 11-600 Industrial Gloves User Manual

Model: 11-600 | Brand: HyFlex

INTRODUCTION

This manual provides essential information for the proper use, care, and maintenance of your Ansell HyFlex 11-600 industrial gloves. Please read these instructions carefully before using the product to ensure safety and optimal performance.

The HyFlex 11-600 gloves are designed for light-duty applications requiring high dexterity and tactile sensitivity, particularly in dry environments. They feature a polyurethane coating and a nylon liner, offering abrasion resistance and comfort.

PRODUCT FEATURES

- **Material:** Nylon liner with polyurethane palm coating.
- **Protection:** ANSI/EN-compliant abrasion resistance.
- **Dexterity:** High tactile sensitivity for intricate tasks.
- **Comfort:** Lightweight and maneuverable design with a knit-wrist cuff.
- **Applications:** Suitable for automotive industry, machinery and equipment, metal fabrication, warehousing, home improvement, and small engine repair.



Figure 1: Ansell HyFlex 11-600 gloves, packaged as three pairs.

SETUP AND SIZING

Proper glove sizing is crucial for comfort, dexterity, and protection. Refer to the sizing chart below to determine the correct glove size for your hand.

How to Measure Your Hand:

1. Use a tape measure.
2. Measure the circumference of your palm at its widest point, just below the knuckles, excluding the thumb.
3. Cross-reference this measurement with the chart to find your corresponding glove size.



Figure 2: Glove Sizing Chart and Measurement Guide.

Glove Sizing Chart

Hand Circumference (mm)	Hand Circumference (inches)	Size
137mm	5.5"	XXS (5)
152mm	6"	XS (6)
178mm	7"	S (7)
203mm	8"	M (8)
229mm	9"	L (9)
254mm	10"	XL (10)
279mm	11"	XXL (11)
295mm	11.5"	XXXL (12)

Note: This chart is intended to be used as a guide only.

OPERATING INSTRUCTIONS

Wearing the Gloves:

1. Ensure your hands are clean and dry before putting on the gloves.
2. Gently slide your hand into the glove, ensuring fingers are fully seated in each digit.
3. Adjust the knit-wrist cuff for a snug and comfortable fit.

Intended Use:

These gloves are suitable for tasks requiring precision and protection against minor abrasions in dry conditions. Examples include:

- Assembling small components.
- Handling delicate parts.
- Light maintenance work.
- Automotive assembly.

- Wiring and electrical work (non-live).



Figure 3: Gloves in use for precise assembly tasks.

Your browser does not support the video tag.

Video 1: Demonstration of HyFlex 11-600 gloves in various light-duty applications, highlighting their flexibility and tactile sensitivity. This video is provided by Ansell Pro.

MAINTENANCE AND CARE

Proper care extends the life of your gloves and maintains their protective qualities.

Cleaning:

- For light dirt, wipe the gloves with a damp cloth.
- For heavier soiling, hand wash in cold water with mild detergent.
- Do not use bleach or harsh chemicals, as these can degrade the glove material.
- Rinse thoroughly to remove all detergent residue.

Drying:

- Air dry away from direct heat or sunlight.
- Do not tumble dry.

Storage:

- Store gloves in a cool, dry place, away from direct sunlight and extreme temperatures.
- Keep away from sharp objects or chemicals that could damage the material.

TROUBLESHOOTING

- **Reduced Dexterity:** Ensure gloves are the correct size. Oversized gloves can reduce tactile sensitivity. Refer to the sizing chart in the "Setup and Sizing" section.
- **Premature Wear:** Verify that the gloves are being used for their intended light-duty applications. Using them for heavy-duty tasks or with abrasive materials beyond their rating can cause rapid wear.
- **Skin Irritation:** If irritation occurs, discontinue use. Ensure gloves are clean and dry before each use. If irritation persists, consult a medical professional.

SPECIFICATIONS

Glove Specifications

Feature	Detail
Model	HyFlex 11-600
Brand	HyFlex (Ansell)
Material	Nylon liner, Polyurethane palm coating
Color	White
Size (as reviewed)	Size 8 (Medium)
Special Feature	Latex Free

Feature	Detail
Protection Standard	ANSI/EN-compliant abrasion resistance
Length (Size 8)	8.19 inches
Palm Width (Size 8)	4.01 inches

WARRANTY AND SUPPORT

For information regarding product warranty, returns, or technical support, please refer to the official Ansell website or contact their customer service directly. Keep your purchase receipt as proof of purchase.

Manufacturer: Ansell

Brand Store: [Visit the HyFlex Store on Amazon](#)