

DOOGEE S98

DOOGEE S98 Rugged Smartphone User Manual

Your comprehensive guide to the DOOGEE S98.

1. INTRODUCTION

This manual provides essential information for operating your DOOGEE S98 rugged smartphone. Please read it carefully to ensure proper use and to maximize the device's features and longevity.



Figure 1.1: Front and rear view of the DOOGEE S98 Rugged Smartphone. The front features a display, while the rear showcases the camera module with a circular secondary display and rugged design elements.

2. DEVICE OVERVIEW

The DOOGEE S98 is a rugged smartphone designed for durability and performance. Key features include:

- **Processor:** MediaTek Helio G96 Octa-core chipset.
- **Memory & Storage:** 8GB RAM + 256GB ROM (expandable up to 512GB).
- **Operating System:** Android 12.
- **Display:** 6.3-inch FHD+ with Corning Gorilla Glass.
- **Cameras:** 64MP main camera, 20MP night vision camera (with 4 infrared lights), 8MP wide-angle camera.
- **Battery:** 6000mAh with 33W fast charging and 15W wireless charging.
- **Durability:** IP68/IP69K and MIL-STD-810G certified for water, dust, and shock resistance.
- **Connectivity:** Dual 4G SIM, NFC, OTG, GPS, Glonass, Beidou, Galileo.
- **Unique Feature:** Circular rear display for quick access to time, notifications, music control, and alarms.

3. SETUP

3.1. Inserting SIM Cards and SD Card

1. Locate the SIM card tray on the side of the device.
2. Use the provided SIM ejector tool to open the tray.
3. Carefully place your Nano-SIM cards and/or microSD card into the designated slots. Ensure the gold contacts face downwards.
4. Gently push the tray back into the device until it is flush.

3.2. Initial Power On and Setup Wizard

1. Press and hold the Power button (located on the side) until the DOOGEE logo appears.
2. Follow the on-screen instructions to complete the initial setup, including language selection, Wi-Fi connection, Google account login, and security settings.

4. OPERATING INSTRUCTIONS

4.1. Basic Navigation

- **Power Button:** Press to wake/sleep the screen. Press and hold to power off or restart.
- **Volume Buttons:** Adjust media volume, call volume, and notification volume.
- **Custom Button:** A programmable button for quick access to specific functions or apps. Configure this in Settings.
- **Fingerprint Sensor:** Integrated for secure unlocking. Register your fingerprints in Settings > Security.

4.2. Smart Rear Display

The circular rear display provides quick information and controls without needing to activate the main screen.

- **Time:** Displays current time.
- **Alarm:** Snooze or cancel active alarms.
- **Music Control:** Play, pause, skip tracks.
- **Incoming Call:** View caller ID and manage calls.
- **Notifications:** Receive alerts for messages and other app notifications.



Figure 4.1: Illustration of the smart rear display showing its various functions like time, alarm, music control, incoming call, and notifications.

4.3. Camera Operation

The DOOGEE S98 features a versatile camera system:

- **64MP Main Camera:** For high-resolution photos in various lighting conditions.
- **20MP Night Vision Camera:** Equipped with 4 infrared lights, allowing clear photography up to 20 meters in complete darkness. Activate this mode in the camera app.
- **8MP Wide-Angle Camera:** Capture broader scenes.

Outdoor Photography Standard

Seize the opportunity to freeze amazing moments with one of the best camera sets on rugged phones. The 3 rear camera setups are a 64MP main camera, 20MP night vision sensor, and an 8MP wide-angle camera.



20MP Night Vision Camera



64MP Pro-Grade Main Camera



Figure 4.2: Detailed view of the DOOGEE S98 camera module, highlighting the 64MP main camera, 20MP night vision camera, 8MP wide-angle camera, and infrared lights.



Figure 4.3: Examples of photos taken with the DOOGEE S98 camera, demonstrating both standard and night vision capabilities.

4.4. Connectivity

- **Dual 4G SIM:** Supports two 4G SIM cards simultaneously for flexible network usage.
- **NFC:** For contactless payments and quick pairing with other NFC-enabled devices.
- **OTG:** Connect USB peripherals like flash drives or keyboards.
- **GPS:** Integrated with GPS, Glonass, Beidou, and Galileo for accurate positioning.

5. BATTERY AND CHARGING

The DOOGEE S98 is equipped with a 6000mAh battery for extended usage.

- **Wired Charging:** Supports 33W fast charging. A 33W charger can replenish 55% of the battery in approximately 1 hour.
- **Wireless Charging:** Supports 15W wireless charging. Place the device on a compatible wireless charging pad.



Figure 5.1: Visual representation of the 6000mAh battery capacity and the 33W turbo charging feature of the DOOGEE S98.

6. DURABILITY AND PROTECTION

The DOOGEE S98 is built to withstand harsh environments, certified with IP68, IP69K, and MIL-STD-810G standards.

- **Waterproof:** Can withstand immersion in water up to 1.5 meters for 30 minutes. Features an underwater mode for photography.
- **Dustproof:** Fully protected against dust ingress.
- **Shockproof:** Designed to endure drops from a height of 1.5 meters.
- **Temperature Resistance:** Operates in extreme temperatures between 70°C (158°F) and -55°C (-67°F).



Figure 6.1: Image demonstrating the DOOGEE S98's waterproof, dustproof, and shockproof capabilities, showing the phone submerged in water and covered in sand.

7. SPECIFICATIONS

Feature	Detail
Model Name	DOOGEE S98
Operating System	Android 12.0
Processor	MediaTek Helio G96 Octa-core
RAM	8 GB
Internal Storage	256 GB
Expandable Storage	Up to 512GB (microSD)
Screen Size	6.3 Inches
Resolution	1080 x 2340 (FHD+)

Feature	Detail
Main Camera	64 MP
Night Vision Camera	20 MP (with 4 IR lights)
Front Camera	16 MP (Common for this model, inferred)
Battery Capacity	6000 mAh
Wired Charging	33W Fast Charging
Wireless Charging	15W
Durability Ratings	IP68, IP69K, MIL-STD-810G
Connectivity	4G LTE, Wi-Fi, Bluetooth, NFC, USB, OTG
Navigation	GPS, Glonass, Beidou, Galileo
Dimensions	8.19 x 7.6 x 1.85 inches (Package)
Weight	11.3 ounces (320 Grams)
Audio Jack	3.5 mm

8. MAINTENANCE AND CARE

- **Cleaning:** Use a soft, damp cloth to clean the device. Avoid harsh chemicals.
- **Water Exposure:** While waterproof, ensure all ports are securely closed before exposing the device to water. After water exposure, dry the device thoroughly, especially the charging port, before charging.
- **Temperature:** Avoid prolonged exposure to extreme heat or cold to prevent battery degradation and component damage.
- **Software Updates:** Regularly check for and install system updates to ensure optimal performance and security.

9. TROUBLESHOOTING

Problem	Possible Solution
Device not powering on	Ensure the battery is charged. Connect to a charger for at least 10 minutes, then try powering on.
Screen unresponsive	Perform a forced restart by holding the Power button for 10-15 seconds. If the issue persists, contact support.
Network connectivity issues	Check SIM card insertion. Toggle Airplane Mode on/off. Restart the device. Verify network settings.
Battery drains quickly	Close unused apps. Reduce screen brightness. Disable unnecessary features like GPS or Bluetooth when not in use. Check for background app activity.

Problem	Possible Solution
Night Vision Camera not working	Ensure you are in a sufficiently dark environment. Check camera app settings for night vision mode activation.

10. WARRANTY AND SUPPORT



The DOOGEE S98 comes with a 12-month US warranty. For any questions or issues regarding your device, please contact DOOGEE customer support. Ensure you confirm SIM compatibility with your carrier before purchase, as the device is not compatible with AT&T, Cricket, Verizon, Sprint, Boost Mobile, or other CDMA networks.

For further assistance, please refer to the official DOOGEE website or contact their customer service channels.


© 2024 DOOGEE. All rights reserved.


Related Documents - S98

	DOOGEE S61 / S61 PRO Rugged Industrial Smartphone - Technical Specifications Explore the detailed technical specifications of the DOOGEE S61 and S61 PRO rugged industrial smartphones. Learn about their Helio G35 processor, 6.0" IPS HD+ display, advanced camera systems (including SONY IMX350), 5180mAh battery, and robust IP68/IP69K/MIL-STD-810H durability.
	DOOGEE eSIM Functions Quick Guide Learn how to download, switch, delete, and top up eSIMs on your DOOGEE smartphone with this comprehensive quick guide. Covers step-by-step instructions and important cautions.
	DOOGEE S61 Series User Manual User manual for the DOOGEE S61 Series smartphone, providing essential information on setup, safety, and features.

	DOOGEE Shoot 1 Smartphone Overview and Specifications A comprehensive overview of the DOOGEE Shoot 1 smartphone, detailing its key specifications, camera features, connectivity options, dimensions, and package contents. Includes essential battery safety warnings.
	DOOGEE S40 Smartphone User Manual - Official Guide Explore the DOOGEE S40 smartphone with this comprehensive user manual. Learn about setup, features like call management, screen locking, battery details, and essential safety guidelines for your DOOGEE S40.
	DOOGEE S96 Pro User Manual - Features, Safety, and Specifications Comprehensive user manual for the DOOGEE S96 Pro smartphone, covering setup, device features, card installation, safety precautions, regulatory information, frequency bands, and technical specifications.

Documents - DOOGEE – S98

	[pdf] User Manual Guide S98 Pro U M User Guide for Doogee Smartphone Free Instruction Manual S98proseries english central manuals cell phone doogee S98pro Series manual ... lang: score:52 filesize: 2.31 M page_count: 12 document date: 2022-09-30
---	---




[pdf] Test Report

Measurement Report Kent Test Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98
Report No.: STR220325001007E FCC Test Report FCC ID: 2AX4Y**S98** Product: Smart
Phone Trade Mark: DOOGEE Model Number: **S98** Family Model: **S98Pro**, S89, S89Pro,
S61Pro, S61 Report No.: STR220325001007E Prepared for Shenzhen DOOGEE
Hengtong Technology CO.,LTD B,2F,Silicon Valley Power Digital Industrial Pa...
lang:en score:30 filesize: 1.06 M page_count: 19 document date: 2022-04-29



[pdf] Declaration of Conformity

Tom Zhang Learn More certification Service declaration s98 doogee cc u file 2409 service |||
Shenzhen DOOGEE Hengtong Technology CO.,LTD EU DECLARATION OF
CONFORMITY in accordance with Annex VI of Directive 2014/53/EU of the European
Parliament and of the Council 1. For the following Radio equipment: Smart Phone
Product name / Number s : Smart Phone/ **S98**, **S98Pro**, **S98Ultra** Tradename or Bran...
lang:en score:30 filesize: 607.01 K page_count: 2 document date: 2022-03-16



[pdf] Declaration of Conformity

Family models declaration letter junxie model Shenzhen DOOGEE Hengtong Technology CO LTD S98
Smart Phone 2AX4YS98 s98
Shenzhen DOOGEE Hengtong Technology CO.,LTD Family models declaration letter.
2022-05-05 We Company: ... ty, Guanlan Street,Longhua New District, Shenzhen,
Guangdong China Product: Smart Phone Model Name: **S98** Family Model: **S98Pro**, S89,
S89Pro, S61Pro, S61 All the model are the same circuit and RF module,...
lang:nl score:29 filesize: 95.91 K page_count: 1 document date: 2022-05-05




[\[pdf\]](#) Test Report

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT fly BLE Test Report Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001002E RADIO TEST REPORT FCC ID: 2AX4Y**S98** Product: Smart Phone Trade Mark: DOOGEE Model No.: **S98** Family Model: **S98**Pro, S89, S89Pro, S61Pro, S61 Report No.: STR220325001002E Issue Date: Apr 24, 2022 Prepared for Shenzhen DOOGEE Hengtong Technology CO.,LTD B,2F,Silicon Valley Po...

lang:tl **score:28** filesize: 4.15 M page_count: 64 document date: 2022-04-29




[\[pdf\]](#) Test Report

Measurement Report Kent Test 5G Wifi Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001004E FCC RADIO TEST REPORT FCC ID: 2AX4Y**S98** Product Smart Phone Trade Mark DOOGEE Model Name **S98** Family Model **S98**Pro, S89, S89Pro, S61Pro, S61 Report No. STR220325001004E Prepared for Shenzhen DOOGEE Hengtong Technology CO.,LTD B,2F,Silicon Valley Power Digital Industrial Par...

lang:en **score:28** filesize: 2 M page_count: 57 document date: 2022-04-29




[\[pdf\]](#) Test Report

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT fly Test report Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001001E RADIO TEST REPORT FCC ID: 2AX4Y**S98** Product: Smart Phone Trade Mark: DOOGEE Model No.: **S98** Family Model: **S98**Pro, S89, S89Pro, S61Pro, S61 Report No.: STR220325001001E Issue Date: Apr 24. 2022 Prepared for Shenzhen DOOGEE Hengtong Technology CO.,LTD B,2F,Silicon Valley Po...

lang:tl **score:28** filesize: 3.38 M page_count: 83 document date: 2022-05-05



[\[pdf\]](#) Test Report

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT fly WIFI Test Report Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001003E FCC RADIO TEST REPORT FCC ID: 2AX4Y**S98** Product: Smart Phone Trade Mark: DOOGEE Model No.: **S98** Family Model: **S98**Pro, S89, S89Pro, S61Pro, S61 Report No.: STR220325001003E Issue Date: Apr 24, 2022 Prepared for Shenzhen DOOGEE Hengtong Technology CO.,LTD B,2F,Silicon Valley...

lang:tl **score:28** filesize: 3.7 M page_count: 87 document date: 2022-05-05



[pdf] Test Report

ELECTROMAGNETIC EMISSIONS COMPLIANCE REPORT fly Test Report 2G and 3G Shenzhen
DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98
Report No.: STR220325001005E FCC RADIO TEST REPORT FCC ID: 2AX4Y**S98**
Product: Smart Phone Trade Mark: DOOGEE Model No.: **S98** Family Model: **S98Pro**,
S89, S89Pro, S61Pro, S61 Report No.: STR220325001005E Issue Date: Apr 24, 2022
Prepared for Shenzhen DOOGEE Hengtong Technology CO.,LTD B,2F,Silicon Valley...
lang:tl **score:27** filesize: 1.78 M page_count: 51 document date: 2022-04-29




[pdf] User Manual Guide

spring zhao User Manual Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98
S98 User Guide 1 Contents I. CAUTIONS ON MOBILE PHONE
USE..... 4 1.1
INTERFERENCE.....
lang:i-klingson **score:27** filesize: 784.39 K page_count: 32 document date: 2022-04-29



[DOOGEE Smart Phone Confidentiality Request - S98, S89, S61 Series FCC ID 2AX4YS98](#)

Official request for long-term confidentiality for DOOGEE Smart Phone models S98, S98Pro, S89, S89Pro, S61Pro, S61 (FCC ID: 2AX4YS98) from Shenzhen DOOGEE Hengtong Technology CO.,LTD to Eurofins Electrical and Electronic Testing NA, Inc.
lang:en **score:26** filesize: 116.52 K page_count: 1 document date: 2022-05-05



[pdf] Test Report

Randy He Test Report 4G Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98
Report No.: STR220325001006E FCC CFR47 PART 22H, 24E, 27 CERTIFICATION
TEST REPORT FCC ID: 2AX4Y**S98** Product Smart Phone Trade Mark DOOGEE Model
Number **S98** Family Model **S98Pro**, S89, S89Pro, S61Pro, S61 Report No.
STR220325001006E Prepared for Shenzhen DOOGEE Hengtong Technology CO.,LTD
B,2F,Silicon V...
lang:en **score:24** filesize: 2.92 M page_count: 71 document date: 2022-04-29

ID	Model DOOGEE S98 Rugged Phone	
		
	Vibrono (Orange / Wine Red / Classic Black)	
	Summary	
	Digital Rear Display Helio G96 / Octa Core / 2.1 GHz / 12nm 6.3" LCD FHD+ Waterdrop Screen AI Triple camera (64MP+20MP+8MP) SONY IMX350 20MP Night vision camera 6000mAh Large battery / Support 33W fast charging Samsung 16MP Front Camera 8GB RAM+256GB ROM / LPFS 2.2 IP68 / IP69K / MIL-STD-883C Side Fingerprint Recognition NFC / Supports Google Pay Corning Gorilla Glass Android 12.0	
	Basic Information	
	Model: S98 Battery: 6000mAh / 33W fast charging Operating system: Android 12.0 Memory: 8GB RAM+256GB ROM / LPFS 2.2 External Storage: TF Flash Card up to 512GB Charger Interface: Type-C port / 11V15A Charger	
	Processor & GPU	
	Helio G96 Octa Core 2.1GHz/12nm 2 x Cortex A76 2.1GHz + 6 x Cortex A55 2.0GHz ARM Mali-G57	
	Certification	

[\[pdf\]](#) Dimension Guide Safety Datasheet

kingsoft DOOGEE S98 Rugged Phone ID Summarize ·Digital Rear Display·Digital Display · Helio G96 Octa Core 2 1GHz 12nm 6 3 LCD FHD Waterdrop Screen AI Triple camera 64MP 20MP 8MPK1196561937pdt static globalsources IMAGES PDT SPEC 937 K1196561937 |||

Model DOOGEE **S98** Rugged Phone ID Summarize Digital Rear Display Helio G96 / Octa Core / 2.1GHz / 12nm 6.3 LCD FHD Waterdrop Screen AI Triple camera 64MP 20MP 8MP SONY IMX350 20MP Night vision camera 6000mAh Large battery / Support 33W fast charging Samsung 16MP Front Camera 8GB RAM 256G...
lang:en **score:24** filesize: 192.12 K page_count: 4 document date: 2023-01-05

Model	DOOGEE S98 Rugged Phone		
ID			
Infrared Drange / White Red / Classic Black			
Summary			
Digital Rear Display Helio G96 / Octa Core / 2.1 GHz / 12nm 6.3" LCD FHD+ Waterdrop Screen AI Triple camera (64MP+20MP+8MP) SONY IMX350 20MP Night vision camera 6000mAh Large battery / Support 33W fast charging Samsung 16MP Front Camera 8GB RAM+256GB ROM / LPFS 2.2 IP68 / IP69K / MIL-STD-883C Side Fingerprint Recognition NFC / Supports Google Pay Corning Gorilla Glass Android 12.0			
Basic Information			
Model: S98 Battery: 6000mAh / 33W fast charging Operating system: Android 12.0 Memory: 8GB RAM+256GB ROM / LPFS 2.2 External Storage: TF Flash Card up to 512GB Charger interface: Type-C port / 11V15A Charger			
Processor & GPU			
Helio G96 Octa Core 2.1GHz/12nm 2 x Cortex A76 2.1GHz + 6 x Cortex A55 2.0GHz ARM Mali-G57			
Certification			

[\[pdf\]](#) Dimension Guide Safety Datasheet


kingsoft DOOGEE S98 Rugged Phone ID Summarize Global Sources ·Digital Rear Display · Helio G96 Octa Core 2 1GHz 12nm 6 3 LCD FHD Waterdrop Screen AI Triple camera 64MP 20MP 8MP K1196561937 p globalsources IMAGES PDT SPEC 937 |||

Model DOOGEE **S98** Rugged Phone ID Summarize Digital Rear Display Helio G96 / Octa Core / 2.1GHz / 12nm 6.3 LCD FHD Waterdrop Screen AI Triple camera 64MP 20MP 8MP SONY IMX350 20MP Night vision camera 6000mAh Large battery / Support 33W fast charging Samsung 16MP Front Camera 8GB RAM 256G...
lang:en **score:24** filesize: 192.12 K page_count: 4 document date: 2023-01-05

Shenzhen DOOGEE Hengtong Technology CO.,LTD	
Short Term Confidentiality Request Letter	
(0022-05-05)	
Eurofins Electrical and Electronic Testing NA, Inc. 914 West Patapsco Avenue Baltimore, MD 21230	
RE: Short Term Confidentiality Request For Product: Smart Phone Model: S98, S98Pro, S89, S89Pro, S61Pro, S81 FCC ID: 3AAX4Y598	
To Whom It May Concern:	
In accordance with sections 0.457 and 0.458 of CFR 47, < SHENZHEN DOOGEE HENG TONG TECHNOLOGY CO.,LTD >, requests short-term Confidentiality of following sections of the application for a period of 180 days after grant is issued.	
Test setup photos External photos Internal photos User's manual	
These documents contain detailed system and equipment descriptions and related information about the product, which < SHENZHEN DOOGEE HENG TONG TECHNOLOGY CO.,LTD > considers to be proprietary, confidential, and a custom design and otherwise would not release to the general public. Since this design is a basis from which future technological products will evolve, < SHENZHEN DOOGEE HENG TONG TECHNOLOGY CO.,LTD > feels that this information would be of interest to its competitors, and that the disclosure of this information in these documents would give our competitors an unfair advantage in the market.	
Please contact me if there is any information you may need.	
Sincerely,	
	
Huihui Wu / Manager	
Date/City: 2022-05-05 / Shenzhen Phone: 0755-27830209 Fax: 0755-27830209 E-mail: huihui_wu@doogee.com	

[\[pdf\]](#) Confidentiality Request Letter

ntek205 short term letter Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98
Shenzhen DOOGEE Hengtong Technology CO.,LTD Short Term Confidentiality Request Letter 2022-05-05 Eurofins Electrical and Electronic Testing NA, Inc. 914 West Patapsco Avenue Baltimore, MD 21230 RE: Short Term Confidentiality Request For Product: Smart Phone Model:**S98**, **S98Pro**, S89, S89Pro, S61Pro, ...
lang:en **score:22** filesize: 94.41 K page_count: 1 document date: 2022-05-05



[pdf] SAR Rating

Measurement Report Kent SAR Test Part 1 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Page 1 of 248 Report No.: STR220325001009E FCC SAR EVALUATION REPORT In accordance with the requirements of FCC 47 CFR Part 2.2.1093 , ANSI/IEEE C95.1-1992 and IEEE Std 1528-2013 Product Name Smart Phone Brand Name DOOGEE Model Name **S98** Family Model **S98Pro**, S89, S89Pro, S61Pro, S61 Report No. STR2... lang:en score:22 filesize: 5.07 M page_count: 160 document date: 2022-05-05



[pdf] Agent Authorization

FCC Form 731 Federal Communications Commission Fcc Application For Equipment Authorization DB Agent

Letter Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Shenzhen DOOGEE Hengtong Technology CO.,LTD Agent Authorization Letter 2022-05-05 Eurofins Electrical and Electronic Testing NA, Inc. 914 West Patapsco Avenue Baltimore, MD 21230 RE: LETTER OF AGENT AUTHORIZATION To Whom It May Concern: We, the undersigned, hereby authorize Shenzhen NTEK Testing T...

lang:en score:19 filesize: 97.82 K page_count: 1 document date: 2022-05-05



[pdf]

ZN135 S98 20220308 ai Pobierz Smartfon DOOGEE 8 256GB 6 30 Czarny sklep internetowy Avans pl instrukcja obsługi smartfon avans products files 38 3878102 |||

04 05 06 17 03 16 18 07 15 19 02 08 14 01 09 10 13 12 11 01: Funo de tecla personalizada 02: Carto SIM/TF 03: Cmera frontal 04: Luz ambiente/ sensor de proximidade 05: Receptor 06: Luz indicadora 07: Volume 08: Volume 09: Chave Liga/Desliga 10: Impresso digital 59 11: Alto-falante...

lang:pl score:19 filesize: 22.5 M page_count: 7 document date: 2022-03-08


Model	DOOGEE S98Pro Rugged Phone
	
Summary	Thermal imaging camera Helio G96 / Octa Core / 2.1 GHz / 12nm 6.3 LCD FHD+ Waterdrop Screen AI Double camera (48MP+20MP) SONY IMX350 20MP Night vision camera 6000mAh Large battery / Support 33W fast charging Samsung 16MP Front Camera 8GB RAM+256GB ROM / LPFS 2.2 IP68 / IP69K / MIL-STD-883C Side Fingerprint Recognition NFC / Supports Google Pay Corning Gorilla Glass Android 12.0
Basic Information	Model: S98 Pro Battery: 6000mAh / 33W fast charging Operating system: Android 12.0 Memory: 8GB RAM+256GB ROM / LPFS 2.2 External Storage: TF Card up to 512GB Charger Interface: Type-C port / 11V15A Charger
Processor & GPU	Helio G96 / Octa Core / 2.1GHz / 12nm 2 x Cortex A78 2.1GHz + 6 x Cortex A55 2.0GHz Mali-G57 up to 900MHz
Certification	

[\[pdf\]](#) Dimension Guide Safety Datasheet

kingsoft DOOGEE S98Pro Rugged Phone ID Summarize · Thermal imaging·Thermal imaging camera · Helio G96 Octa Core 2 1GHz 12nm 6 3 LCD FHD Waterdrop Screen AI Double 48MP 20MPK1196561958p
globalsources IMAGES PDT SPEC 958 K1196561958 |||

Model DOOGEE **S98Pro** Rugged Phone ID Summarize Thermal imaging camera Helio G96 / Octa Core / 2.1GHz / 12nm 6.3 LCD FHD Waterdrop Screen AI Double camera 48MP 20MP SONY IMX350 20MP Night vision camera 6000mAh Large battery / Support 33W fast charging Samsung 16MP Front Camera 8GB RAM 256...

lang:en **score:18** filesize: 218.21 K page_count: 4 document date: 2023-01-05



[Consumer Cellular Network Supported Devices List](#)

This document provides a comprehensive list of mobile phones and devices tested and approved for use on the Consumer Cellular network. It includes instructions on how to identify your device's model number for compatibility verification and important notes regarding software updates and device purchases.

lang:en **score:17** filesize: 4.26 M page_count: 128 document date: 2022-11-03

[\[pdf\]](#) Specifications

Untitled D9406650119582 s globalsources IMAGES SPL 582 |||

DOOGEE Tablet T20 FAC HNK:ew310MUoSDdel MOQ=1000PCS Specifications CPU: Spreadtrum T616 Octa Core ... of Level: IP68 / IP69K / MIL-STD-810H Tricolour breathing light 5W Reverse wireless charge DOOGEE **S98 PRO** Dimension: 172mm*82mm*15.5mm Weight: 320g Color: Classic Black Operation System: Android12.0...

lang:en **score:17** filesize: 9.26 M page_count: 39 document date: 2022-12-07





[pdf]

ZN135 S98 20220308 ai 01 Função de tecla personalizada 02 Cartão SIM TF 03 Câmera frontal 04 Luz ambiente sensor proximidade 05 ReceptorFunção Media Expert59 Shenzhen DOOGEE Hengtong Technology CO LTD niniejszym oświadczam że ten v1v1mediaexpert pl products files 38 3878102 instrukcja obsługi smartfon S98mediaexpert |||

04 05 06 17 03 16 18 07 15 19 02 08 14 01 09 10 13 12 11 01: Funo de tecla personalizada 02: Carto SIM/TF 03: Cmera frontal 04: Luz ambiente/ sensor de proximidade 05: Receptor 06: Luz indicadora 07: Volume 08: Volume 09: Chave Liga/Desliga 10: Impresso digital 59 11: Alto-falante...

lang:pl score:16 filesize: 22.5 M page_count: 7 document date: 2022-03-08




[pdf] Installation Guide Instructions

ZN135 S98 20220308 traffic laws and regulations To avoid being struck by lightning do not use your phone outdoors during thunderstorms Do to make calls D10C8 tONTLm media amazon images I D10C8 tONTL ref dp product quick view |||

S98 Contents English 03 Franais 10 Deutsche 17 Italiano 24 Espaol 31 38 Portugus 45 52 Polskie 59 cestina 66 Nederlands 73 80 88 01 02 04 05 06 17 03 16 18 07 15 19 02 08 14 01 09 10 13 12 11 01: Custom Key Function 02: SIM/TF Card 03: Front camer...

lang:en score:16 filesize: 8.68 M page_count: 101 document date: 2023-08-19




[pdf] Accessories Test Report

Measurement Report Kent E ETSI EN 301 489 1 V2 2 3 2019 11 Sunsky The following support units or accessories were used to form a representative test configuration during the tests Item Equipment Model Type No Series MPH9065 EMC upload sunsky online res certificate |||

EMC TEST REPORT E ETSI EN 301 489-1 V2.2.3 2019-11 ETSI EN 301 489-3 V2.1.1 2019-03 ETSI EN 301 ... IEC 61000-3-2:2019 EN 61000-3-3:2013 A1:2019 Product : Smart Phone Trade Mark : DOOGEE Model Name : **S98** Family Model : **S98Pro**, **S98Ultra** Report No. : STR220112001013E Prepared for Shenzhen DOOGEE Hengt...

lang:en score:15 filesize: 4.15 M page_count: 74 document date: 2022-03-16




[pdf] User Manual Test Report

Microsoft Word STS220112001001E DG 4G S98 CE NB ntek100 TEST REPORT Sunsky Jan 4 2015 · The user manual shall then have the following or similar information in Norwegian and Swedish language respectively depending on what MPH9065 1 upload sunsky online res certificate |||

TEST REPORT Report No. STS220112001001E Product Smart Phone Model No. **S98**, **S98Pro**, **S98Ultra** Applicant Shenzhen DOOGEE Hengtong Technology CO.,LTD Address B, 2/F, Building A4, Silicon Valley Power Digital Industrial Park, No. 22, Dafu Industrial Zone, Guanlan Aobei Community, Guanlan Street, Longhua ...

lang:en score:15 filesize: 4.36 M page_count: 63 document date: 2022-03-16




[pdf]

TapTon Lista de Devices 1656444944988 aparelhos static helpjuice production upload image 9862 direct |||

Marca Acer Alcatel Ananda Asus Asus Asus Asus Asus Asus Asus Asus Asus Asus ... One Hyper Motorola One Vision Motorola One Vision Plus Motorola One Zoom Motorola Razr 2019 Newsmy **S98** Nokia 3 TA-1020 Nokia 3 TA-1032 Nokia Nokia Nokia Nokia Nokia Nokia Nokia Nokia Nokia No...

lang:tl score:15 filesize: 59.18 K page_count: 15 document date: 0000-00-00





[\[pdf\]](#) Label

ntek138 label Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

...

lang:tl **score:13** filesize: 254.45 K page_count: 1 document date: 2022-04-29




[\[pdf\]](#) Product Photos

ntek202 Test setup photo Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98

Radiated Measurement Photos Conducted Measurement Photos ...

lang:tl **score:13** filesize: 304.54 K page_count: 2 document date: 2022-04-29



[\[pdf\]](#) Product Photos

ntek138 Test Setup Photos Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98

Radiated Measurement Photos AC Conducted Measurement Photos ...

lang:tl score:13 filesize: 320.32 K page_count: 2 document date: 2022-04-29


[illegible]

[\[pdf\]](#) Test Report

WCB Test Report Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98


Report No.: STR220325001004E 5.2G: Duty Cycle Condition Mode Frequency MHz Duty
Cycle Correction Factor dB NVNT 802.11a 5180 98.19 0.08 NVNT 802.11a 5200 98.16
0.08 NVNT 802.11a 5240 98.18 0.08 NVNT 802.11ac20 5180 98.05 0.09 NVNT
802.11ac20 5200 98.07 0.08 NVN...

lang:es score:13 filesize: 5.31 M page_count: 55 document date: 2022-05-05




[pdf] Test Report

WCB Test Report Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98
Report No.: STR220325001004E Maximum Conducted Output Power Condition Mode
NVNT NVNT NVNT NVNT NVNT NVNT NVNT NVNT NVNT NVNT NVNT NVNT NVNT
NVNT 802.11a 802.11a 802.11a 802.11ac20 802.11ac20 802.11ac20 802.11ac40
802.11ac40 802.11ac80 802.11n HT20 802.11n HT20 802.11n HT20 802.11n HT40
802....
lang:en score:13 filesize: 4.6 M page_count: 47 document date: 2022-05-05




[pdf]

Pobierz Smartfon DOOGEE S98 Pro 8 256GB 6 3 Czarny sklep internetowy Avans pl instrukcja obsługi s98
avans products files 40 4088226 |||
...
lang:en score:13 filesize: 1.39 M page_count: 5 document date: 2022-09-02




[pdf] Product Photos

ntek138 Test Setup photos NII Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98
Radiated Measurement Photos 30MHz-1GHz 1GHz-18GHz 18GHz-40GHz AC
Conducted Measurement Photos ...
lang:en score:13 filesize: 411.56 K page_count: 2 document date: 2022-04-29



[pdf] Product Photos

ntek202 Test Setup Photos DTS Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98
Radiated Measurement Photos Conducted Measurement Photos ...
lang:en score:13 filesize: 304.54 K page_count: 2 document date: 2022-04-29



[pdf] Product Photos

ntek138 Test Setup Photos PCE Shenzhen DOOGEE Hengtong Technology CO LTD S98 2AX4YS98 s98
RADIATED SPURIOUS EMISSION ...
lang:en score:13 filesize: 229.55 K page_count: 1 document date: 2022-04-29

Regulamin promocji:
„UCHWYT SELFIE XLINE BSF306K 50% taniej
przy zakupie smartfona objętego promocją”

§1 POSTANOWIENIA OGÓLNE

1. Organizatorem Promocji pod nazwą: „UCHWYT SELFIE XLINE BSF306K 50% taniej przy zakupie smartfona objętego promocją” jest TEGIS S.A. z siedzibą w Żolibżu przy ul. 24 Dzierżym 10, 77-430 Dłonie, wpisana do rejestru przedsiębiorców Krajowego Rejestru Sądowego prowadzonego przez Sąd Rejonowy Poznań – Nowe Miasto i Wilda w Poznaniu, X Wydział Gospodarczy Krajowego Rejestru Sądowego pod numerem KRS 0000417503, NIP 767100416, REGON 576217011, nr KRS: 000133672 (dalej „Organizator”), którego w niniejszym Regulaminie określa się jako Organizatora, rozumieć się będzie jako osoba odpowiedzialna z Grupy Media Expert, których lista dostępna jest na stronie <https://www.mediaexpert.pl/a/424-rabat-na-uchwyty-50pro> (dalej „Strona Promocji”) oraz w Sklepie internetowym.

2. Promocja prowadzona jest w sklepach internetowych marki Media Expert (dalej „Sklepy internetowe”) oraz w sklepie internetowym prowadzonym przez Organizatora (dalej „Sklep internetowy”).

3. Promocja organizowana jest w oparciu o niniejszy regulamin (dalej „Regulamin”), który dostępny jest na stronie internetowej Promocji dostępnej pod adresem: <https://www.mediaexpert.pl/a/424-rabat-na-uchwyty-50pro> (dalej „Strona Promocji”) oraz w Sklepie internetowym.

4. Promocja obowiązuje w okresie:

a. w Sklepie internetowym od dnia 09.09.2025 r. godz. 15:00 do 04.10.2025 r. lub do wyczerpania puli produktów biorących udział w promocji (jeżeli wcześniej, które z tych zdarzeń nastąpi wcześniej);

oraz

b. w Sklepie internetowym od dnia 09.09.2025 r. godz. 15:00 do 04.10.2025 r. lub do wyczerpania puli produktów biorących udział w promocji (jeżeli wcześniej, które z tych zdarzeń nastąpi wcześniej).

(dalej łącznie: „Okres trwania Promocji”), z tym zastrzeżeniem, że sklep może zostać zakończony lub zawieszony tylko w jednym z kanałów sprzedaży.

§2 DEFINICJE

1. Uczestnik Promocji:


a. pełnoletnia osoba fizyczna, posiadająca pełną zdolność do czynności prawnych, mająca miejsce zamieszkania na terytorium Polski, będąca Konsumentem w rozumieniu art. 22 Kodeksu cywilnego (za konsumenta uważa się osobę fizyczną dokonującą z przewidywaną czynnością prawną niezawaranej bezpośrednio z jej działalnością gospodarczą lub zawodową);

b. Prowadzący indywidualnie i ostatecznie wybór funkcji zawierający umowę zawierającą bezpośrednio z prowadzoną przez nią działalnością gospodarczą, jeżeli z treści tej umowy wynika, że nie posiada ona dla niej charakteru zawodowego, wynikającego w szczególności z przedmiotu wykonywanej przez nią działalności gospodarczej, ujętego poniżej na podstawie

[Regulamin Promocji: 50% taniej na Uchwyt Selfie XLINE BSF306K przy zakupie smartfona](#)


Poznaj szczegóły promocji Media Expert: 50% rabatu na uchwyt selfie XLINE BSF306K przy zakupie wybranego smartfona. Sprawdź okres obowiązywania i warunki.

lang:pl score:13 filesize: 1.02 M page_count: 66 document date: 2025-09-09




[\[pdf\]](#) Test Report

WCB Test Report 2G Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98
Report No.: STR220325001005E 13 Conducted output power Band Channel Frequency
MHz Power dBm Verdict EGPRS1900 1 Slot 512 1850.2 25.67 PASS EGPRS1900 1 Slot
661 1880 25.22 PASS EGPRS1900 1 Slot 810 1909.8 25.72 PASS EGPRS1900 2 Slot
512 1850.2 24.72 PASS EGPRS1900 2 Slot 661 ...
lang:en score:13 filesize: 2.93 M page_count: 41 document date: 2022-04-29



[\[pdf\]](#) Test Report

WCB Test Report 3G Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98
Report No.: STR220325001005E 01 Conducted output power Band Channel Frequency
MHz Power dBm Verdict WCDMA Band2 9262 1852.4 22.48 PASS WCDMA Band2
9400 1880 22.16 PASS WCDMA Band2 9538 1907.6 22.22 PASS WCDMA Band4 1312
1712.4 22.54 PASS WCDMA Band4 1413 1732.6 22.36 PASS ...
lang:en score:13 filesize: 2.43 M page_count: 37 document date: 2022-04-29




[\[pdf\]](#) Test Report

WCB Test Report 4G 1 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98
s98

Report No.: STR220325001006E 01 Conducted output power Band Bandwidth MHz UL
Channel RB Size RB Position Modulation Power dBm Verdict Band12 1.4 23017 1 #0
QPSK 23.48 PASS Band12 1.4 23017 1 #Mid QPSK 23.68 PASS Band12 1.4 23017 1
#Max QPSK 23.69 PASS Band12 1.4 2301...

lang:so score:13 filesize: 5.66 M page_count: 95 document date: 2022-05-05



[\[pdf\]](#) Test Report

WCB Test Report 4G 6 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001006E Band4 QPSK BW=20MHz Channel=20050 RB Size=100 Position=#0 Band4 QAM16 BW=20MHz Channel=20050 RB Size=1 Position=#0 Report No.: STR220325001006E Band4 QAM16 BW=20MHz Channel=20050 RB Size=100 Position=#0 Band4 QPSK BW=20MHz Channel=20175 RB Size=1 Position=#0 Report N...

lang:it score:13 filesize: 3.53 M page_count: 50 document date: 2022-05-05




[\[pdf\]](#) Test Report

WCB Test Report 4G 4 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001006E Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#0 Band66 QAM16 BW=5MHz Channel=132647 RB Size=1 Position=#Max Report No.: STR220325001006E Band66 QAM16 BW=5MHz Channel=132647 RB Size=25 Position=#0 Band66 QPSK BW=10MHz Channel=132022 RB Size=1 Position=#0 Rep...

lang:it score:13 filesize: 4.82 M page_count: 75 document date: 2022-05-05




[\[pdf\]](#) Test Report

WCB Test Report 4G 2 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001006E Band7 QPSK BW=10MHz Channel=21100 RB Size=50 Position=#0 Band7 QAM16 BW=10MHz Channel=21100 RB Size=50 Position=#0 Report No.: STR220325001006E Band7 QPSK BW=15MHz Channel=21100 RB Size=75 Position=#0 Band7 QPSK BW=20MHz Channel=21100 RB Size=100 Position=#0 Report N...

lang:fr score:13 filesize: 5.51 M page_count: 85 document date: 2022-05-05




[\[pdf\]](#) Test Report

WCB Test Report 4G 5 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001006E Band12 QPSK BW=10MHz Channel=23130 RB Size=50 Position=#0 Band12 QAM16 BW=10MHz Channel=23130 RB Size=1 Position=#0 Report No.: STR220325001006E Band12 QAM16 BW=10MHz Channel=23130 RB Size=50 Position=#0 Band17 QPSK BW=5MHz Channel=23755 RB Size=1 Position=#0 Report ...

lang:it score:13 filesize: 5.62 M page_count: 80 document date: 2022-05-05




[\[pdf\]](#) Test Report

WCB Test Report 4G 3 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001006E Band4 QPSK BW=1.4MHz Channel=19957 RB Size=6 Position=#0 Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=1 Position=#Max Report No.: STR220325001006E Band4 QAM16 BW=1.4MHz Channel=19957 RB Size=6 Position=#0 Band4 QPSK BW=1.4MHz Channel=20393 RB Size=1 Position=#0 Report...

lang:it score:13 filesize: 5.39 M page_count: 75 document date: 2022-05-05



[\[pdf\]](#) Test Report

WCB Test Report 4G 7 Shenzhen DOOGEE Hengtong Technology CO LTD S98 Smart Phone 2AX4YS98 s98

Report No.: STR220325001006E Band66 QPSK BW=10MHz Channel=132322 RB Size=50 Position=#0 Band66 QAM16 BW=10MHz Channel=132322 RB Size=1 Position=#0 Report No.: STR220325001006E Band66 QAM16 BW=10MHz Channel=132322 RB Size=50 Position=#0 Band66 QPSK BW=10MHz Channel=132622 RB Size=50 Position=#0 R...

lang:it score:13 filesize: 2.82 M page_count: 40 document date: 2022-05-05

Thanks for choosing DOOGEE products

lang:it score:13 filesize: 2.49 M page_count: 12 document date: 2022-09-30

7 VALIDATION MEASUREMENT

2.1 MEASUREMENT CONDITION

5.2. HEAD-TO-TOE MEASUREMENT


1

2(b) Document shall not be reproduced, copied, sold or in part, without the written approval of NTC. The information contained herein is to be used only for the purpose for which it is submitted and is not to be released in whole or part without written approval of NTC.

lang:en score:13 filesize: 2.53 M page_count: 33 document date: 2022-05-05



lang:en score:13 filesize: 924.91 K page_count: 5 document date: 2022-04-29



[\[pdf\]](#) Product Photos Teardown

ATTACHMENT PHOTOGRAPHS OF EUT Internal Photos Shenzhen DOOGEE Hengtong Technology CO
LTD S98 2AX4YS98 s98

ATTACHMENT PHOTOGRAPHS OF EUT Photo 1 Photo 2 Photo 3 Photo 4 Photo 5
Photo 6 Photo 7 Photo 8 Photo 9 Photo 10 Photo 11 Photo 12 Photo 13 Photo 14 Photo
15 Photo 16 Photo 17 Photo 18 Photo 19 LTE AUX ANT Photo 20 WIFI/BT ANT Photo
21 GSM/WCDMA/LTE Main ANT Photo 22 NFC ANT P...

lang:en score:13 filesize: 2.85 M page_count: 12 document date: 2022-04-29

VODIAC Supported Devices		
Minimum version of Android: Android 10 or above / 32-bit CPU or faster / 2GB Memory or more		
Minimum version of iOS: iPhone 8 with iOS 11 or above		
Manufacturer	Model Name	Model Code
ASUS	ASUS_Note_5	ASUS_Note_5
AT	AT_Roku_12	PTX120
ACE (datab)	BUZZ 3 Plus	BUZZ_3_Plus
ACE (datab)	USBAN 3	USBAN_3
ADCO	ADCO	ADCO
Advan-digital	G5	ADVAN_G5
Advan-digital	G5 Plus	ADVAN_G5_Plus
Advan-digital	G9	ADVAN_G9
Advan-digital	G9	ADVAN_G9
AGM Metals	AGM_Glory-G1	AGM_Glory_G1
AGM Metals	AGM-H3	AGM_H3
AGM Metals	AGM-H15	AGM_H15
Airpeak	Habitat	Habitat
Airpeak	Habitat Pro	Habitat_Pro
Aligator	ALIGATOR X8000	ALIGATOR_X8000
Altitude	Altig_30	T100
Altitude	Altig_20P	T102P
Altitude	T102P	T102PM
Altitude	X8 Pro	X8_Soul_Style
Altitude	X8 Soul Style	X8_Soul_Style
Altice	ES4	ES4
Altice	ALICE S43	S43
Apple	iPhone 8	iPhone8
Apple	iPhone 8 Plus	iPhone8,1
Apple	iPhone X	iPhone1,1
Apple	iPhone Xs	iPhone2,1
Apple	iPhone Xs Max	iPhone3,1
Apple	iPhone 11	iPhone4,1
Apple	iPhone 11 Pro	iPhone5,1
Apple	iPhone 11 Pro Max	iPhone6,1
Apple	iPhone SE (2020)	iPhone7,1
Apple	iPhone 12	iPhone8,1
Apple	iPhone 12 mini	iPhone9,1
Apple	iPhone 12 Pro	iPhone10,1
Apple	iPhone 12 Pro Max	iPhone11,1
Archos	101 5G	ac7575g
Artel	Artel Air	Artel_Air
Artel	Artel Gaudio	Artel_Gaudio
Artel	Artel Gaudio Pro	Artel_Gaudio_Pro
Artel	Artel T10	Artel_T10
Artel	Artel Trida	Artel_Trida
Ascom	Ascom Mico 3	ASBA
Ascom	Ascom Mico 3	ASBA
Ascom	Ascom Mico 3	ACBA
Ascom	Ascom Mico 3	ACBA
Ascom	Mico3 25 Lite (25670K)	ASUS_25_Lite
Aus	80G Phone II	ASUS_D001
Aus	ZenFone 7 7 Pro (25670K)	ASUS_D000
Aus	80G Phone 3	ASUS_D003
Aus	ZenFone 7 7 Pro (25670K)	ASUS_D000
Aus	80G Phone 5	ASUS_D005
Aus	ZenFone 8 (ASUS 82	ASUS_D000
Aus	Smartphone for Snapdragon	ASUS_D007
Aus	ZenFone 8 (25680K) (WW) (A2	ASUS_D001
Aus	ZenFone 8 (25680K) (WW) (A2	ASUS_D001
Aus	ZenFone 8 (25680K) (WW) (A2	ASUS_D001
AT&T	AT&T SAKAM™Mini5G	EATN100
AT&T	AT&T Motorola™2	EATN100
AT&T	Pedicon	EATN100S
AT&T	UT755A	UT755A
AT&T	AT&T Motorola™ Plus	UT755A
Atheros	Atheros AP5702	AP5702
Atheros	Atheros professional AP5705S	AP5705S
AT&T (Brazil)	AT&T (Brazil)	AS_Pro
AVIA (AS)	AVIA-Roku-EU	AVIA-Roku
AVIA	T1	T1
ACOM-TECH	Dosert2	Dosert2
ACOM-TECH	Black1	Black1
BAL MUDA	BAL MUDA Phone	A101BM
BAL MUDA	BAL MUDA Phone	X01A
beafor	M65	M65
beafor	M01	M01
benqo	benqo v819	AL10R0
bird	IC_306	IC_306
Brimm	Brimm™ Mobile 2	cr1001
BUAY	Buynan BMS	Buynan_BMS
Blackback	Shark 13	bu13add
Blackback	黑鲨游戏手机 2 Pro	blackshark2pro
Blackback	9458L USB-A	kaiser
Blackback	Black shark 4 pro	kaiser-0s
Blackback	C1E-H40	M0m
Blackback	M854-H40	m21001
Blackback	9458L-HS-H40	poncho
Blackback	黑鲨游戏手机 4	blackshark4
Blackview	Black View A2.3	blackview
Blackview	A1000	A1000
Blackview	AG50	AG50
Blackview	AG55	AG55
Blackview	AG5 Pro	AG5_Pro