Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Scheppach /
- > Scheppach SprayVac20 5-in-1 Vacuum Cleaner Instruction Manual

Scheppach SprayVac20

Scheppach SprayVac20 5-in-1 Vacuum Cleaner Instruction Manual

Model: SprayVac20

1. Introduction

This manual provides essential information for the safe and efficient operation, maintenance, and troubleshooting of your Scheppach SprayVac20 5-in-1 Vacuum Cleaner. Please read these instructions carefully before first use and keep them for future reference.



Figure 1: Scheppach SprayVac20 5-in-1 Vacuum Cleaner with included accessories.

2. SAFETY INFORMATION

Always observe basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and personal injury.

• Ensure the power supply matches the voltage specified on the appliance.

- Do not use the vacuum cleaner outdoors or on wet surfaces unless specifically designed for it and with appropriate precautions.
- Unplug from the outlet when not in use and before servicing.
- Do not allow to be used as a toy. Close attention is necessary when used by or near children.
- Do not pick up anything that is burning or smoking, such as cigarettes, matches, or hot ashes.
- Do not use to pick up flammable or combustible liquids, such as gasoline, or use in areas where they may be present.
- · Use extra care when cleaning on stairs.
- Do not use without filters in place.
- If the supply cord is damaged, it must be replaced by the manufacturer or its service agent or a similarly qualified person in order to avoid a hazard.

3. PRODUCT COMPONENTS AND OVERVIEW

The SprayVac20 is a versatile cleaning system. Familiarize yourself with its main parts:

- Main Unit: Contains the motor, dust container, and water tank.
- Hose: Flexible hose for connecting attachments.
- Extension Wands: For extended reach.
- Floor Nozzle: For general dry and wet vacuuming.
- Spray Extraction Nozzle (Large): For carpet cleaning with water injection.
- Spray Extraction Nozzle (Small): For upholstery and car seat cleaning with water injection.
- Crevice Tool: For narrow spaces.
- Upholstery Tool: For furniture and delicate surfaces.
- Dust Bag: For dry vacuuming.
- Water Tank: External tank for clean water and cleaning solution.



Figure 2: The SprayVac20 is designed for multiple applications including carpet cleaning, upholstery cleaning, car interior cleaning, dry vacuuming, wet vacuuming, and blowing.

4. SETUP AND ASSEMBLY

4.1 Initial Assembly

- 1. Unpack all components and check for any damage.
- 2. Attach the wheels to the base of the main unit.
- 3. Secure the motor head onto the dust container.
- 4. Connect the flexible hose to the suction inlet on the main unit.
- 5. For spray extraction functions, connect the clear water hose from the external water tank to the corresponding inlet on the main unit and the spray nozzle.

4.2 Preparing for Dry Vacuuming

- Ensure the dust bag is correctly installed inside the container.
- Attach the desired dry vacuuming nozzle (e.g., floor nozzle, crevice tool) to the extension wands and then to the hose.

4.3 Preparing for Wet Vacuuming / Spray Extraction

- · Remove the dust bag.
- Ensure the foam filter (if applicable) is in place for wet vacuuming.
- Fill the external water tank with clean water and, if desired, a suitable non-foaming cleaning solution according to the solution manufacturer's instructions. Do not overfill.
- Connect the spray extraction nozzle (large for carpets, small for upholstery) to the extension wands and hose. Ensure the spray hose is securely connected to the nozzle.



Figure 3: Rear view of the SprayVac20, highlighting the external water tank connection for spray extraction.

5. OPERATING INSTRUCTIONS

5.1 Dry Vacuuming

- 1. Ensure the dust bag is installed and the appropriate dry nozzle is attached.
- 2. Plug the power cord into a suitable electrical outlet.
- 3. Turn on the vacuum cleaner using the power switch.
- 4. Vacuum surfaces as needed.
- 5. Turn off the vacuum cleaner and unplug it after use.



Figure 4: Demonstrating dry vacuuming of a carpeted area.

5.2 Wet Vacuuming

- 1. Remove the dust bag and ensure the foam filter is in place.
- 2. Attach the wet vacuuming floor nozzle.

- 3. Plug in and turn on the vacuum.
- 4. Vacuum liquid spills. The float valve will automatically shut off suction when the tank is full.
- 5. Turn off and unplug. Empty the dirty water tank immediately after use.

5.3 Spray Extraction (Carpet/Upholstery Cleaning)

- 1. Ensure the dust bag is removed and the foam filter is installed.
- 2. Fill the external water tank with water and cleaning solution.
- 3. Attach the appropriate spray extraction nozzle (large for carpets, small for upholstery/car).
- 4. Connect the spray hose to the nozzle and the main unit.
- 5. Plug in the unit. Turn on the vacuum function.
- 6. Press the trigger on the nozzle handle to spray cleaning solution onto the surface.
- 7. Move the nozzle slowly over the area, simultaneously spraying and vacuuming to extract the dirty solution.
- 8. For heavily soiled areas, you may spray and let the solution sit for a few minutes before extracting.
- 9. Repeat passes until the extracted water appears clean.
- 10. Turn off the unit and unplug. Empty both water tanks.



Figure 5: Cleaning upholstery using the small spray extraction nozzle.



Figure 6: Utilizing the crevice tool for detailed cleaning in a car interior.



Figure 7: Effective carpet cleaning with the large spray extraction nozzle.

5.4 Blowing Function

- 1. Locate the blowing port on the main unit (usually opposite the suction inlet).
- 2. Connect the hose to the blowing port.
- 3. Turn on the vacuum cleaner. Air will now be expelled from the hose, useful for clearing debris from workshops or inflating small items.
- 4. Turn off and unplug after use.



Figure 8: Using the blowing function to clear debris from a workspace.

6. MAINTENANCE AND CARE

Regular maintenance ensures optimal performance and extends the life of your SprayVac20.

6.1 Emptying and Cleaning the Container

- After each wet use, empty the dirty water tank.
- Rinse the inside of the container with clean water and allow it to air dry completely before storing.

6.2 Filter Maintenance

- Dust Bag: Replace the dust bag when it is full or suction power decreases significantly during dry vacuuming.
- Foam Filter (for wet use): Rinse the foam filter with clean water after each wet use. Squeeze out excess water and allow it to air dry completely before re-installing.
- Cartridge Filter (for dry use, if applicable): Periodically clean the cartridge filter by tapping it gently to dislodge dust or by rinsing it if it's washable. Ensure it is completely dry before re-installation.

6.3 Cleaning Nozzles and Hoses

- Rinse all nozzles and hoses with clean water, especially after spray extraction, to prevent clogging and odor.
- Ensure all parts are dry before storage.

7. TROUBLESHOOTING

Problem Possible Cause	Solution
------------------------	----------

Problem	Possible Cause	Solution
No suction or weak suction	Dust bag full (dry use) Filter clogged Hose or nozzle blocked Dirty water tank full (wet use) Lid not properly sealed	Replace dust bag Clean or replace filter Clear blockage Empty dirty water tank Ensure lid is securely latched
No spray from nozzle	Water tank empty Spray hose kinked or disconnected Nozzle clogged Pump not activated	Refill water tank Check hose connection and straighten kinks Clean nozzle opening Ensure power is on and pump switch (if separate) is engaged
Motor stops during wet vacuuming	Dirty water tank is full (float valve activated)	Empty the dirty water tank.
Unusual noise or smell	Motor overheating Foreign object in fan/motor	Turn off and unplug. Allow to cool. Check for blockages. Contact customer support if problem persists.

8. SPECIFICATIONS

Feature	Detail
Model	SprayVac20
Brand	Scheppach
Product Dimensions	15.16 x 13.19 x 18.9 inches
Item Weight	2.2 pounds (1 Kilogram)
Capacity	20 Liters
Manufacturer	SCHEPPACH
ASIN	B09YDHTXD9

9. WARRANTY AND SUPPORT

For information regarding warranty coverage, technical support, or spare parts, please contact Scheppach customer service directly. Refer to the contact information provided with your product packaging or visit the official Scheppach website.

Keep your purchase receipt as proof of purchase for any warranty claims.

Related Documents - SprayVac20



scheppach SprayVac20 Wet/Dry Vacuum Cleaner Manual

This manual provides detailed instructions for the scheppach SprayVac20 wet/dry vacuum cleaner, covering setup, operation, maintenance, and safety guidelines.



scheppach NTS20 Nass-Trockensauger: Bedienungsanleitung

Umfassende Bedienungsanleitung für den scheppach NTS20 Nass-Trockensauger. Erfahren Sie mehr über sichere Handhabung, Montage, Bedienung, Wartung, technische Daten und Fehlerbehebung für dieses leistungsstarke Reinigungsgerät.



Scheppach ASP20-ES Wet and Dry Vacuum Cleaner Manual

This document provides operating instructions and safety information for the Scheppach ASP20-ES Wet and Dry Vacuum Cleaner. Learn about assembly, operation, maintenance, and troubleshooting.



Scheppach Woova 3.0 Dust Extractor - User Manual and Operating Guide

Comprehensive user manual and operating guide for the Scheppach Woova 3.0 dust extractor, covering technical specifications, safety instructions, assembly, maintenance, and accessories. This document provides essential information for safe and effective operation.



scheppach DC500 Absauganlage: Bedienungsanleitung & Informationen

Diese Bedienungsanleitung für die scheppach DC500 Absauganlage bietet umfassende Informationen zur sicheren Handhabung, Montage und Wartung. Entdecken Sie die technischen Spezifikationen und Vorteile des Geräts für Ihre Werkstatt.



Scheppach Tiger 2500 Wet Grinding Machine User Manual

Comprehensive user manual for the Scheppach Tiger 2500 wet grinding machine, covering setup, operation, safety instructions, and maintenance. Includes specifications, diagrams, and troubleshooting information.