

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [TESSAN](#) /

› [TESSAN 8-Outlet Surge Protector Power Strip Tower with 3 USB Ports and 5M Extension Cable \(Model TPS03-DE-5M\)](#)

TESSAN TPS03-DE-5M

TESSAN 8-Outlet Surge Protector Power Strip Tower with 3 USB Ports and 5M Extension Cable

Model: TPS03-DE-5M

INTRODUCTION

Thank you for choosing the TESSAN 8-Outlet Surge Protector Power Strip Tower. This manual provides essential information for the safe and efficient use of your new power strip. Please read it thoroughly before use and retain it for future reference.

TESSAN Steckdosenleiste 5M mit USB C



8 Schuko



2 USB-A



1 USB-C



5M
Kabellänge



Image: The TESSAN power strip tower, showcasing its 8 AC outlets, 2 USB-A ports, 1 USB-C port, and a 5-meter cable, actively charging multiple devices including a laptop, tablet, and smartphone.

PRODUCT FEATURES

- **8 AC Outlets:** Vertically arranged on four sides for efficient space utilization, preventing plugs from blocking adjacent sockets.
- **3 USB Charging Ports:** Includes 2 USB-A ports (5V 2.4A, 12W total) and 1 USB-C port (5V 3A, 15W total), supporting a combined output of 3A for fast charging of mobile devices.
- **5-Meter Extension Cable:** Provides extended reach for flexible placement in various environments, eliminating

concerns about short cables.

- **Surge Protection:** Safeguards connected electronic devices from sudden voltage fluctuations and power surges, with a maximum power capacity of 3600W and 1700 Joules protection.
- **Master Power Switch:** A convenient switch allows you to easily turn off the power supply to all connected devices, saving electricity and avoiding constant plugging/unplugging.
- **Soft White Indicator:** An integrated indicator light confirms normal operation without causing disturbance.
- **Compact Design:** With dimensions of approximately 11.4 x 11.4 x 16.1 cm, its tower design saves desk or floor space.
- **Durable Cable:** Features a 3G1.5mm² thick cable for enhanced safety and durability.

Blockiert nicht den Stecker nebenan

Die Steckdosen befinden sich rund um die Turmsteckdose



Image: A visual comparison demonstrating how the TESSAN tower design prevents plugs from blocking adjacent sockets, unlike conventional flat power strips.

Image: The TESSAN power strip tower highlighting its 1700 Joules of surge protection, indicating enhanced safety for connected devices.

Image: A visual comparison illustrating the superior thickness of the TESSAN power strip's 3G1.5mm² cable compared to a standard 3G1.0mm² cable, emphasizing durability and safety.

SETUP INSTRUCTIONS

1. **Unpack the Device:** Carefully remove the power strip tower from its packaging. Inspect for any signs of damage.
2. **Choose a Location:** Place the power strip on a stable, flat surface, away from water, heat sources, and direct sunlight. Ensure adequate ventilation around the unit.
3. **Connect to Power:** Plug the power strip's 5-meter extension cable into a grounded wall outlet. The soft white indicator light should illuminate, indicating power is supplied.
4. **Power On:** Press the master power switch located on the top of the tower to activate the outlets and USB ports.

OPERATING INSTRUCTIONS

1. **Using AC Outlets:** Insert the power plugs of your electronic devices into any of the 8 AC outlets. The vertical arrangement allows for larger adapters without obstructing other sockets.
2. **Using USB Ports:** Connect your USB-powered devices (e.g., smartphones, tablets) to the USB-A or USB-C ports. The power strip will automatically detect your device and deliver optimal charging current up to 2.4A per USB-A port and 3A for the USB-C port.
3. **Master Switch Control:** Use the master switch to turn off power to all connected devices simultaneously when not in use, conserving energy.

Schnelleres Aufladen über USB C

Kompatibel mit den meisten USB A und USB C Geräten

USB Gesamtleistung **15W**



USB A: 5V 2.4A
12W



USB C: 5V 3A
15W



Image: A detailed view of the USB charging ports on the TESSAN power strip tower, highlighting the USB-A and USB-C ports with their respective power outputs for efficient device charging.

SAFETY INFORMATION

- Do not exceed the maximum load of 3600W or 16A.
- This product is designed for indoor use only. Do not expose to moisture or wet conditions.
- Do not disassemble or modify the device. Refer all servicing to qualified personnel.
- Keep out of reach of children and pets.

- Ensure the power cord is fully extended and not coiled or covered when in use to prevent overheating.
- If the "Protected" indicator light turns off, the surge protection feature may have been compromised. Replace the unit to ensure continued protection.

SPECIFICATIONS

Brand	TESSAN
Model Name	TPS03-DE-5M
AC Outlets	8
USB-A Ports	2 (5V 2.4A, 12W total)
USB-C Port	1 (5V 3A, 15W total)
Total USB Output	3A (Max)
Extension Cable Length	5 Meters
Max Power Rating	3600W
Max Current	16A
Voltage	240V
Key Features	Surge Protector, Master Switch, USB Charging
Product Dimensions (L x W x H)	11.4 x 11.4 x 16.1 cm
Material	Plastic
Color	Grey



Image: A diagram illustrating the compact dimensions of the TESSAN power strip tower, measuring 11.4 cm in width, 11.4 cm in depth, and 16.1 cm in height, alongside a smartphone for scale.

TROUBLESHOOTING

No Power to Outlets/USB Ports:

- Ensure the power strip is securely plugged into a working wall outlet.
- Check if the master power switch on top of the tower is in the "ON" position.
- Verify that the wall outlet itself is functional by plugging in another device.
- If the "Protected" indicator light is off, the surge protection may have been activated due to an overload or surge. Disconnect all devices, reset the unit (if applicable, by unplugging and replugging), and if the light remains off, the surge protection is no longer active.

Slow USB Charging:

- Ensure your device's charging cable is not damaged and is properly connected.
- The total current for all USB ports is 3A. If multiple devices are connected, the charging speed may be reduced. Try charging fewer devices simultaneously.

- Some devices require higher charging currents than others. Check your device's specifications.

MAINTENANCE

- Disconnect the power strip from the wall outlet before cleaning.
- Wipe the exterior with a soft, dry cloth. Do not use liquid cleaners or abrasive materials.
- Avoid blocking the ventilation openings (if any) to prevent overheating.

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the documentation included with your purchase or visit the official TESSAN website. Keep your purchase receipt as proof of purchase.

Manufacturer: TESSAN

ASIN: B09YN691HM