



Manuals.plus /
› Weehom /
› Weehom Twin Bed Frame User Manual

Weehom Twin Metal Platform Bed Frame (White)

Weehom Twin Metal Platform Bed Frame
MODEL: TWIN WHITE (B09YQ3GZ13)
User Manual

Important Safety Information

Please read and understand all instructions before beginning assembly. Keep these instructions for future reference.

- **Adult Assembly Required:** This product requires assembly by two adults.
- **Weight Limit:** Do not exceed the recommended weight capacity for this bed frame. Refer to the specifications section for details.
- **Secure Connections:** Ensure all bolts, screws, and connections are securely tightened before use and periodically check them for looseness.
- **Avoid Standing:** Do not stand or jump on the bed frame.
- **Floor Protection:** Use the provided protective pads on the legs to prevent scratching floors.
- **Ventilation:** Ensure adequate ventilation around the mattress to prevent moisture buildup.

Package Contents

Verify that all components are present before starting assembly. If any parts are missing or damaged, please contact Weehom customer support.

Part	Description	Quantity
A	Headboard Panel	1
B	Footboard Panel	1
C	Side Rails	2
D	Center Support Bar	1

Part	Description	Quantity
E	Metal Slats	Multiple
F	Support Legs	6
G	Hardware Pack (Bolts, Nuts, Washers, Allen Key)	1

Assembly Instructions

Estimated assembly time: Under 1 hour with two people.

- Unpack and Identify Parts:** Carefully unpack all components and lay them out on a clean, soft surface (like a rug or blanket) to prevent scratches. Identify each part using the Package Contents list.
- Attach Side Rails to Headboard:** Connect the side rails (C) to the headboard panel (A) using the appropriate bolts and washers from the hardware pack (G). Do not fully tighten bolts yet.
- Attach Side Rails to Footboard:** Connect the other end of the side rails (C) to the footboard panel (B) using the appropriate bolts and washers. Ensure the headboard and footboard are facing the correct direction.
- Install Center Support Bar:** Attach the center support bar (D) to the designated connection points on the headboard and footboard. This bar provides additional stability.
- Attach Support Legs:** Securely attach the six support legs (F) to the designated points on the bed frame, including the center support bar. Ensure the protective pads are on the bottom of each leg.



This image illustrates how the bed frame legs connect to the main structure, emphasizing the simple and secure slot-in design for assembly.

- Install Metal Slats:** Place the metal slats (E) across the side rails, fitting them into the designated slots or attaching them with the provided hardware. Ensure even spacing for optimal mattress support.



A detailed shot of the metal slat system, which provides strong support for the mattress and contributes to the frame's durability and stability.

7. **Tighten All Bolts:** Once all components are in place, systematically tighten all bolts using the provided Allen key. Ensure all connections are firm and secure. Do not overtighten.



A detailed image showing the secure bolted connection, indicating the robust construction and ease of assembly for the frame's components.


8. **Final Check:** Gently shake the assembled bed frame to ensure stability. If any wobbling occurs, recheck all connections and tighten as necessary.



A front view of the fully assembled Weehom Twin Metal Platform Bed Frame, showcasing its white finish and decorative headboard and footboard design. The bed is dressed with a mattress, grey bedding, and a blue pillow.



Easy to
Assemble



No box
spring needed



No noise



Extra support



This graphic highlights the primary advantages of the bed frame: its straightforward assembly process, the integrated slat system eliminating the need for a box spring, its design for silent operation, and the robust support provided for the mattress.

Usage and Features

The Weehom Twin Metal Platform Bed Frame is designed for convenience and durability.

- **No Box Spring Needed:** The robust metal slat system provides ample support for your mattress, eliminating the need for a traditional box spring.
- **Under-bed Storage:** With 12.7 inches of clearance, the frame offers significant space beneath for storage bins, boxes, or other items, helping to keep your room tidy.



A view beneath the bed frame demonstrating the 12.7-inch clearance, ideal for storing items in bins or boxes, maximizing room utility.

- **Stable Structure:** The frame features a reinforced design with multiple support legs and secure bolted connections for enhanced stability and long-term use.

This image provides detailed close-ups of the bed frame's features: the elegant curved design on the headboard and footboard, the stable bolted connection points for structural integrity, and the protective pads on the bottom of the legs to prevent floor scratching.

Maintenance

Proper maintenance will extend the life of your bed frame.

- **Cleaning:** Wipe down the metal frame with a soft, damp cloth. Avoid using harsh chemicals or abrasive cleaners, as they may damage the powder-coated finish.
- **Hardware Check:** Periodically (every 3-6 months) check all bolts and screws to ensure they remain tight. Re-tighten if necessary to maintain stability and prevent squeaking.
- **Protective Pads:** Ensure the protective pads on the legs are intact to prevent floor damage. Replace if worn.


Troubleshooting

If you encounter issues with your bed frame, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
Bed frame is wobbly or unstable.	Loose bolts or incorrect assembly.	Ensure all bolts are fully tightened. Review assembly instructions to confirm all parts are correctly installed.
Squeaking noises.	Loose connections or friction between metal parts.	Tighten all bolts. If squeaking persists, disassemble and reassemble, ensuring all connections are flush. Applying a small amount of silicone lubricant to connection points can help.
Mattress sags or feels unsupported.	Slats are not properly spaced or damaged.	Verify that all metal slats are correctly positioned and evenly spaced. Check for any bent or damaged slats.

Specifications

Feature	Detail
Brand	Weehom
Model	Twin Metal Platform Bed Frame
Color	White
Size	Twin
Product Dimensions (L x W x H)	77.4"L x 39.17"W x 34.84"H
Under-bed Clearance	12.7 inches
Material	Metal (Powder Coated Finish)
Compatible Mattress Size	Twin
Item Weight	30.4 pounds
Special Feature	Sturdy, No Box Spring Needed



An isometric diagram illustrating the key dimensions of the bed frame, including overall length (76.7 inches), width (39.17 inches), headboard height (34.8 inches), and under-bed clearance (12.7 inches).

Warranty and Support

For warranty information and customer support, please contact Weehom directly. Keep your purchase receipt as proof of purchase.

- **Contact Information:** Refer to the product packaging or the official Weehom website for the most current customer service contact details.
- **Product Registration:** Consider registering your product with Weehom to receive updates and facilitate warranty claims.