

[Manuals.plus](#) /

› [Brondell](#) /

› Brondell SMB-15 Side Mounted Manual Bidet Attachment User Manual


Brondell SMB-15

Brondell SMB-15 Side Mounted Manual Bidet Attachment User Manual

Model: SMB-15

INTRODUCTION

The Brondell SMB-15 is a side-mounted manual bidet attachment designed for toilet seats. It features solid brass construction with a durable chrome finish, offering a plastic-free design. This bidet provides an adjustable wash with precise water pressure control and a manual swing-action nozzle arm for targeted rinsing. It operates without electricity or batteries.



Brondell

SMB-15

Side-Mounted Bidet Attachment
with Adjustable Spray Wand,
Ambient Temperature

A plastic free bidet that delivers.

Enjoy a fully adjustable wash. Manual, swing-action nozzle delivers a perfectly aimed, ambient temperature rinse with precision water pressure control.

Image: The Brondell SMB-15 bidet attachment shown installed on the side of a toilet, highlighting its compact and integrated design.

PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Bidet Attachment (SMB-15)
- Metal Nut
- Metal Washer
- Mounting Guide Bolt
- Small Rubber Washer
- Stainless Steel T-Valve
- Metal Braided Cold-Water Supply Hose

SETUP AND INSTALLATION

The Brondell SMB-15 is designed for easy, DIY installation. It is compatible with a wide range of toilets, including French-curved, skirted, and one-piece models. No special tools are typically required beyond standard household items.

1. **Preparation:** Turn off the water supply to your toilet and flush the toilet to empty the tank.
2. **Remove Toilet Seat:** Detach your existing toilet seat from the toilet bowl.
3. **Attach Bidet:** Position the bidet attachment under your toilet seat. The ultra-thin frame is designed to fit without creating a gap. Use the provided mounting guide bolt, metal nut, and washers to secure the bidet attachment to the toilet bowl. Ensure the rubber pads guard against scratches.
4. **Connect Water Supply:**
 - Disconnect the existing water supply hose from the toilet tank fill valve.
 - Install the stainless steel T-Valve at the toilet tank fill valve.
 - Connect the metal braided cold-water supply hose from the T-Valve to the bidet attachment's water inlet.
 - Reconnect the original toilet supply hose to the T-Valve.
5. **Restore Water:** Slowly turn the water supply back on and check for any leaks. Tighten connections as needed.
6. **Test Functionality:** Test the bidet's spray function and water pressure control.

Your browser does not support the video tag.

Video: A detailed product overview demonstrating the components and installation process of the Brondell SMB-15 bidet attachment.

Brondell

A planet-friendly
wash for every body.




Image: The Brondell SMB-15 bidet attachment showcasing its ultra-thin profile, designed to fit seamlessly under a toilet seat without adding bulk.

OPERATING INSTRUCTIONS

The Brondell SMB-15 offers a simple and intuitive manual operation.

1. **Nozzle Positioning:** Use the manual swing-action arm lever to position the nozzle for your desired rinse. The nozzle can be adjusted to achieve a perfectly aimed spray.
2. **Water Pressure Control:** Turn the easy-twist knob to control the water flow and pressure. Rotate the knob gradually to find your preferred intensity.
3. **Rinsing:** The bidet delivers an ambient temperature rinse with a full-coverage spray pattern.
4. **Nozzle Retraction:** After use, the nozzle tucks away for hygienic storage by moving the arm lever back to its original position.

Manual swing-action
arm lever controls
nozzle positioning.



Ultra-thin frame installs
beneath any toilet seat,
without adding extra bulk.



Image: A close-up view of the Brondell SMB-15 bidet attachment, showing the manual swing-action arm lever for nozzle positioning and the easy-twist knob for water pressure control.

A just-showered
clean, every time.

Full-coverage spray pattern reduces
or eliminates the need for toilet paper
in your bathroom.



Image: An illustration of water spraying from the Brondell SMB-15 bidet nozzle, demonstrating its full-coverage spray pattern for effective cleaning.

MAINTENANCE

Regular cleaning will ensure optimal performance and hygiene for your Brondell SMB-15 bidet attachment.

- **General Cleaning:** Clean the exterior of the bidet attachment with a soft cloth and mild, non-abrasive cleaner. Avoid harsh chemicals that could damage the chrome finish.
- **Nozzle Cleaning:** While the nozzle retracts for hygienic storage, it can be manually cleaned. Gently extend the nozzle and wipe it with a soft cloth and a mild disinfectant. You can also briefly turn on the water at low pressure to rinse the nozzle.
- **Inspection:** Periodically check all connections for tightness to prevent leaks.

TROUBLESHOOTING

If you encounter issues with your Brondell SMB-15, refer to the following common solutions:

Problem	Possible Cause	Solution
Water Leakage	Loose connections, improperly installed washers.	Ensure all connections (T-Valve, hoses, bidet attachment) are securely tightened. Check that all washers are correctly seated.
No Water Spray	Water supply turned off, control knob not open, clogged nozzle.	Verify the toilet's water supply valve is fully open. Ensure the bidet's control knob is turned to an open position. Check the nozzle for any obstructions and clean if necessary.
Insufficient Water Pressure	Partially closed water supply, control knob not fully open.	Confirm the toilet's water supply valve is completely open. Rotate the bidet's control knob further to increase pressure.
Nozzle Misalignment	Bidet attachment not securely fastened.	Ensure the bidet attachment is firmly secured to the toilet bowl using the mounting hardware. Adjust the swing-action arm lever for precise positioning.

SPECIFICATIONS

- **Model Number:** SMB-15
- **Brand:** Brondell
- **Color:** Chrome
- **Material:** Brass
- **Operation Mode:** Manual
- **Item Weight:** 1.9 pounds
- **Unit Count:** 1 Count
- **UPC:** 819911014934
- **Included Components:** Bidet Attachment, Metal Nut, Metal Washer, Mounting Guide Bolt, Small Rubber Washer, Stainless Steel T-Valve, Metal Braided Cold-Water Supply Hose

Product information.

Simple, DIY installation.

Installs in minutes beneath your existing toilet seat.

Compact and sleek.


Ultra-thin design doesn't add any additional profile bulk.

Perfect for any toilet.

Adjustable fit designed for use with standard and non-standard toilets.

Damage-free design.

Rubber pads guard against scratches on your existing toilet seat.



Please refer to the included owner's manual for installation guidance.

Image: A technical diagram illustrating the dimensions and key components of the Brondell SMB-15 bidet attachment, including the attachment bracket, control valve body, and spray wand.

WARRANTY INFORMATION

The Brondell SMB-15 Side Mounted Manual Bidet Attachment comes with a **1-Year Limited Manufacturer Warranty**. Please retain your proof of purchase for warranty claims. For detailed terms and conditions, refer to the official Brondell website or contact customer support.

CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact Brondell customer service. You can find contact information on the official Brondell website: www.brondell.com.

© 2023 Brondell. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question