

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Elica](#) /
- › [Elica 60 cm 1500 m3/hr Filterless Autoclean Kitchen Chimney \(FLCG 600 HAC LTW MS NERO\) - Instruction Manual](#)

## Elica FLCG 600 HAC LTW MS NERO

# Elica 60 cm 1500 m3/hr Filterless Autoclean Kitchen Chimney (FLCG 600 HAC LTW MS NERO) - Instruction Manual

## INTRODUCTION

This instruction manual provides essential information for the safe and efficient operation, installation, and maintenance of your Elica 60 cm 1500 m3/hr Filterless Autoclean Kitchen Chimney, model FLCG 600 HAC LTW MS NERO. Please read this manual thoroughly before using the appliance and retain it for future reference. Your Elica chimney is designed to provide a smoke-free and clean cooking environment with advanced features like Filterless Technology, Heat Auto Clean, and Motion Sensor Control.



Image: Elica FLCG 600 HAC MS NERO Chimney in a modern kitchen, illustrating its sleek design and functionality.

## SETUP AND INSTALLATION

The Elica FLCG 600 HAC LTW MS NERO chimney is a wall-mounted unit. Professional installation is highly recommended to ensure proper functioning and safety. Ensure the installation area provides adequate space and ventilation as per local building codes and safety standards.

### Key Installation Considerations:

- **Mounting Type:** Wall Mount.
- **Ventilation:** This is a ducted ventilation type chimney. Ensure proper ducting is installed to expel smoke and fumes outside.
- **Power Supply:** The chimney operates on 240 Volts (AC). Ensure a dedicated power outlet is available.
- **Dimensions:** Refer to the product dimensions for precise placement. The product dimensions are 53.5D x 60W x 45H Centimeters.



Image: Diagram showing the product dimensions of the Elica chimney, including width (60 cm), depth (53.5 cm), and height (45 cm).

## OPERATING INSTRUCTIONS

Your Elica chimney features both Touch Control and Motion Sensor for convenient operation.

### Touch Control:

The control panel is located on the front of the chimney. Use the touch buttons to power on/off, adjust suction speed, and activate the auto-clean function. The LED lamps can also be controlled via the touch panel.



Image: A finger interacting with the touch control panel of the Elica chimney, highlighting the ease of use.

### Motion Sensor Control:

The motion sensor allows for hands-free operation, ideal when your hands are occupied during cooking.

- **To Turn On/Increase Speed:** Wave your hand from left to right in front of the sensor.
- **To Decrease Speed/Turn Off:** Wave your hand from right to left in front of the sensor.




Image: A hand demonstrating the motion sensor control feature, showing how to turn on/off and adjust speed with a simple wave.

### **Filterless Suction:**

The chimney features filterless technology, ensuring powerful suction of unhealthy smoke and oily fumes directly into the collection system. The concealed motor design contributes to durability and long life.

## FILTERLESS SUCTION



Image: A visual representation of the filterless suction mechanism, showing smoke and fumes being efficiently drawn into the chimney.

## MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your Elica chimney.

### Heat Auto Clean Technology:

This feature simplifies cleaning by using a heating element to melt sticky oil particles inside the chimney. The liquefied oil then collects in the removable oil collector.

- Activate the auto-clean function via the touch control panel.
- Allow the cycle to complete.
- Once the cycle is finished, carefully remove and empty the oil collector.
- Clean the oil collector with warm soapy water and reinsert it.



Image: Icon representing Heat Auto Clean Technology, indicating its function in cleaning the chimney's interior.

### Oil Collector:

The built-in oil collector is designed to gather sticky oil and other residues. It is located directly below the suction area for easy access and cleaning.



Image: Icon representing the Oil Collector, emphasizing its role in collecting cooking residues.

### Exterior Cleaning:

Wipe the exterior surfaces of the chimney with a soft, damp cloth and mild detergent. Avoid abrasive cleaners or harsh chemicals that could damage the finish.

## TROUBLESHOOTING

If you encounter issues with your Elica chimney, refer to the following common problems and solutions before contacting customer support.

Problem	Possible Cause	Solution
Chimney does not turn on	No power supply, loose connection, or tripped circuit breaker.	Check power cord, ensure it's plugged in securely. Check your home's circuit breaker.

Problem	Possible Cause	Solution
Low suction power	Ducting obstruction, incorrect installation height, or motor issue.	Inspect ducting for blockages. Ensure chimney is installed at the recommended height above the cooktop. If issues persist, contact support.
Unusual noise during operation	Loose components, motor issue, or ducting vibration.	Check for any loose parts. Ensure ducting is securely fastened. If the noise is from the motor, contact customer support.
Auto-clean not effective	Oil collector full, or heating element malfunction.	Empty and clean the oil collector. If the issue continues, contact customer support.

For problems not listed here or if solutions do not resolve the issue, please contact Elica customer support.

## SPECIFICATIONS

Feature	Detail
Model	FLCG 600 HAC LTW MS NERO
Air Flow Capacity	1500 m3/hr (Cubic Meters Per Hour)
Material	Glass
Noise Level	58 Decibels
Mounting Type	Wall Mount
Controls Type	Touch Control, Motion Sensor
Voltage	240 Volts (AC)
Item Weight	14.5 Kilograms
Light Source Type	LED
Filter Type	Filterless
Item Form	Curved
Ventilation Type	Ducted
Annual Energy Consumption	219 Watts
Special Features	Auto Clean, Built-In Oil Collector, Motion Sensor
Product Dimensions (LxWxH)	60 x 48 x 50 Centimeters (Item Dimensions) / 53.5D x 60W x 45H Centimeters (Product Dimensions)
Included Components	Chimney
Country of Origin	India

## WARRANTY INFORMATION

Elica provides the following warranty for your kitchen chimney:

- **Motor:** Lifetime (15 years) warranty.
- **Comprehensive:** 2 years comprehensive warranty from the Date of Purchase.

Please retain your purchase receipt for warranty claims. The warranty covers manufacturing defects under normal use conditions. For detailed terms and conditions, refer to the warranty card provided with your product or contact Elica customer support.

## CUSTOMER SUPPORT

---

For any queries, technical assistance, or service requests regarding your Elica kitchen chimney, please contact our customer care team:

**Customer Care Numbers:**

**18002330007**

**7447440983 / 7447440984 / 7447440985**



# Customer Care

for more queries, please call us on

**18002330007**

**7447440983/4/5**

Our support team is available to assist you with installation, operation, maintenance, and troubleshooting.

