

Eureka W1000

Eureka NEW200 Wet Dry Vacuum Tool Kit W1000 Instruction Manual

INTRODUCTION

This instruction manual provides essential information for the proper installation, maintenance, and use of your Eureka NEW200 Wet Dry Vacuum Tool Kit W1000. This kit includes a replacement brush roll and two HEPA filters, designed to restore and maintain the optimal performance of your compatible Eureka wet dry vacuum cleaner.

KIT COMPONENTS

The Eureka NEW200 Wet Dry Vacuum Tool Kit W1000 contains the following genuine Eureka replacement parts:

- **1 x Brush Roll:** Designed for effective cleaning across various floor types.
- **2 x HEPA Filters:** High-efficiency particulate air filters to capture fine dust and allergens.



Image: The Eureka NEW200 Wet Dry Vacuum Tool Kit, featuring one brush roll and two HEPA filters. The brush roll is cylindrical with bristles, and the filters are circular with pleated material.

COMPATIBILITY

This tool kit is specifically designed for use with the following Eureka wet dry vacuum models:

- Eureka NEW200 Wet Dry Vacuum
- Eureka FC8 Wet Dry Vacuum
- Eureka NEN110A
- Eureka NEN110B
- Eureka NEN110D

Using these parts with incompatible models may result in improper fit or reduced performance.

INSTALLATION INSTRUCTIONS

Always ensure your vacuum cleaner is turned off and unplugged from the power outlet before attempting any installation or maintenance.

Replacing the Brush Roll

1. Place the vacuum cleaner on a flat surface, ensuring it is stable.
2. Locate the brush roll cover on the bottom of the vacuum head. Depending on your model, this may

involve releasing latches or unscrewing fasteners.

3. Carefully remove the brush roll cover.
4. Lift out the old brush roll. Note its orientation for correct installation of the new one.
5. Clean any debris or hair from the brush roll housing.
6. Insert the new brush roll, ensuring its ends align correctly with the drive mechanism and bearings.
7. Replace the brush roll cover and secure it firmly.

Replacing the HEPA Filters

1. Locate the filter compartment, typically found in the dirty water tank or motor housing area. Refer to your vacuum's main user manual if unsure.
2. Open the filter compartment. This may involve twisting, pulling, or unlatching a cover.
3. Remove the old HEPA filter(s). Dispose of them responsibly.
4. Insert the new HEPA filter(s) into the compartment, ensuring a snug fit. The filter should sit flush to create an effective seal.
5. Close the filter compartment securely.

MAINTENANCE

Regular maintenance of your brush roll and HEPA filters is crucial for sustained vacuum performance and longevity.

Cleaning the Brush Roll

- **Frequency:** Inspect the brush roll after each use and clean as needed, or at least once a month with regular use.
- **Procedure:** Remove the brush roll as described in the installation section. Use scissors or a brush to remove tangled hair, threads, and debris. If the brush roll is heavily soiled, it can be rinsed under running water. Ensure it is completely dry before reinstallation to prevent mold or damage to the vacuum.

Cleaning the HEPA Filters

- **Frequency:** Clean HEPA filters monthly or more frequently if vacuuming fine dust or pet hair.
- **Procedure:** Remove the HEPA filter(s) from the vacuum. Gently tap the filter against a trash can to dislodge loose dust and debris. Since these are reusable HEPA filters, they can be rinsed under cool, running water until the water runs clear. **Do not use detergent or hot water.** Allow the filter to air dry completely for at least 24 hours before reinstallation. Ensure it is bone dry to prevent damage to the vacuum motor.

TROUBLESHOOTING

If you experience issues after installing the new components, consider the following:

- **Reduced Suction:** Check if the HEPA filters are installed correctly and are not clogged. Ensure the filter compartment is sealed properly.
- **Brush Roll Not Spinning:** Verify that the brush roll is correctly seated in its housing and that no debris is obstructing its rotation. Ensure the brush roll cover is securely fastened.
- **Unusual Noise:** Turn off and unplug the vacuum. Inspect the brush roll area for any foreign objects that may have become lodged.
- **Water Leakage:** Ensure all components, especially the filter compartment and dirty water tank, are correctly assembled and sealed after maintenance.

SPECIFICATIONS

Brand	Eureka
Model Number (Kit)	W1000
Compatible Vacuum Models	Eureka NEW200, FC8, NEN110A, NEN110B, NEN110D
Components Included	1 x Brush Roll, 2 x HEPA Filters
Material (Filters)	HEPA
Reusability (Filters)	Reusable (Rinsable)
Product Dimensions (Overall Kit)	10.43"L x 5.28"W x 2.36"H

WARRANTY INFORMATION

This Eureka NEW200 Wet Dry Vacuum Tool Kit W1000 is covered by a **1-year limited warranty** from the date of purchase. This warranty covers manufacturing defects under normal use. Please retain your proof of purchase for warranty claims. For full warranty terms and conditions, refer to the documentation provided with your original Eureka vacuum cleaner or visit the official Eureka website.

CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about additional replacement parts, please contact Eureka customer service. Contact information can typically be found on the official Eureka website or in your vacuum cleaner's original user manual.