

[Manuals+](#)

[Q & A](#) | [Deep Search](#) | [Upload](#)

XPOWER FM-65B

XPOWER Misting Fan FM-65B User Manual

Model: FM-65B | Brand: XPOWER

1. INTRODUCTION

The XPOWER FM-65B is a versatile, battery-operated misting fan designed to provide effective cooling and air circulation in various outdoor and indoor environments. Its portable and rugged design, combined with a powerful rechargeable battery and misting capabilities, makes it ideal for patios, camping, events, and more. This manual provides essential information for the safe and efficient operation and maintenance of your FM-65B Misting Fan.



Image: The XPOWER FM-65B Misting Fan, showcasing its compact and durable design with the fan grill and handle visible.

2. SAFETY INFORMATION

Please read and understand all safety instructions before operating the XPOWER FM-65B Misting Fan. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Always disconnect the power cord before cleaning, servicing, or moving the unit.
- Do not operate any fan with a damaged cord or plug. Discard fan or return to an authorized service facility for examination and/or repair.
- Do not run cord under carpeting. Do not cover cord with throw rugs, runners, or similar coverings. Arrange cord away from traffic area and where it will not be tripped over.
- To reduce the risk of fire or electric shock, do not use this fan with any solid-state speed control device.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.
- Children should be supervised to ensure that they do not play with the appliance.
- The unit is ETL / CETL safety certified, ensuring compliance with recognized safety standards.

- Ensure the unit is placed on a stable, level surface to prevent tipping.
- When using the misting function, ensure water connections are secure to prevent leaks.

3. PRODUCT FEATURES

The XPOWER FM-65B Misting Fan is engineered with features designed for optimal performance and user convenience:

- **Ultimate Misting Solution:** Effectively lowers ambient temperatures for enhanced comfort.
- **Powerful & Effective Airflow:** Produces high capacity airflow of 900 CFM with 3 adjustable speeds.
- **Adjustable Tilt:** Allows for broader coverage and precise air direction.
- **Rechargeable Battery:** Provides cordless operation for maximum portability.
- **Convenient & Portable Design:** Small, lightweight (11.8 lbs), and features a durable, rugged construction.
- **Sealed Motor:** Protects internal components from water and debris, enhancing durability.
- **Easy Water Connection:** Designed to connect easily to a standard garden hose for misting.
- **Multipurpose Use:** Functions as an outdoor misting fan or an indoor air circulator without the misting feature.
- **Variable Speed Control:** Allows precise adjustment of fan speed.
- **Battery Indicator:** Provides visual feedback on battery charge level.
- **USB Output & AC Charger:** Offers charging flexibility and can power small USB devices.
- **Special Design Air Fin:** For focused airflow.
- **Quick-Release Knob:** For easy adjustment.
- **Wrap-Around Cord:** For neat storage.
- **Rack Allows 360° Rotation:** For comprehensive directional control.

FM-65B

FEATURES



VARIABLE SPEED & BATTERY INDICATOR



USB OUTPUT & AC CHARGER

SPECIAL DESIGN AIR FIN FOR FOCUSED AIRFLOW


QUICK-RELEASE KNOB

WRAP-AROUND CORD

RACK ALLOWS 360° ROTATION

Image: Diagram highlighting key features of the FM-65B, including variable speed control, battery indicator, USB output, AC charger, special design air fin, quick-release knob, wrap-around cord, and 360° rotation capability.

2-IN-1 MULTIPURPOSE



COOLING

DRYING




Image: Illustration demonstrating the dual functionality of the FM-65B for both outdoor cooling with mist and indoor drying without mist.

FM-65B & FM-65WB

- BUILT-IN RECHARGEABLE BATTERY
- BUILT-IN WATER PUMP (*FM-65WB)
- PERFECT FOR CAMPING (*FM-65WB)



**FULLY MOBILE
NO WATER OR ELECTRIC
HOOK-UP REQUIRED**

(bucket not included)

INCLUDES
BUILT-IN
PUMP!

FM-65B

FM-65WB



Image: Comparison of FM-65B and FM-65WB models, highlighting the FM-65B's built-in rechargeable battery and fully mobile, no water or electric hook-up

required operation.

4. SETUP

4.1 Unpacking

Carefully remove the FM-65B Misting Fan from its packaging. Inspect the unit for any signs of damage. Ensure all components are present, including the fan unit, power adapter, and any included accessories.

4.2 Charging the Battery

Before first use, fully charge the integrated rechargeable battery. Connect the provided AC charger to the fan's charging port and plug it into a standard electrical outlet. The battery indicator will show charging status. A full charge ensures maximum cordless operation time.

4.3 Connecting to Water Source (for Misting Function)

The FM-65B requires a standard garden hose for its misting function. Locate the water inlet connection on the fan. Securely attach a garden hose to this inlet. Ensure the connection is tight to prevent leaks. It is recommended to use a calcium inhibiting filter if your water supply is hard, to prevent clogging of the misters.

4.4 Positioning the Fan

Place the fan on a stable, level surface in the desired location. For optimal cooling, position the fan where it can effectively circulate air and mist. The adjustable tilt feature allows you to direct the airflow and mist precisely where needed. The rack allows for 360° rotation for comprehensive directional control.



Image: The FM-65B Misting Fan shown in different application scenarios, including outdoor dining, patios, fairs, livestock areas, and greenhouses, illustrating its versatility.

5. OPERATION

5.1 Powering On/Off and Speed Control

To turn the fan on, rotate the variable speed control knob. Continue rotating to increase the fan speed. To turn the fan off, rotate the knob counter-clockwise until it clicks into the 'OFF' position.

5.2 Using the Misting Function

Once the garden hose is connected and the water supply is turned on, the misting function will activate. The amount of mist is primarily controlled by the water pressure from your hose. Adjust the fan speed to control how far the mist is dispersed. For best results, avoid placing the fan too close to individuals or surfaces if direct wetting is undesirable, as it produces a considerable amount of mist.

5.3 Battery Indicator

Monitor the battery indicator lights to check the remaining battery life. Recharge the unit when the indicator shows low battery to ensure continuous operation.

6. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your FM-65B Misting Fan.

- **Cleaning the Misters:** After each use, it is recommended to remove the misters and dry them. Periodically wash them to prevent mineral buildup and clogging, especially if not using a calcium inhibiting filter.
- **General Cleaning:** Wipe down the fan's exterior with a damp cloth. Do not use harsh chemicals or abrasive cleaners. Ensure the fan is unplugged before cleaning.
- **Storage:** When not in use for extended periods, store the fan in a cool, dry place. Disconnect the water hose and drain any remaining water from the unit. The wrap-around cord design allows for neat storage.

7. TROUBLESHOOTING

If you encounter issues with your XPOWER FM-65B Misting Fan, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Fan does not turn on.	Battery is depleted or not charged. Power cord not connected.	Charge the battery fully. Ensure the power cord is securely plugged into a working outlet.
No mist or weak mist.	Water supply is off or low pressure. Misters are clogged. Hose connection is loose.	Ensure water supply is on and at adequate pressure. Clean the misters. Tighten the garden hose connection.
Water leaks from connections.	Loose hose connection. Damaged O-ring or fitting.	Tighten all hose connections. Inspect O-rings and fittings for damage and replace if necessary.
Fan makes unusual noise.	Obstruction in fan blades. Unit not on a stable surface.	Turn off and unplug the fan. Check for and remove any obstructions. Place the fan on a stable, level surface.

If the problem persists after attempting these solutions, please contact XPOWER customer service for assistance.

8. SPECIFICATIONS

Attribute	Detail
Brand	XPOWER
Model Name	FM-65B
Power Source	Battery Powered
Product Dimensions	13.3"D x 12.3"W x 15.2"H
Item Weight	11.8 Pounds
Air Flow Capacity	900 CFM
Voltage	5 Volts
Wattage	22 watts

Attribute	Detail
Number of Power Levels	3
Indoor/Outdoor Usage	Outdoor, Indoor
Control Method	Touch (via knob)
Blade Material	Plastic
Certification	ETL / CETL safety certified
UPC	848025010266

9. WARRANTY AND SUPPORT

The XPOWER FM-65B Misting Fan comes with a **1-year limited warranty** from the date of purchase. This warranty covers defects in materials and workmanship under normal use.

For warranty claims, technical support, or any questions regarding your product, please contact XPOWER's California-based customer service team. They are available to provide comprehensive support and ensure a first-class customer experience.

For detailed warranty terms and conditions, or to download the official user manual, please refer to the documentation provided with your product or visit the XPOWER website. A PDF version of the user manual is also available [here](#).

© 2024 XPOWER. All rights reserved.

Documents - XPOWER – FM-65B



[\[pdf\]](#) User Manual Owner's Manual Instructions Specifications Warranty

Owner s Manual XPOWER 1000 CFM Battery Powered Outdoor Misting Fan Sylvane owner manual xpower fm 65b battery misting fa
assets sylvane media documents products |||

Rechargeable Air Circulator / Misting Fan Owner s Manual Circulador de Aire / Ventilador con Nebulizador
Recargable Manual de Usuario Ciculateur d Air / Brumiventilateur Rechargeable Manuel d Emploi Model / M
Modle FC-125B, FC-150B, **FM-65B**, FM-65WB, FT-65WB 115V-, 60HZ Read and save these i...

lang:en score:44 filesize: 4.37 M page_count: 19 document date: 2022-06-16



[pdf] User Manual Owner's Manual Instructions Specifications Warranty

FM 65B 65WB ManualDigital Download XPOWER ManufactureXPOWER Misting Fan Owner s Manualxpower x user manuals 11 Me ManualOwners Multi Purpose Battery Powered and Air Circul Mini Split Systems DirectXPOWER ManualXPOWER Manualcdn shopi 0748 5924 9984 v 1687418812 Rechargeable Speed CirculatorXPOWER Owners 1687418812cdn 0696 7174 7813 1738208328 ||| | Rechargeable Air Circulator / Misting Fan Owner s Manual Circulador de Aire / Ventilador con Nebulizador Recargable Manual de Us Ciculateur d Air / Brumiventilateur Recargable Manuel d Emploi Model / Modelo / Modle FC-125B, FC-150B, ||| Rechargeable Air C Misting Fan Owner s Manual Circulador de Aire / Ventilador con Nebulizador Recargable Manual de Usuario Ciculateur d Air / Brumiv Rechargeable Manuel d Emploi Model / Modelo / Modle FC-125B, FC-150B, Rechargeable Air Circulator / Misting Fan Owner s Manual Circulador de Aire / Ventilador con Nebulizador Recargable Manual de Usuario Ciculateur d Air / Brumiventilateur Recargable Manuel d Emploi Model / M Modle FC-125B, FC-150B, **FM-65B**, FM-65WB, FT-65WB 115V-, 60HZ Read and save these i... lang:en score:35 filesize: 11.95 M page_count: 54 document date: 2022-06-16



XPOWER Rechargeable Air Circulator / Misting Fan Owner's Manual | FC-125B, FC-150B, FM-65B, FM-65WB, FT-65WB

Comprehensive owner's manual for XPOWER Rechargeable Air Circulators and Misting Fans (Models FC-1 FC-150B, FM-65B, FM-65WB, FT-65WB). Includes safety instructions, operation guides, maintenance tips, troubleshooting, and technical specifications. lang:en score:25 filesize: 11.95 M page_count: 54 document date: 2022-06-16



[pdf] Datasheet Safety Datasheet Catalog Label

XPOWER FM 65B Portable Battery Operated Rechargeable Cordless Variable Speed Outdoor Cooling Misting Fan and Air Circulato Home Depot 530a41eb 8ed0 4b9b 8c26 85227713bbac images thdstatic catalog Images 53 ||| SAFETY DATA SHEET Date of issue 01-01-2023 Canada/English

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING Prc identifier Product Name Rechargeable Li-ion Cell INR2170...

lang:en score:11 filesize: 141.77 K page_count: 12 document date: 2024-08-08