

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [OKELI](#) /
- › [OKELI Mini Pendant Light Instruction Manual - Model PGJ-DMA3-280](#)

OKELI PGJ-DMA3-280

OKELI Mini Pendant Light Instruction Manual

Model: PGJ-DMA3-280

INTRODUCTION

Thank you for choosing the OKELI Mini Pendant Light. This manual provides essential information for the safe installation, operation, and maintenance of your new lighting fixture. Please read these instructions thoroughly before beginning installation and retain them for future reference.



Image: Three OKELI Mini Pendant Lights illuminating a modern kitchen island.

SAFETY INFORMATION

Always follow basic safety precautions when installing or working with electrical fixtures. Failure to do so may result in serious injury or property damage.

- **WARNING:** To avoid electric shock, disconnect power at the circuit breaker or fuse box before installation or servicing.
- All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). Consult a qualified electrician if you are unfamiliar with proper electrical wiring connections.
- Ensure the fixture is properly grounded.
- Do not install this fixture in wet locations. It is designed for indoor use only.
- The fixture is ETL certified, ensuring compliance with North American safety standards.

WHAT'S INCLUDED

Your OKELI Mini Pendant Light package includes the following components:

- Mini Pendant Light Fixture(s)
- Installation Accessories (mounting bracket, wire nuts, screws, etc.)




Image: Exploded view of the pendant light components.

SPECIFICATIONS

Feature	Detail
Brand	OKELI
Model Number	PGJ-DMA3-280
Color	Black

Material	Aluminum
Style	Modern
Light Fixture Form	Island
Product Dimensions	2.6"L x 2.6"W x 50"H (adjustable height)
Power Source	Corded Electric
Installation Type	Semi Flush Mount
Special Feature	Dimmable
Light Source Type	LED (COB Lamp Bead)
Wattage	12 watts
Brightness	880 Lumens
Color Temperature	6000 Kelvin (Cool White)
Average Life	30,000 Hours
Certification	ETL Listed

SIZE DISPLAY



10inch

Adjustable
47.2inch




Image: Product dimensions and adjustable cable length.

SETUP AND INSTALLATION

Follow these steps for proper installation. Ensure power is OFF at the circuit breaker before starting.

1. **Prepare the Mounting Location:** Use an electric drill to drill holes in the ceiling at the desired location for the hanging plate.
2. **Install the Hanging Plate:** Securely fix the hanging plate to the ceiling using the provided screws.
3. **Connect Wiring:** Carefully connect the fixture's wires to your household electrical wires. Match live to live, neutral to neutral, and ground to ground. Use appropriate wire nuts to secure connections.
4. **Adjust Height:** The pendant light features an adjustable cable. Loosen the white nuts at the top of the line to adjust the height from 5.9 inches to 47.2 inches. Once the desired length is achieved, tighten the nuts to secure the cable.
5. **Secure Ceiling Plate:** Fix the position of the ceiling plate against the ceiling and tighten the screws to hold it in place.

- Restore Power:** Once installation is complete and all connections are secure, restore power at the circuit breaker.



! COMPATIBLE DIMMER !

BRAND	COOPER	LUTRON				LEVITON
MODEL NO.	SL10P	AYCL-153P	AYCL-253P	CTCL-153P	DV-600P	6674
		DV-603G	DVCL-153P	DVCL-253P	DVSCCL-153P	6674-10W
	SAL06P	DVWCL-153A	MACL-153M	MACL-153MK	MRF2S-6CL	C22-6672
		MRF2S-OP153M	PD-6WCL	AYCL-153P	SCL-153P	C28-00672
		SD130F6	SI10P-A	TGCL-153P		DSM10
					IDI06	

Image: Step-by-step installation guide for the pendant light.

OPERATING INSTRUCTIONS

Your OKELI Mini Pendant Light is designed for ease of use and offers adjustable features.

- **Power On/Off:** Use your standard wall switch to turn the light fixture on or off.
- **Dimmable Functionality:** This pendant light is dimmable. To utilize this feature, it must be connected to an ETL-certified dimmer switch (not included). The brightness can be adjusted between 10% and 100%.
- **Light Color Adjustment:** The fixture offers multiple light color options. A switch on the fixture allows you to cycle through different color temperatures, including warm white, natural white, and cool white (6000K).

Your browser does not support the video tag.

Video: A 37-second overview of the OKELI Mini LED Pendant Light, showcasing its design and features.

MAINTENANCE

To ensure the longevity and optimal performance of your pendant light, follow these simple maintenance guidelines:

- **Cleaning:** Disconnect power before cleaning. Wipe the fixture with a soft, dry cloth. Do not use abrasive cleaners, solvents, or polishes as they may damage the finish.
- **Bulb Replacement:** The COB LED lamp beads are integrated and designed for a long lifespan (approximately 30,000 hours). They are not user-replaceable.

TROUBLESHOOTING

If you encounter issues with your OKELI Mini Pendant Light, refer to the following common problems and solutions:


- **Light does not turn on:**
 - Check if the power is on at the circuit breaker.
 - Ensure all wire connections are secure.
 - Verify the wall switch is in the ON position.
- **Light flickers or dims unexpectedly:**
 - Ensure the dimmer switch (if used) is compatible with LED fixtures and is ETL certified. Refer to the compatible dimmer list below.
 - Check for loose wiring connections.
- **Light color does not change:**
 - Ensure the internal switch for color adjustment is functioning correctly.

Compatible Dimmers


For optimal dimming performance, use an ETL-certified dimmer from the following brands and models:



STEP1 Use an electric drill to drill holes in the right place



STEP2 Fix the position of the hanging plate and the screws



STEP3 Pay attention to link the wires



STEP4 Fix the position of the ceiling plate and tighten the screws

Image: Compatible dimmer models from Cooper, Lutron, and Leviton.

WARRANTY AND SUPPORT

OKELI stands behind the quality of its products.

- **Warranty:** If there are any product quality problems within 12 months of purchase, OKELI will replace the product. Repair services are not offered; only replacements for quality issues.
- **Contact Support:** For any questions, concerns, or warranty claims, please contact OKELI LIGHTING directly through your purchase platform or the official OKELI website.