onerbl CMA3558, CMA3581, CMA3576

Onerbl AC/DC Adapter User Manual

For Craig Electronics Portable Stereo Bluetooth Speakers CMA3558, CMA3581, CMA3576

Introduction

This manual provides instructions for the safe and effective use of your Onerbl AC/DC Adapter. This power supply is designed to operate and charge compatible Craig Electronics portable stereo Bluetooth speakers, specifically models CMA3558, CMA3581, and CMA3576, from standard electrical power outlets.



Image 1: Front and side view of the Onerbl AC/DC adapter. The adapter features a standard two-prong plug and a compact black body. The front label indicates "AC Adapter Input: 100-240VAC 0.3A 50/60Hz" and "MADE IN CHINA".

Setup Instructions

1. **Verify Compatibility:** Ensure your device is a Craig Electronics portable stereo Bluetooth speaker model CMA3558, CMA3581, or CMA3576. This adapter is specifically designed for these models.
2. **Inspect Adapter:** Before use, visually inspect the AC/DC adapter and its cord for any signs of damage, such as cuts, frayed wires, or bent prongs. Do not use if damaged.
3. **Connect to Device:** Plug the DC output connector of the Onerbl adapter into the power input port of your Craig Electronics speaker. Ensure a secure connection.
4. **Connect to Power Outlet:** Insert the AC input plug of the adapter into a standard electrical wall outlet (AC 100-240V, 50/60Hz).
5. **Power On Device:** Once connected, you can power on your Craig Electronics speaker. The adapter will provide power for operation and charge the device's battery if applicable.

Operating Instructions

The Onerbl AC/DC adapter functions as a power source and battery charger for your compatible Craig Electronics speaker. It converts the alternating current (AC) from your wall outlet into the direct current (DC) required by your device.

- **Powering the Device:** When connected, the adapter supplies continuous power to your speaker, allowing it to operate without relying on its internal battery.
- **Charging the Battery:** If your speaker has a rechargeable battery, the adapter will automatically charge it while connected to a power outlet. Refer to your speaker's manual for battery charging indicators.
- **Worldwide Compatibility:** The adapter supports a wide input voltage range (AC 100-240V), making it suitable for use in various regions with appropriate plug adapters (not included).



Image 2: The Onerbl AC/DC adapter in use, plugged into a power strip on a white desk. The adapter's compact design allows it to fit alongside other plugs.

Maintenance

Proper care ensures the longevity and safe operation of your Onerbl AC/DC adapter.

- **Cleaning:** Disconnect the adapter from the power outlet and your device before cleaning. Use a soft, dry cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cord to prevent damage.
- **Inspection:** Periodically check the adapter and its cord for any signs of wear, damage, or overheating. If any damage is observed, discontinue use immediately.
- **Environmental Conditions:** Avoid exposing the adapter to moisture, rain, or excessive humidity.

Troubleshooting

If you encounter issues with your Onerbl AC/DC adapter, refer to the following common solutions:

- **Device Not Powering On or Charging:**
  - Ensure the adapter is securely plugged into both the wall outlet and your device.
  - Verify the wall outlet is functional by testing it with another appliance.
  - Check the adapter cord and connectors for any visible damage. If damaged, discontinue use.
  - Confirm that your device is one of the compatible models (CMA3558, CMA3581, CMA3576).
- **Adapter Feels Hot:**
  - It is normal for power adapters to feel warm during operation. However, if it becomes excessively hot to the touch or emits a burning smell, immediately disconnect it from the power source and discontinue use.
  - Ensure adequate ventilation around the adapter.

Specifications

Brand	Onerbl
Compatible Models	Craig Electronics CMA3558, CMA3581, CMA3576
Input Voltage	AC 100-240V, 50/60Hz
Cord Length	6.5 feet (approximately 1.98 meters)
Product Dimensions	15.24 x 10.16 x 5.08 cm (6 x 4 x 2 inches)
Item Weight	226.8 g (8 Ounces)
Safety Features	Over Voltage Protection, Over Heat Protection
Manufacturer	Shenzhen Waweis Technology Co., Ltd




Image 3: Dimensional view of the Onerbl AC/DC adapter. The main body measures approximately 2.6 inches in length, 1.6 inches in width, and 1.2 inches in height. The attached power cord has a length of 76 inches.

Warranty and Support

Your Onerbl AC/DC adapter comes with the following:

- **Warranty:** 1-year product warranty.
- **Money-Back Guarantee:** 90-day money-back guarantee.

For any questions or assistance regarding this product, please contact the seller or manufacturer directly. They are available to provide support and address any concerns you may have.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question