## onerbl AC Adapter

# onerbl AC Adapter User Manual

For Lazer 6001 Epower 360 600A Flashlight Jump Starter

Introduction Safety Information Setup Operation Maintenance Troubleshooting Specifications Warranty & Support

## 1. Introduction

This manual provides essential instructions for the safe and efficient use of your onerbl AC Adapter. This adapter is specifically designed to provide reliable power for compatible automotive jump starters, including the Lazer 6001 Epower 360 600A Flashlight Jump Starter. Please read this manual thoroughly before use and retain it for future reference.

## 2. Safety Information

Always observe the following safety precautions to prevent injury or damage to the product and connected devices:

- **Compatibility:** Use this adapter only with devices that match its voltage and current specifications. Refer to your device's manual for power requirements.
- **Indoor Use Only:** This adapter is designed for indoor use. Do not expose it to rain, moisture, or extreme temperatures.
- **Ventilation:** Ensure adequate ventilation around the adapter during use. Do not cover it or place it in an enclosed space.
- **Damage Inspection:** Before each use, inspect the adapter and its cable for any signs of damage. Do not use if the cable is frayed, the plug is bent, or the casing is cracked.
- **Disconnecting:** Always grasp the plug, not the cable, when disconnecting from the wall outlet.
- **Children and Pets:** Keep the adapter out of reach of children and pets.
- **Overload Protection:** This adapter features over voltage and over heat protection. However, avoid overloading the adapter or the electrical outlet.




*Image: The onerbl AC Adapter incorporates a smart chip for multiple safety protections, including short-circuit, over-voltage, and over-current protection.*

## 3. Setup

Setting up your onerbl AC Adapter is straightforward:

1. **Unpack:** Carefully remove the AC adapter from its packaging.
2. **Inspect:** Check the adapter for any visible damage. If damaged, do not use it.
3. **Connect to Device:** Plug the barrel connector end of the adapter cable into the charging port of your compatible device (e.g., Lazer 6001 Epower 360 600A Flashlight Jump Starter). Ensure a secure connection.
4. **Connect to Power Outlet:** Plug the AC adapter into a standard wall power outlet (AC 100-240V, 50/60Hz).



*Image: The AC adapter connected to a power source and a compatible jump starter device.*

## 4. Operation

Once connected, the onerbl AC Adapter will begin charging your device. The charging status is typically indicated by your connected device (e.g., an LED indicator on the jump starter). The adapter is designed for automatic voltage detection (100-240V AC input), making it suitable for worldwide use.

- **Charging Time:** Refer to your device's manual for estimated charging times.
- **Disconnection:** Once your device is fully charged, disconnect the adapter from the wall outlet first, then from your device.

## 5. Maintenance

Proper maintenance ensures the longevity and safe operation of your AC adapter:

- **Cleaning:** Disconnect the adapter from all power sources before cleaning. Use a dry, soft cloth to wipe the exterior. Do not use liquid cleaners or solvents.
- **Storage:** When not in use, store the adapter in a cool, dry place, away from direct sunlight and extreme temperatures. Avoid tightly coiling the cable to prevent damage.
- **Cable Care:** Do not bend, twist, or pull the cable excessively. Avoid placing heavy objects on the

cable.





*Image: The adapter features a durable design with quality copper wiring and a robust PVC jacket for enhanced longevity.*

## 6. Troubleshooting

If you encounter issues with your onerbl AC Adapter, try the following steps:

- **No Power:**
  - Ensure the adapter is securely plugged into a working wall outlet.
  - Check if the wall outlet is functional by plugging in another device.
  - Verify that the barrel connector is firmly seated in your device's charging port.
- **Slow Charging:**
  - Confirm that your device is compatible with the adapter's output specifications.
  - Ensure no other high-power devices are connected to the same power strip or circuit, potentially causing voltage drops.
- **Adapter is Hot:**
  - It is normal for the adapter to feel warm during operation. If it becomes excessively hot, disconnect it immediately.
  - Ensure adequate ventilation around the adapter. Do not cover it.
- **Device Not Charging:**
  - Check your device's charging indicator.
  - Try using the adapter with another compatible device (if available) to determine if the issue is with the adapter or the device.

If problems persist, contact customer support.

## 7. Specifications

Key technical specifications for the onerbl AC Adapter:

| | |
|---|---|
| **Input Voltage** | AC 100-240V, 50/60Hz |
| **Wattage** | 36.5 watts |
| **Connector Type** | Barrel Connector |
| **Compatible Devices** | Automotive Jump Starters (e.g., Lazer 6001 Epower 360 600A Flashlight Jump Starter) |
| **Product Dimensions** | 6 x 4 x 2 inches (adapter unit only) |
| **Item Weight** | 8 ounces |
| **Cable Length** | 76 inches (approx. 6.3 feet) |
| **Manufacturer** | Shenzhen Waweis Technology Co., Ltd |




*Image: Front and side views of the onerbl AC Adapter, illustrating its compact design.*





*Image: Detailed dimensions of the AC adapter unit and its cable length.*

## 8. Warranty & Support

**Return Policy:** This product is subject to a 30-day refund/replacement return policy from the date of purchase. Please refer to your retailer's specific return guidelines for detailed information.
**Customer Support:** For technical assistance, troubleshooting beyond this manual, or warranty inquiries, please contact the retailer or manufacturer directly. Contact information can typically be found on your purchase receipt or the retailer's website.
**Manufacturer:** Shenzhen Waweis Technology Co., Ltd

© 2026 onerbl. All rights reserved.