Sea Gull Lighting 4420903-05

Sea Gull Lighting Franport 4420903-05 3-Light Chrome Vanity Fixture Instruction Manual

Model: 4420903-05 | Brand: Sea Gull Lighting

Introduction

This instruction manual provides detailed guidance for the safe installation, operation, and maintenance of your Sea Gull Lighting Franport 4420903-05 3-Light Chrome Vanity Fixture. Please read all instructions carefully before beginning installation and retain this manual for future reference.

Safety Information

WARNING: Risk of electric shock. Disconnect power at the fuse box or circuit breaker before installation or servicing. All electrical connections must be in accordance with local codes, ordinances, or the National Electric Code (NEC). If you are unfamiliar with proper electrical wiring connections, consult a qualified electrician.

- Ensure the fixture is properly grounded.
- Do not exceed the maximum wattage specified for this fixture.
- Handle glass components with care to prevent breakage.
- Keep flammable materials away from the light bulbs.

Package Contents

Verify that all parts listed below are included in your package:

- 1 x Franport 3-Light Chrome Vanity Fixture (Model 4420903-05)
- 3 x Frosted Glass Shades
- 1 x Mounting Hardware Kit (includes mounting strap, outlet box screws, wire connectors, ground screw)
- 1 x Instruction Manual

Tools Required

The following tools are typically required for installation:

- Phillips Head Screwdriver
- Flathead Screwdriver
- Wire Strippers
- Pliers
- Electrical Tape (optional)
- Safety Glasses

Setup and Installation

Follow these steps to install your vanity fixture. Assembly is not required for the main fixture body.

1. **Turn Off Power:** Before starting, ensure the electrical power to the area where you are installing the fixture is turned off at the main circuit breaker or fuse box.
2. **Prepare Mounting Surface:** If replacing an existing fixture, carefully remove it. Ensure the electrical outlet box is securely mounted to the wall structure.
3. **Attach Mounting Strap:** Secure the mounting strap (A) to the outlet box using the provided outlet box screws (B). Ensure the strap is oriented correctly for the fixture.
4. **Make Electrical Connections:**
    - Connect the bare copper or green ground wire from the fixture to the ground wire from the outlet box (usually bare copper or green) using a wire connector. If your outlet box does not have a ground wire, attach the fixture's ground wire to the green ground screw on the mounting strap.
    - Connect the white (neutral) wire from the fixture to the white (neutral) wire from the outlet box using a wire connector.
    - Connect the black (hot) wire from the fixture to the black (hot) wire from the outlet box using a wire connector.
    - Carefully tuck all wires into the outlet box.
5. **Mount Fixture:** Align the fixture's backplate with the mounting strap and secure it with the provided mounting screws (C).
6. **Install Light Bulbs:** Insert three E26 medium base light bulbs (not included) into the sockets. Do not exceed the maximum recommended wattage of 100 watts total for the fixture. LED bulbs are recommended for energy efficiency.
7. **Attach Glass Shades:** Carefully place each frosted glass shade over its respective socket and secure it according to the fixture design (typically by threading a ring or using set screws).
8. **Restore Power:** Once installation is complete, restore power at the circuit breaker or fuse box.

Figure 1: The Sea Gull Lighting Franport 3-Light Chrome Vanity Fixture. This image displays the complete fixture featuring a polished chrome backplate and horizontal bar, from which three light sockets extend, each covered by a cylindrical frosted white glass shade. The fixture is designed for wall mounting.

Operating Instructions

The Sea Gull Lighting Franport vanity fixture operates via a standard wall switch (push button type recommended) connected to your home's electrical system. Once installed and wired correctly, simply use the wall switch to turn the lights on or off.

Maintenance

- **Cleaning:** To clean the fixture, ensure power is off. Wipe the chrome finish with a soft, dry cloth. For glass shades, remove them carefully and wash with mild soap and water, then dry thoroughly before reattaching. Avoid abrasive cleaners or solvents that may damage the finish or glass.
- **Bulb Replacement:** Ensure power is off before replacing bulbs. Allow bulbs to cool completely. Unscrew the old bulb and replace it with a new E26 medium base bulb. Do not exceed the maximum total wattage of 100 watts for the fixture.

Troubleshooting

Problem	Possible Cause	Solution
Light does not turn on	No power to fixture; Loose wiring; Faulty bulb; Faulty wall switch	Check circuit breaker/fuse; Verify all wire connections are secure; Replace bulb; Test wall switch or consult electrician
Light flickers	Loose bulb; Loose wiring; Incompatible dimmer switch (if applicable); Faulty bulb	Tighten bulb; Check wire connections; Ensure dimmer is compatible with bulb type; Replace bulb
Bulbs burn out quickly	Incorrect bulb wattage; Poor ventilation; Voltage fluctuations	Ensure bulbs do not exceed 100W total; Ensure proper air circulation around bulbs; Consult electrician for voltage issues

Specifications

Feature	Detail
Brand	Sea Gull Lighting
Model Number	4420903-05
Fixture Type	Vanity Light, Wall Mount
Color/Finish	Chrome
Material	Alloy Steel, Glass, Iron
Number of Lights	3
Shade Material	Glass
Shade Color	White (Frosted)
Dimensions (Approx.)	Width: 21 inches, Height: 8 inches, Depth: 7 inches
Bulb Base	E26 Medium

Feature	Detail
Max Wattage	100 Watts (Total for fixture)
Light Source Type	LED Recommended (Compatible with Incandescent/CFL)
Brightness	800 lumens (per bulb, typical for recommended LED)
Power Source	Corded Electric
Installation Type	Wall Mount
Room Type	Bathroom (Indoor Use Only)
Water Resistance Level	Water Resistant
Assembly Required	No (for main fixture body)
UPC	785652119842

Note: Some specifications may vary slightly. Always refer to the product packaging for the most accurate information.

Warranty Information

This product comes with a limited warranty. For specific warranty details, including duration and coverage, please refer to the warranty card included with your product or visit the official Sea Gull Lighting website. Please retain your proof of purchase for warranty claims.

Customer Support

For technical assistance, missing parts, or any questions regarding your Sea Gull Lighting fixture, please contact customer support through the official Sea Gull Lighting website or your retailer. Have your model number (4420903-05) and proof of purchase ready when contacting support.

© 2026 Sea Gull Lighting. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question