

[Manuals.plus](#) /

› [ANZZI](#) /

› ANZZI 2753FLWR Walk-In Bathtub User Manual

ANZZI 2753FLWR

ANZZI 2753FLWR Walk-In Bathtub User Manual

Model: 2753FLWR | Brand: ANZZI

1. PRODUCT OVERVIEW

The ANZZI 2753FLWR Walk-In Bathtub is designed to provide a luxurious and accessible bathing experience. This model features a right-drain configuration, air and whirlpool massage jets, a quick-fill faucet with a 6-setting handheld shower, aromatherapy, chromatherapy LED lighting, and an integrated bath pillow. Its user-focused design prioritizes comfort, ease of use, and safety, making it an ideal addition to any modern bathroom.



Figure 1.1: Angled top-down view of the ANZZI 2753FLWR Walk-In Bathtub, showcasing its compact design and integrated features.

The bathtub is constructed from glossy white marine-grade acrylic with fiberglass reinforcement and a freestanding steel support frame, ensuring durability and stability. Safety features include a low entry threshold, built-in safe reach grab bars, and slip-resistant textured flooring, making entry and exit as easy and safe as possible.

2. KEY FEATURES

- **Wide Opening Door:** Features a protected watertight pressure seal for easy access.
- **Hydro-Therapeutic Whirlpool Jets:** 10 fully adjustable jets provide a powerful, soothing massage.
- **Acu-Stream Air Jets:** 18 air jets deliver a gentle, total body aero-therapeutic massage.
- **Inline Maintenance Heater:** Helps maintain water temperature for extended comfort.

- **Quick Fill Faucet & Handheld Shower:** Rapidly fills the tub and includes a Euro-Grip shower head with a 60-inch reach and 6 spray settings.
- **Aromatherapy:** Infuses bathwater with rich fragrances for an enhanced sensory experience.
- **Chromatherapy:** Reinvigorate your mind and body with soothing colored light bathing.
- **Durable Construction:** Glossy White marine grade Acrylic with fiberglass reinforcement and a freestanding steel support frame.
- **Safety Features:** Built-in Safe Reach grab bars, easy step low threshold, secure footing slip-resistant flooring, and ADA compliant built-in seat.




Figure 2.1: Overview of the bathtub's key features, including hydro-plus water jets, air-pulse air jets, and full tub & faucet controls.

ADA READY

- 1 3X SAFE HOLD GRAB BARS**
STEADY BALANCE
AND SUPPORT
- 2 ADA HEIGHT BATH SEAT**
REDUCE STRESS ON
KNEES & BACK
- 3 SLIP RESISTANT FLOORING**
FOR A SECURE FOOT
HOLD & STANDING
- 4 LOW STEP
4 $\frac{1}{4}$ " ENTRY WAY**
ENTRY WITH MINIMAL
EFFORT & MOVEMENT

ANZZI®



Figure 2.2: ADA Ready features highlighting safety and accessibility, such as 3X safe hold grab bars and a low 4-inch entry way.



Figure 2.3: Chromatherapy feature demonstrating the range of colored lights available for a personalized bathing experience.


ANZZI®

EXTENDABLE HAND SHOWER

6X SPRAY
SETTINGS

60" REACH

HEAVY RAIN™
SHOWER TECH



MISTING
SPRAY



MISTING SPRAY WITH
BODY SPRAY



FULL BODY
SPRAY



MASSAGE
STREAM



MASSAGE STREAM
WITH BODY SPRAY



WATER
DROPS

Figure 2.4: The extendable handheld shower, illustrating its six distinct spray settings for versatile use.

3. SETUP & INSTALLATION

Installation of the ANZZI Walk-In Bathtub requires professional plumbing and electrical work. This section provides a general overview; always refer to the detailed installation guide provided with your product for specific instructions and safety warnings.

3.1 Pre-Installation Checklist

- Ensure adequate space and structural support for the bathtub (Item Weight: 205 pounds, Capacity: 93 Gallons).
- Verify electrical requirements (110v, 2x20 amp GFCI breakers) are met.
- Confirm plumbing connections are accessible and compatible with the right-drain configuration.
- Inspect the bathtub for any shipping damage before installation.

3.2 Installation Steps Overview

- 1. Position the bathtub in the desired location, ensuring proper leveling.
- 2. Connect the hot and cold water supply lines to the quick-fill faucet.
- 3. Connect the drain assembly to your home's drainage system.
- 4. Perform electrical connections for the jets, heater, and lighting, ensuring all GFCI requirements are met.
- 5. Test all functions (water fill, jets, lights, heater, drain) for proper operation and leak detection.
- 6. Secure the bathtub in place according to local building codes.




Figure 3.1: Detailed technical drawing with dimensions and specifications crucial for proper installation planning.

4. OPERATING INSTRUCTIONS

Familiarize yourself with the control panel and features before first use.

4.1 Filling the Bathtub

- Close the watertight door securely.
- Turn on the quick-fill faucet to begin filling the tub. The rapid fill feature ensures efficient water delivery.
- Monitor the water level to avoid overfilling.

4.2 Using the Whirlpool and Air Jets

- Ensure the water level is above the highest jets before activating.
- Use the digital control panel to activate the hydro-therapeutic whirlpool jets or the Acu-Stream air jets.
- Adjust jet intensity and direction as desired (for whirlpool jets).

4.3 Chromatherapy and Aromatherapy

- Activate chromatherapy lighting via the digital control panel to cycle through or select specific colors.
- For aromatherapy, add your preferred aroma-infused bath products to the water as directed by the product's instructions.

4.4 Handheld Shower Operation

- Pull out the Euro-Grip handheld shower from its holder.
- Select one of the 6 available spray settings by rotating the shower head.
- Return the shower head to its holder when finished.

Your browser does not support the video tag.

Video 4.1: ANZZI Brand Highlight Video. This video showcases various ANZZI products, including the walk-in bathtub, demonstrating their features and design in a bathroom setting.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your ANZZI Walk-In Bathtub.

5.1 Cleaning the Bathtub

- Clean the acrylic surface with a soft cloth and non-abrasive, mild bathroom cleaner.
- Avoid harsh chemicals, abrasive pads, or solvents that can damage the finish.
- Wipe down the door seal regularly to prevent mold and mildew buildup.

5.2 Jet Maintenance

- Periodically run the jets with a specialized jetted tub cleaner or a mixture of white vinegar and water to prevent mineral buildup and ensure hygiene.
- Follow the cleaner's instructions for proper dilution and soak times.

5.3 Water Heater Maintenance

- The inline maintenance heater is designed to maintain water temperature. No specific user maintenance is typically required for the heater itself beyond ensuring proper electrical supply.
- If you notice issues with water temperature maintenance, consult a qualified technician.

6. TROUBLESHOOTING

This section addresses common issues you might encounter. For problems not listed here, please contact customer support.

Problem	Possible Cause & Solution
Jets (Whirlpool/Air) not working	• Power Supply: Check if the GFCI breaker has tripped. Reset if necessary. • Water Level: Ensure water level is above the jets. • Control Panel: Verify the control panel is functioning and jets are activated correctly.
Lights (Chromatherapy) not working	• Power Supply: Check electrical connections and GFCI. • Control Panel: Ensure the light function is activated on the control panel.
Water not maintaining temperature	• Heater Activation: Confirm the inline heater is turned on via the control panel. • Water Flow: Ensure adequate water flow through the heater. • Electrical: Check power supply to the heater.
Control panel unresponsive	• Power Cycle: Turn off power to the tub at the breaker for 5 minutes, then restore. • Connections: Ensure all wiring connections to the control panel are secure (professional inspection recommended).
Water leakage from door	• Door Seal: Inspect the door seal for debris or damage. Clean or replace if necessary. • Door Latch: Ensure the door is fully closed and latched before filling.

6.1 Contact Support

If troubleshooting steps do not resolve the issue, please contact ANZZI customer support for further assistance. Have your model number and purchase date ready.

7. SPECIFICATIONS

Attribute	Detail
Model Number	2753FLWR
Product Dimensions	52.5"L x 26.5"W x 40"H
Soak Depth	33"

Attribute	Detail
Item Weight	205 pounds
Capacity	93 Gallons
Voltage	110v
Rated Power	2770W
Electrical Connection	2x20 amp GFCI breakers
Material	Acrylic with Fiberglass reinforcement
Installation Type	Freestanding
Drain & Door Location	Right-hand side

8. WARRANTY AND SUPPORT

ANZZI products are manufactured with superior quality standards and craftsmanship. This product is backed by a manufacturer's warranty. Please refer to the warranty card included with your purchase for specific terms, conditions, and duration.

8.1 Customer Support

For technical assistance, warranty claims, or replacement parts, please contact ANZZI customer service. Ensure you have your product model number (2753FLWR) and proof of purchase readily available when contacting support.

ANZZI Customer Service: Please visit the official ANZZI website or your retailer's support page for current contact information.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for

conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question