LEIVI B011-01

LEIVI Smart Bidet Toilet Seat Instruction Manual

Model: B011-01

Introduction | Setup & Installation | Operation | Maintenance | Troubleshooting | Specifications | Warranty & Support

1. Introduction

Welcome to the LEIVI Smart Bidet Toilet Seat user manual. This guide provides comprehensive instructions for the installation, operation, and maintenance of your new bidet seat. Designed for enhanced hygiene and comfort, the LEIVI Smart Bidet offers a range of features including adjustable warm water wash, warm air dry, heated seat, and dual control options. Please read this manual thoroughly before use to ensure proper function and safety.



Figure 1: LEIVI Smart Bidet Toilet Seat (Silver Elongated) with wireless remote control.

2. Setup & Installation

Before beginning installation, ensure you have all components listed in the package. Turn off the water supply valve to your toilet and flush the toilet to empty the tank. This bidet seat is designed for easy DIY installation, typically taking about 30 minutes to an hour.

2.1 Package Contents:

- LEIVI B01 Smart Bidet Seat
- Wireless Remote Control
- Remote Control Holder
- Fast Mounting Plate
- Installation Accessories (Expansion screws, nuts, double-faced adhesive tape, etc.)
- Inlet Hose
- T-Adapter
- Premium Bidet Filter
- User Manual

2.2 Pre-Installation Checklist:

- Confirm your toilet size (Elongated or Round). This model is Elongated (20.39"L x 15.03"W).
- Ensure a 110-volt power outlet is available near the toilet.
- Verify that your toilet bowl surface is flat after removing the old seat for proper bidet seat fit.



Figure 2: Visual guide for the quick installation process.



Figure 3: Dimensions for Elongated (18.5" length) and Round (16.5" length) toilet bowls. Ensure your toilet matches the elongated dimensions for this model.

2.3 Installation Steps:

1. **Remove Current Seat:** Detach your existing toilet seat from the toilet bowl.
2. **Install Bidet Seat Base Plate:** Secure the fast mounting plate onto the toilet bowl using the provided expansion screws and nuts.
3. **Slide Bidet Seat:** Carefully slide the LEIVI bidet seat onto the installed base plate until it clicks into place. A quick release button allows for easy removal for cleaning.
4. **Connect T-Adapter:** Connect the durable stainless steel T-adapter to your toilet's fill valve inlet.
5. **Connect Hoses:** Attach the premium bidet filter, the bidet seat hose, and the water supply hose to the T-adapter. Ensure all connections are secure to prevent leaks.
6. **Power Connection:** Plug the bidet seat into a 110-volt power outlet.

Your browser does not support the video tag.

Video 1: Official LEIVI B01 Smart Bidet Installation Guide. This video demonstrates the step-by-step process for setting up the bidet seat, including connecting water lines and securing the unit to the toilet.

3. Operation

The LEIVI Smart Bidet Seat offers a user-friendly experience with both a wireless remote control and a side control panel. The bidet features a built-in skin conductivity sensor, meaning wash functions will only activate when someone is seated.

3.1 Wireless Remote Control:

The wireless remote provides comprehensive control over all bidet functions. It features an LED backlight for easy use at night and can be wall-mounted or used in-hand. The remote uses a magnetic design for convenient storage.




Figure 4: Detailed layout of the wireless remote control, showing buttons for various functions like wash modes, temperature, and position adjustments.

- **STOP:** Stops the current operation.

- **MASSAGE:** Cleanses with pulsating water pressure (soft to strong).
- **REAR:** Activates the posterior wash.
- **BIDET:** Activates the feminine wash.
- **SWING:** Moves the wand back and forth for thorough cleaning.
- **TEMP:** Adjusts warm water and air temperature (multiple levels).
- **DRY:** Activates the warm air dryer.
- **POSITION:** Adjusts the wand's forward or backward position.
- **FLOW:** Adjusts the water pressure of the stream.
- **SEAT:** Adjusts the heated seat temperature (multiple levels).

3.2 Side Control Panel:

For quick access to essential functions, a side control panel is located on the bidet seat. This is particularly useful for pregnant or elderly individuals.



Figure 5: Close-up of the user-friendly side control panel, allowing adjustment of water pressure, air dry temperature, and nozzle position.

- **Rear Wash Button:** Initiates posterior cleansing.
- **Front Wash Button:** Initiates feminine cleansing.
- **Fan Button:** Activates the warm air dry function.
- **Adjustments:** Push the side control to adjust water pressure, air dry temperature, and nozzle position.

3.3 Key Features:

- **Instant Warm Water:** Advanced ceramic heating tube provides instant warm water at 6 adjustable temperature levels (from room temperature to 100.4°F / 38°C).
- **Ergonomic Heated Seat:** Contoured seat with 4 adjustable temperature levels for comfort (from room temperature to 98.6°F / 37°C).
- **Warm Air Dry:** 6 adjustable air temperature levels (from room temperature to 122°F / 50°C) for efficient drying.
- **Multiple Wash Modes:** Strong wash, soft wash, pulsating wash, oscillating spray, rear wash, and front wash.
- **Dual Nozzle System:** Separate nozzles for posterior and feminine wash.
- **Auto LED Nightlight:** Provides illumination for nighttime use.
- **Activated Carbon Deodorizer:** Helps neutralize bathroom odors.
- **Soft-Close Lid & Seat:** Prevents loud slamming.
- **Self-Cleaning Nozzle:** The bidet nozzle automatically cleans itself between uses. The detachable nozzle is easy to clean and replace.



Figure 6: Overview of key features including heated seat, warm air dry, instant warm water, and multiple wash modes.

4. Maintenance

Regular cleaning and maintenance will ensure the longevity and optimal performance of your LEIVI Smart Bidet Seat.

4.1 Cleaning the Bidet Seat:

1. Turn off the power and water supply to the bidet.
2. Press the quick release button to remove the bidet seat from the base plate.
3. Use a soft cloth dampened with soapy water or a neutral detergent to clean the exterior surfaces. Avoid abrasive cleaners.
4. Reinstall the bidet seat onto the base plate.

4.2 Cleaning the Nozzle:

- In the non-seated state, press and hold the hip/female wash button for more than 2 seconds. The nozzle will automatically extend.
- Remove the detachable nozzle from the machine.
- Scrub the nozzle with a soft toothbrush, sponge, or smooth cloth dampened with soapy water or neutral detergent.
- Install the nozzle back into place. Press the STOP button or long press the hip/female wash button for more than 2 seconds to retract the nozzle.

4.3 Water Inlet Filter Maintenance:

The premium bidet filter helps maintain water quality. Periodically check and clean or replace the filter as needed.

1. Turn off the power and water supply.
2. Turn off the water inlet angle valve.
3. Take out the water filter and clean or replace it.
4. Reinstall the filter and restore water and power.

5. Troubleshooting

If you encounter any issues with your LEIVI Smart Bidet Seat, please refer to the common problems and solutions below before contacting support.

Problem	Possible Cause	Solution
No water spray / Weak spray	Water supply valve closed; Filter clogged; Nozzle blocked.	Open water supply valve; Clean/replace filter; Clean nozzle.
Heated seat not working	Power not connected; Temperature setting too low; Sensor not detecting user.	Check power connection; Adjust seat temperature; Ensure proper seating.
Warm air dryer not working	Power not connected; Dryer temperature setting too low.	Check power connection; Adjust dryer temperature.
Remote control unresponsive	Batteries low/dead; Obstruction between remote and bidet.	Replace batteries; Remove obstruction.
Nightlight not working	Nightlight feature disabled (if applicable); Power issue.	Check remote settings; Verify power.

If the problem persists after attempting these solutions, please contact LEIVI customer support.

6. Specifications

Feature	Detail
Model Number	B011-01
Dimensions (L x W)	20.39" x 15.03" (Elongated)
Item Weight	12.8 Pounds

Feature	Detail
Material	Acrylonitrile Butadiene Styrene (ABS)
Voltage	110 Volts
Water Temperature	6 adjustable levels (93.2°F - 100.4°F / 34°C - 38°C)
Seat Temperature	4 adjustable levels (87.8°F - 98.6°F / 31°C - 37°C)
Air Dry Temperature	6 adjustable levels (95°F - 122°F / 35°C - 50°C)
Control System	Wireless Remote & Side Panel
Special Features	Instant Warm Water, Heated Seat, Warm Air Dry, Dual Nozzle, Auto Nightlight, Deodorizer, Self-Cleaning Nozzle, Soft-Close Lid

7. Warranty & Support

7.1 Warranty Information:

LEIVI warrants its Bidets to be free from defects in materials and workmanship during normal use when properly installed and serviced for a period of **three (3) years** from the date of purchase for all customers. This warranty covers defects under normal use and proper installation.

7.2 Customer Support:

For any questions, technical assistance, or warranty claims, please contact LEIVI customer support. Many users have reported excellent and responsive customer service. Refer to the contact information provided in your product packaging or on the official LEIVI website.
You can also visit the official LEIVI Store on Amazon for more information and products: LEIVI Amazon Store.

© 2025 LEIVI. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for

conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Answered questions about this manual

Why is the water tube (nozzle) not extending on my LEIVI B011-01 Smart Bidet Toilet Seat?

If the water tube (nozzle) on your LEIVI B011-01 Smart Bidet is not extending, please check the following common causes and solutions:Skin Conductivity Sensor: This bidet features a built-in sensor that prevents the nozzle...

Read full answer

When I plug in my LEIVI B011-01 Smart Bidet, it cycles and the bowl light illuminates, but the light never turns on during any other function. Is this normal operation?

Yes, it is normal for the LEIVI B011-01 Smart Bidet to perform a self-diagnostic cycle when first plugged into a power source. During this startup phase, the unit typically cycles its internal systems and...

Read full answer